
Viewsonic X11-4K data projector Standard throw projector LED 4K (4096x2400) 3D Black, Light brown, Silver

Brand : Viewsonic

Product code: X11-4K

Product name : X11-4K



- Cinema SuperColor+[™] Technology with 125% Rec.709 wide color gamut
- 3rd generation LED technology with 30,000 hours lifespan
- Smart connectivity via Wi-Fi, Bluetooth, and USB-C
- Custom-built speakers by Harman Kardon

- Instant auto focus and 0.8 short throw ratio for easy setup

3840 x 2160, 2400 LED Lumens, 1.07G, LED, 15GB, 15K - 135KHz, 23 - 120 HZ, 2x HDMI, 1x Type-C,

3.5mm, RJ-45, WIFI input, Audio-out Bluetooth, S/PDIF x1

Viewsonic X11-4K. Projection technology: LED, Projector native resolution: 4K (4096x2400), Contrast ratio (typical): 300000:1. Light source type: LED, Service life of light source: 30000 h. Aperture range (F-F): 1.8 - 8.5, Offset: 100%. Serial interface type: RJ-45, HDMI connector type: Full-size. Compatible memory cards: MicroSD (TransFlash), Internal storage capacity: 16 GB





Projector		Features	
Projector brightness Screen size compatibility * Projection distance Projection technology *	2400 LED lumens 762 - 5080 mm (30 - 200") 0.5 - 3.5 m LED	On Screen Display (OSD) languages	Arabic, Simplified Chinese, German, Dutch, English, Spanish, French, Italian, Korean, Latvian, Lithuanian, Persian, Polish, Romanian, Russian, Swahili, Turkish
Projector native resolution *	4K (4096x2400)	Number of OSD languages	24
Contrast ratio (typical) *	3000000:1	Noise level *	26 dB
Native aspect ratio * Keystone correction, horizontal	16:9 40°	Multimedia	
Keystone correction, vertical	40°	Built-in speaker(s) *	✓
Light source		RMS rated power Number of built-in speakers	16 W 2
Light source type *	LED		2
Service life of light source *	30000 h	Design	
Lens system		Market positioning * Product type *	Home cinema Standard throw projector
Aperture range (F-F)	1.8 - 8.5	Product colour *	Black, Light brown, Silver
Zoom capability	1	LED indicators	1
Offset	100%	Power	
Video		Power source *	AC
Full HD *	✓	Power consumption (typical) *	115 W
3D *	1	Power consumption (standby) *	0.5 W
Ports & interfaces		AC input voltage	100 - 240 V 50 / 60 Hz
HDMI connector type	Full-size	AC input frequency	507 00 112
HDMI version	2.0	Operational conditions	0. 10.00
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-C	2	Operating temperature (T-T)	0 - 40 °C
ports quantity	1	Weight & dimensions	
Serial interface type *	RJ-45	Width	261 mm
HDMI ports quantity *	2	Depth Height	271 mm 146 mm
Network		Weight *	4.5 kg
Ethernet LAN *	✓	Package width	402 mm
Ethernet LAN (RJ-45) ports	1	Package depth	370 mm
Wi-Fi *	4	Package height	295 mm
Storage		Package weight	7.5 kg
Card reader integrated *	✓ MisroCD (TransFlach)	Packaging content	
Compatible memory cards Internal storage capacity	MicroSD (TransFlash) 16 GB	Remote control included *	✓
		Remote control type Cables included	IR Power, USB Type-C
			i ower, ood i ype-e

Features		Packaging content	
Noise level (economic mode) On Screen Display (OSD)	25 dB ✓	Packaging content	Power Cord: 1 USB-C Cable: 1 (1m) Remote Control: 1 (w/ backlit) QSG: Yes Warranty Card: Yes (CN Only)
		Logistics data	
		Quantity per pack	1 pc(s)
		Other features	
		Dimensions (WxDxH)	261 x 271 x 146 mm





766907014549

0766907014549

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.