

## DELL UltraSharp U4323QE LED display 109.2 cm (43") 3840 x 2160 pixels 4K Ultra HD LCD Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U4323QE

Product name : U4323QE

- 109.22 cm (43") 4K Ultra HD 3840 x 2160, W-LED IPS

- 8ms, 16:9, 350cd/m<sup>2</sup>, 1000:1

- USB, HDMI, DisplayPort

109.22 cm (43") 4K Ultra HD 3840 x 2160, W-LED IPS, 16:9, 350cd/m<sup>2</sup>, 8ms, 178°/178°, 1000:1

DELL UltraSharp U4323QE LED display 109.2 cm (43") 3840 x 2160 pixels 4K Ultra HD LCD Silver:

Multiply your productivity with this 42.5" monitor featuring multi-PC connectivity, 4 unique FHD partitions via iMST, ComfortView Plus and wired Ethernet.

DELL UltraSharp U4323QE. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Silver









Display		Ergonomics	
Display diagonal *	109.2 cm (43")	Cable management	4
Display resolution *	3840 x 2160 pixels	Cable lock slot *	1
HD type *	4K Ultra HD	Height adjustment *	1
Native aspect ratio *	16:9	Height adjustment	6 cm
Display technology *	LCD	Pivot	×
Panel type *	IPS	Swivelling	1
Backlight type	W-LED	Swivel angle range	-20 - 20°
Touchscreen *	×	Tilt adjustment	1
Display brightness (typical)	350 cd/m²	Tilt angle range	-5 - 10°
Response time	8 ms	On Screen Display (OSD)	1
Anti-glare screen	✓	Plug and Play	1
Screen shape *	Flat	LED indicators	1
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2048 x 1152, 3840 x 2160	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	52 KWN
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p	Power consumption (typical) * Power consumption (standby) *	52.1 W 0.3 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	250 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	1.07 billion colours	Power supply type	Internal
Response time (fast)	5 ms	Operational conditions	
Pixel pitch Pixel density Horizontal scan range Vertical scan range	0.2451 x 0.2451 mm 103.6 ppi 30 - 140 kHz 29 - 76 Hz	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -20 - 60 °C 10 - 80%

Display		Operational conditions	
Viewable size, horizontal Viewable size, vertical Viewable size diagonal	94.1 cm 52.9 cm 10.8 cm	Storage relative humidity (H-H) Operating altitude Non-operating altitude	5 - 90% 0 - 5000 m 0 - 12192 m
High Dynamic Range (HDR)	×	Weight & dimensions	·
supported Surface hardness RGB colour space Colour gamut	3H sRGB 95%	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	967.2 mm 256.4 mm 595.2 mm 18.6 kg
Multimedia Built-in speaker(s) * Built-in camera * Number of speakers RMS rated power	✓ ★ 2 8 W	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side)	967.2 mm 64.1 mm 560.5 mm 13.2 kg 1.3 cm
Design Market positioning *	Business	Bezel width (top) Bezel width (bottom)	1.3 cm 1.81 cm
Product colour *	Silver	Packaging data	
Front bezel colour	Black	Package weight	25.2 kg
Feet colour Heavy metals free	Silver Hg (mercury)	Sustainability	
Ports & interfaces	ng (nereary)	Sustainability certificates	ENERGY STAR, RoHS
Built-in USB hub * USB hub version	✔ 3.2 Gen 2 (3.1 Gen 2)	Doesn't contain European Product Registry for Energy Labelling (EPREL) code	PVC/BFR 1260604
USB upstream port type	USB Type-C	Carbon footprint	
Number of USB Type-C upstream ports quantity	4	Total carbon footprint	1010 kg of CO2e
USB Type-A downstream ports quantity	4	Total carbon emissions (Standard deviation)	263 kg of CO2e
USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode	1	Carbon emissions (Manufacturing) Carbon emissions (Logistics) Carbon emissions (Use) Carbon emissions (End-of-Life)	513 kg of CO2e 124 kg of CO2e 358 kg of CO2e 14 kg of CO2e
USB Power Delivery USB Power Delivery up to	✓ 90 W	Total carbon emissions (w/o Use phase)	651 kg of CO2e
HDMI *	<	PAIA version	1.3.2, 2022
HDMI ports quantity HDMI version	2 2.1	Brand-specific features	
DisplayPorts quantity	2	Dell Display Manager (DDM) compatibility	4
DisplayPort version Headphone out *	1.4	Other features	
Headphone outputs Built-in KVM switch Charging port type AC (power) in	1 ✓ USB Type-C	On/off switch RJ-45 ports quantity	✓ 1
Network			
Wi-Fi	×		
Ergonomics			
VESA mounting *	1		

VESA mounting \* ✓ Panel mounting interface 100 x 100,200 x 200 mm





5397184656976

0884116434498



884116434498

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.