

HP ProBook 455 G9 AMD Ryzen[™] 5 5625U Laptop 39.6 cm (15.6") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Silver

Brand : HP

Product family: ProBook

Product code: 7J1C5AA

Product name : 455 G9

- AMD Ryzen[™] 5 5625U (up to 4.3 GHz max boost clock, 16 MB L3 cache, 6 cores, 12 threads)

- Windows 11 Pro (preinstalled with Windows 10 Pro Downgrade)
- 39.6 cm (15.6") diagonal FHD display
- AMD Radeon[™] Graphics
- 16 GB memory; 512 GB SSD storage

ProBook 455 15.6 inch G9 Notebook PC Wolf Pro Security Edition, 15.6", Windows 11 Pro (preinstalled with Windows 10 Pro Downgrade), AMD Ryzen [™] 5, 16GB RAM, 512GB SSD, FHD

HP ProBook 455 G9 AMD Ryzen[™] 5 5625U Laptop 39.6 cm (15.6") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Silver:

Essential features in a modern design

The HP ProBook 455 Laptop provides growing businesses with the commercial-grade performance, HP Wolf Security for Business^[5], and durability in a compact design. This PC is powered by an AMD processor^[2] and protected with always-on security you can trust.







Design		Network	
Product type * Product colour * Form factor * Market positioning Introduction year	Laptop Silver Clamshell Everyday 2022	Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Cabling technology	 10,100,1000 Mbit/s 5.2 10/100/1000Base-T(X)
Original brand name	HP	Ports & interfaces	
Display diagonal * Display resolution * Touchscreen * HD type Panel type Anti-glare screen Display bezel technology Display brightness Display diagonal (metric) RGB colour space	39.6 cm (15.6") 1920 x 1080 pixels ★ Full HD IPS ↓ Micro-Edge 250 cd/m ² 39.6 cm NTSC	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity HDMI ports quantity * HDMI version Combo headphone/mic port USB Type-C DisplayPort Alternate Mode USB Power Delivery Performance	3 1 1 2.0b ✓
Colour gamut	45%	Repairability index	6.9
Processor Processor manufacturer * Processor family * Processor model * Processor cores Processor threads	AMD AMD Ryzen™ 5 5625U 6 12	Keyboard Keyboard special features Pointing device Numeric keypad * Spill-resistant keyboard Full-size keyboard	Étanche Touchpad ✓
Processor boost frequency	4.3 GHz	Software	
Processor frequency * Processor cache Processor cache type	2.3 GHz 16 MB L3		HP Connection Optimizer; HP Hotkey Support; HP MAC Address Manager; HP PC Hardware Diagnostics UEFI; HP Support
Memory		Pre-installed software	Assistant; myHP; HP Privacy
Internal memory * Internal memory type Memory clock speed Memory layout (slots x size) Memory slots	16 GB DDR4-SDRAM 3200 MHz 1 x 16 GB 2x SO-DIMM	Operating system installed *	Settings; HSA Fusion for Commercial; HSA Telemetry for Commercial; Touchpoint Customizer for Commercial; HP Notifications; HP Quick Touch Windows 11 Pro

Memory		Software	
Number of free internal memory		Bundled software	HP Wolf Pro Security Edition (1 year)
expansion slots	1		In won the secondy Earton (1 year)
ECC	×	Brand-specific features	
Non-ECC	4	HP speaker type HP Connection Optimizer	HP Dual Speakers
Storage		HP Support Assistant	4
Total storage capacity *	512 GB	HP Smart AC Adapter	4
Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe Optical drive type *	SSD 512 GB 1 512 GB PCI Express ✓	HP Security tools	Absolute persistence module; HP DriveLock and Automatic DriveLock; HP Secure Erase; HP Sure Click; HP Sure Sense; BIOS Update via Network; HP Sure Admin; HP BIOSphere Gen6; TPM 2.0 embedded security chip (Common Criteria EAL4+ and FIPS 140-2 Level 2 Certified); HP Sure Start Gen7; HP Works on WI AN, HP Tamper Lock
Graphics			Wake on WLAN; HP Tamper Lock HP Client Management Script
Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card family On-board graphics card model *	Not available AMD AMD AMD Radeon Graphics AMD Radeon Graphics	HP Management tools	Library (download); HP Driver Packs (download); HP Client Catalog (download); HP Manageability Integration Kit Gen4 (download); HP Image Assistant Gen5 (download); HP Connect for Microsoft Endpoint Manager
Audio		HP segment	Business
Built-in speaker(s)	<	HP GTIN (EAN/UPC) with options	(ABB) 197192452189; (ABU) 197192452448
Number of built-in speakers Built-in microphone	2	HP GTIN (EAN/UPC)	197192452189, 197192452448
Number of microphones	2	Battery	
Camera		Battery technology	Lithium-Ion (Li-Ion)
Front camera	1	Number of battery cells	3
Front camera HD type	HD	Battery capacity *	42 Wh
Infrared (IR) camera	<	Power	
Infrared (IR) camera Network	1	Power AC adapter power	45 W
	✓ Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax)		45 W 50 - 60 Hz 100 - 240 V
Network Top Wi-Fi standard * Wi-Fi standards Antenna type	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2	AC adapter power AC adapter frequency	50 - 60 Hz
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage	50 - 60 Hz
Network Top Wi-Fi standard * Wi-Fi standards Antenna type	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM)	50 - 60 Hz 100 - 240 V
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader	50 - 60 Hz 100 - 240 V
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM)	50 - 60 Hz 100 - 240 V
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version	50 - 60 Hz 100 - 240 V ✓ 2.0
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection	50 - 60 Hz 100 - 240 V ✓ 2.0
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) Version Password protection Password protection type	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User ✓ ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) Version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User ✓ ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates	50 - 60 Hz 100 - 240 V ✓ ✓ 2.0 ✓ BIOS, Power on, User ✓ ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 15% post- consumer recycled plastic; Ocean- bound plastic in speaker
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Meight & dimensions Width	50 - 60 Hz 100 - 240 V 2.0 2.0 BIOS, Power on, User HINS, Power on, User ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Poutside box and corrugated cushions are 100% sustainably sourced and recyclable; 15% post- consumer recycled plastic; Ocean- bound plastic in speaker enclosure(s)
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Width Depth	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User ✓ ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 15% post- consumer recycled plastic; Ocean- bound plastic in speaker enclosure(s) 359.4 mm 233.9 mm
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Meight & dimensions Width Depth Height	50 - 60 Hz 100 - 240 V 240 V 2.0 2.0 BIOS, Power on, User BIOS, Power on, User ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 15% post- consumer recycled plastic; Ocean- bound plastic in speaker enclosure(s) 359.4 mm 233.9 mm
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Version Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Meight & dimensions Width Depth Height Weight *	50 - 60 Hz 100 - 240 V ✓ 2.0 ✓ BIOS, Power on, User ✓ ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 15% post- consumer recycled plastic; Ocean- bound plastic in speaker enclosure(s) 359.4 mm 233.9 mm
Network Top Wi-Fi standard * Wi-Fi standards Antenna type WLAN controller model	Wi-Fi 6 (802.11ax) Wi-Fi 6 (802.11ax) 2x2 Realtek RTL8852BE	AC adapter power AC adapter frequency AC adapter input voltage Security Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) Password protection Password protection type Sustainability Sustainability compliance Sustainability certificates Sustainability certificates Sustainability certificates Meight & dimensions Width Depth Height	50 - 60 Hz 100 - 240 V 240 V 2.0 2.0 BIOS, Power on, User BIOS, Power on, User ENERGY STAR Low Halogen; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 15% post- consumer recycled plastic; Ocean- bound plastic in speaker enclosure(s) 359.4 mm 233.9 mm

Other features

LAN controller Number of speakers Realtek RTL8111HSH-CG 2




















































































































































































































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.