

DELL UltraSharp 27 4K USB-C Hub Monitor - U2723QE

Brand : DELL Product family: UltraSharp Product code: DELL-U2723QE

Product name : Dell UltraSharp 27 4K USB-C Hub Monitor -

U2723QE

- 68.6cm (27") 4K Ultra HD 3840 x 2160 LED IPS
- 8ms, 16:9, 400cd/m², 2000:1
- USB, HDMI, DisplayPort

sRGB coverage (typical)

100%

 $68.6 cm \ (27") \ 4K \ Ultra \ HD \ 3840 \ x \ 2160 \ LED \ IPS, \ 16:9, \ 400 cd/m^2, \ 1.07B, \ 8ms, \ 178^\circ/178^\circ, \ 2000:100 \ MeV \ Argument \ Argu$

DELL UltraSharp 27 4K USB-C Hub Monitor - U2723QE:

Be your most productive on a 27 inch monitor with brilliant color and contrast that features the industry's first IPS Black technology and a connectivity hub.

DELL UltraSharp 27 4K USB-C Hub Monitor - U2723QE. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Silver







0 - 12192 m





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Pivot	✓
Display resolution *	3840 x 2160 pixels	Pivot angle	-90 - 90°
HD type *	4K Ultra HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-45 - 45°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
Backlight type	LED	On Screen Display (OSD)	✓
Touchscreen *	×	Plug and Play	✓
Display brightness (typical)	400 cd/m²	Power	
Response time	8 ms	Energy efficiency class (SDR) *	F
Anti-glare screen	✓	Energy efficiency class (HDR) *	G
Screen shape *	Flat	•	
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy consumption (SDR) per 1000 hours *	26 kWh
Contrast ratio (typical) *	2000:1	Energy consumption (HDR) per	38 kWh
Maximum refresh rate *	60 Hz	1000 hours *	
Viewing angle, horizontal	178°	Power consumption (typical) *	25.9 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	1.07 billion colours	Power consumption (max)	220 W
Response time (fast)	5 ms	Power consumption (off)	0.2 W
Pixel pitch	0.1554 x 0.1554 mm	AC input voltage	100 - 240 V
Pixel density	163.18 ppi	AC input frequency	50 - 60 Hz
Horizontal scan range	15 - 140 kHz	Input current	2.7 A
Vertical scan range	23 - 86 Hz	Power supply type	Internal
Viewable size, horizontal	59.7 cm	Energy efficiency scale	A to G
Viewable size, vertical	33.6 cm	Operational conditions	
Display diagonal (metric)	68.47 cm	Operating temperature (T-T)	0 - 40 °C
High Dynamic Range (HDR) supported	✓	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓	Operating relative humidity (H-H)	10 - 80%
Surface hardness	3H	Storage relative humidity (H-H)	5 - 90%
RGB colour space	sRGB	Operating altitude	0 - 5000 m
		A LONG TO THE PARTY OF THE PART	0 10100

Non-operating altitude

Disular		Daaka sina santaat	
Display		Packaging content	
Heat dissipation (typical)	98.27 BTU/h	Stand included	*
Performance		Cables included	AC, DisplayPort, USB Type-C to USB Type-A, USB Type-C to USB Type-C
NVIDIA G-SYNC *	X	Quick start guide	✓
AMD FreeSync * Flicker-free technology	×	Weight & dimensions	
Low Blue Light technology	4	Width (with stand)	611.4 mm
	•	Depth (with stand)	185 mm
Multimedia		Height (with stand)	385.2 mm
Built-in speaker(s) *	×	Weight (with stand)	6.27 kg
Built-in camera *	X	Width (without stand)	611.4 mm
Design		Depth (without stand)	54.3 mm
Market positioning *	Office	Height (without stand)	353 mm
Product colour *	Silver	Weight (without stand)	4.48 kg
Front bezel colour	Black	Bezel width (side)	7.35 mm
Feet colour	Silver	Bezel width (top)	7.35 mm
Heavy metals free	Hg (mercury)	Bezel width (bottom)	1 cm
	ENERGY STAR certified Monitor. EPEAT registered where applicable. TCO Certified & TCO Certified Edge. RoHS Compliant. BFR/PVC Free monitor Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.	Stand weight	1.79 kg
		Packaging data	
Compliance industry standards		Package weight	9.53 kg
		Sustainability	
		Sustainability certificates	ENERGY STAR, EPEAT Gold, RoHS, TCO
Ports & interfaces		Doesn't contain	Arsenic, PVC/BFR
Built-in USB hub *	√ 2.2 Can 2 (2.1 Can 2)	European Product Registry for Energy Labelling (EPREL) code	955176
USB hub version USB upstream port type	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Carbon footprint	
Number of upstream ports	2	Total carbon footprint	815 kg of CO2e
Number of USB Type-C upstream	1	Total carbon emissions (Standard	203 kg of CO2e
ports quantity	-	deviation)	•
USB Type-A downstream ports quantity	5	Carbon emissions (Manufacturing)	411 kg of CO2e
USB Power Delivery	1	Carbon emissions (Logistics)	85 kg of CO2e 313 kg of CO2e
USB Power Delivery up to	90 W	Carbon emissions (Use) Carbon emissions (End-of-Life)	5 kg of CO2e
HDMI *	✓	Total carbon emissions (w/o Use	, and the second
HDMI ports quantity	1	phase)	502 kg of CO2e
HDMI version	2.0	PAIA version	1.3.0
DisplayPorts quantity	2	Logistics data	
Audio output	✓	Harmonized System (HS) code	85285210
Headphone out *	✓	Other features	
Headphone outputs	1		
Headphone connectivity	3.5 mm	DCI-P3 coverage	98%
HDCP	✓	Picture-by-Picture (PbP)	2040 v 2160 nivele
Network		Maximum resolution RJ-45 ports quantity	3840 x 2160 pixels
Wi-Fi	×	Power management	1
Ergonomics			•
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.