



DELL P Series 22 Monitor - P2222H

Brand : DELL

Product family: P Series

Product code: DELL-P2222H

Product name : 22 Monitor - P2222H

- 54.6cm (21.5") Full HD 1920 x 1080 LED IPS

- 8ms, 16:9, 250cd/m², 1000:1

- USB, VGA, HDMI, DisplayPort

54.6cm (21.5") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL P Series 22 Monitor - P2222H:

Stay productive no matter where you work. Reduce harmful blue light with this sleek 21.5-inch FHD monitor featuring ComfortView Plus technology.

DELL P Series 22 Monitor - P2222H. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display

| | |
|--------------------------------|--------------------------------|
| Display diagonal * | 54.6 cm (21.5") |
| Display resolution * | 1920 x 1080 pixels |
| HD type * | Full HD |
| Native aspect ratio * | 16:9 |
| Display technology * | LCD |
| Panel type * | IPS |
| Backlight type | LED |
| Touchscreen * | ✗ |
| Display brightness (typical) | 250 cd/m ² |
| Response time | 8 ms |
| Anti-glare screen | ✓ |
| Screen shape * | Flat |
| Supported graphics resolutions | 1920 x 1080 (HD 1080) |
| Supported video modes | 480p, 576p, 720p, 1080i, 1080p |
| Aspect ratio | 16:9 |
| Contrast ratio (typical) * | 1000:1 |
| Maximum refresh rate * | 60 Hz |
| Viewing angle, horizontal | 178° |
| Viewing angle, vertical | 178° |
| Display number of colours * | 16.7 million colours |
| Response time (fast) | 5 ms |
| Pixel pitch | 0.248 x 0.248 mm |
| Pixel density | 102 ppi |
| Horizontal scan range | 30 - 83 kHz |
| Vertical scan range | 56 - 76 Hz |
| Viewable size, horizontal | 47.6 cm |
| Viewable size, vertical | 26.8 cm |
| Viewable size diagonal | 54.6 cm |
| Display diagonal (metric) | 54.61 cm |

Ergonomics

| | |
|-------------------------|-----------|
| Pivot angle | -90 - 90° |
| Swivelling | ✓ |
| Swivel angle range | -45 - 45° |
| Tilt adjustment | ✓ |
| Tilt angle range | -5 - 21° |
| On Screen Display (OSD) | ✓ |
| Plug and Play | ✓ |
| LED indicators | Power |

Power

| | |
|---|---------------|
| Energy efficiency class (SDR) * | D |
| Energy efficiency class (HDR) * | Not available |
| Energy consumption (SDR) per 1000 hours * | 12 kWh |
| Power consumption (typical) * | 11.8 W |
| Power consumption (standby) * | 0.3 W |
| Power consumption (max) | 46 W |
| Power consumption (off) | 0.2 W |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50 - 60 Hz |
| Power supply type | Internal |
| Energy efficiency scale | A to G |

Operational conditions

| | |
|-----------------------------------|-------------|
| Operating temperature (T-T) | 0 - 40 °C |
| Storage temperature (T-T) | -20 - 60 °C |
| Operating relative humidity (H-H) | 10 - 80% |
| Storage relative humidity (H-H) | 5 - 90% |
| Operating altitude | 0 - 5000 m |
| Non-operating altitude | 0 - 12192 m |

| | | | |
|--------------------------------------|-----------------------|---|-------------------------------|
| Display | | Packaging content | |
| High Dynamic Range (HDR) supported | ✗ | Stand included | ✓ |
| sRGB coverage (typical) | 99% | Cables included | AC, DisplayPort, USB |
| Performance | | Quick start guide | ✓ |
| Flicker-free technology | ✓ | Power cable length | 1.8 m |
| Low Blue Light technology | ✓ | Weight & dimensions | |
| Multimedia | | Width (with stand) | 487.3 mm |
| Built-in speaker(s) * | ✗ | Depth (with stand) | 179.6 mm |
| Built-in camera * | ✗ | Height (with stand) | 482 mm |
| Design | | Weight (with stand) | 4.57 kg |
| Market positioning * | Business | Width (without stand) | 487.3 mm |
| Product colour * | Black | Depth (without stand) | 52.1 mm |
| Front bezel colour | Black | Height (without stand) | 290 mm |
| Detachable stand | ✓ | Weight (without stand) | 2.82 kg |
| Feet colour | Silver | Bezel width (side) | 5.6 mm |
| Heavy metals free | Hg (mercury) | Bezel width (top) | 5.6 mm |
| Ports & interfaces | | Bezel width (bottom) | 1.66 cm |
| Built-in USB hub * | ✓ | Packaging data | |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package weight | 6.37 kg |
| USB upstream port type | USB Type-B | Sustainability | |
| Number of upstream ports | 1 | Sustainability certificates | ENERGY STAR, EPEAT Gold, RoHS |
| USB Type-A downstream ports quantity | 4 | Doesn't contain | PVC/BFR |
| VGA (D-Sub) ports quantity | 1 | European Product Registry for Energy Labelling (EPREL) code | 549695 |
| HDMI * | ✓ | Carbon footprint | |
| HDMI ports quantity | 1 | Total carbon footprint | 481 kg of CO2e |
| HDMI version | 1.4 | Total carbon emissions (Standard deviation) | 105 kg of CO2e |
| DisplayPorts quantity | 1 | Carbon emissions (Manufacturing) | 332 kg of CO2e |
| DisplayPort version | 1.2 | Carbon emissions (Logistics) | 33 kg of CO2e |
| Headphone out * | ✗ | Carbon emissions (Use) | 114 kg of CO2e |
| HDCP | ✓ | Carbon emissions (End-of-Life) | 2 kg of CO2e |
| AC (power) in | ✓ | Total carbon emissions (w/o Use phase) | 366 kg of CO2e |
| Network | | PAIA version | 1.2.15, 2021 |
| Wi-Fi | ✗ | Logistics data | |
| Ergonomics | | Harmonized System (HS) code | 85285210 |
| VESA mounting * | ✓ | | |
| Panel mounting interface | 100 x 100 mm | | |
| Cable lock slot * | ✓ | | |
| Height adjustment * | ✓ | | |
| Height adjustment | 15 cm | | |
| Pivot | ✓ | | |



5397184505144



5704174787563



5704174809159

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.