HP E24mv G4 FHD Conferencing Monitor

Present Your Best Self

Make a great impression on video calls on this 60.45 cm (23.8-inch) full HD conferencing monitor. The integrated, 5MP tilt-adjustable pop-up webcam displays a sharp, detailed picture – even in low light – and the built-in speakers and mic produce clear, life-like sound. Everything you need to present your best self on every call. ¹



*Product image may differ from actual product

Look Great. Sound Great.

Say goodbye to blurry images or muffled sound on video calls. With speakers and a mic that produce full, rich sound and a 5MP webcam with 25 degrees of tilt adjustability for perfect angles, pop-up action for privacy, and improved Windows Hello support, you'll present your best on every call.

Enhanced Viewing Comfort

Much of our world operates on screens now, so working long hours in front of a monitor can be tiring and impactful to productivity. HP Eye Ease with TÜV Rheinland Hardware Low Blue Light Certification helps keep you comfortable throughout your day by reducing blue light without the yellow color shift.

Endless Adjustability

Work effortlessly with 4-way ergonomics that help keep your neck, shoulders, and back comfortable throughout the day. Customize tilt, height, swivel and pivot settings to fit you, your desk, and your needs, and you'll easily see the FHD monitor and 3-sided Micro-Edge 60.45 cm (23.8-inch) diagonal screen perfectly from virtually any viewing angle.

Sustainability in action

Environmentally Aware. Responsibly Made.

Choose a monitor that not only scores high for its functionalities, but also low for its environmental impact. Its plastics consist of over 80% recycled materials², and its recyclable packaging is 100% sustainably sourced³. Additionally, this monitor is ENERGY STAR® certified and EPEAT® registered⁴.



HP E24mv G4 FHD Conferencing **Monitor**

Featuring







More Ports. More Flexibility.

Packed with ports including HDMI, DisplayPort™, USB-B plus four USB ports.⁵

Personalized and Protected

Personalize brightness and color settings or set up security protocols all without the OSD. With HP Display Center installed, you have the $control.^6$

Remote Management Reimagined

HP Display Manager makes remote management of the monitor easy. Simplify deployment, asset tracking, and remotely control monitor settings, like turning the power off.7

3-year Limited Warranty

Get peace of mind with a 3-year warranty.



HP E24mv G4 FHD Conferencing Monitor

Specifications

Display specifications

Display size

Display size (diagonal, metric)

60.45 cm (23.8")

Aspect ratio 16:9

Curvature

Native resolution

FHD (1920 x 1080)¹

Resolution (maximum)

FHD (1920 x 1080 @ 60 Hz)

Resolutions supported

640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x

900; 1680 x 1050; 1920 x 1080

Panel type

Bezel

3-sided micro-edge

Panel active area

52.70 x 29.65 cm

Panel bit depth 8 bit (6 bit + 2 FRC)

Display colors

Up to 16.7 million colors supported (through FRC technology)

Display color gamut

72% NTSC

Display scan frequency

50-60 Hz (Vertical) 30-80 KHz (Horizontal)

Response time

5ms GtG (with overdrive)¹

Brightness

250 nits1

Contrast ratio

1000:1 (Static) 5000000:1 (Dynamic) Pixel pitch

0.274 mm

Pixels per inch (ppi)

Viewing angle 178° (Vertical) 178° (Horizontal)

Backlight type

Edge-lit

Backlight lamp life

Display features On-screen controls; Low blue light mode; Dual speakers (2W per channel); Anti-glare; IR webcam;

Height Adjust/Tilt/Swivel/Pivot Display User Control Options

Brightness; Exit; Information; Management; Menu; Power; Input control; Image; Color

Management software

HP Display Center; HP Display Manager

Remote manageability

Low blue light modes

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)

Flicker-free

Screen treatment

Anti-alare Hardness

Haze

25% VESA mount

100 mm x 100 mm

Height adjustment range

150 mm Tilt

-5 to +23°

Swivel

±45° **Pivot**

Camera

Yes, 5MF

Microphone

Speaker output power

Connectivity and communications

Port and connectors

1 DisplayPort™ 1.2

1VGA

1x 3.5 mm Audio Jack (Audio Out)

4 SuperSpeed USB Type-A 5Gbps signaling rate

1USB-B No

Power supply 100 - 240 VAC 50/60 Hz

(Internal)

Power consumption

50 W (maximum), 28 W (typical), 0.5 W (standby)

Logistics and Physical

Product color

Black head, silver stand

Detachable stand

Physical security

Security lock-ready Base area footprint

288 x 216 mm

Dimensions without Stand (W x D x H)

53.94 x 4.7 x 35.56 cm

Dimensions with stand (W x D x H)

53.94 x 21.6 x 53.07 cm

Weiaht

6.5 kg (With stand.)

Packaged Dimensions (W x D x H)

Packaged weight

10.4 kg

Pallet Dimensions (LxWxH) 1150 x1170 x1907 mm (40' ft)

Pallet weight

377.426kg (40' ft)

Products per layer

20 sets per pallet (slip sheet & pallet)

Certification and compliance

Energy efficiency

ENERGY STAR® certified E

Ecolabels

TCO Certified; EPEAT® registered3

Certifications

Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; ENERGY STAR*; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV/GS; VCCI; Vietnam MEPS; WEEE; Low blue light; WW application; UAE; Ukraine certificates; CEL Grade 24

Microsoft WHQL certification

Certified collaboration software

Windows Hello compatible

Operating temperature range 41 to 95°F

Operating humidity range 20 to 80% non-condensing

Additional information

Manufacturer Warranty

3 year limited warranty including 3 year of parts and labour. Certain restrictions and exclusions vlago.

Monitor; DisplayPort™ cable; HDMI cable; USB Type-A to B cable; Doc-kit; AC power cord



HP E24mv G4 FHD Conferencing **Monitor**

Footnotes

Messaging Footnotes

- ¹ Based on HP's internal analysis of monitor series with webcams. Most advanced based on physical integration, camera angle tile, Windows Hello IR sensor, minimum 5MP and as privacy pop-up as of 5/28/2021. ² Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
- ³100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- ⁴Based on US EPEAT* registration according to IEEE 1680.1-2020 EPEAT*. Status varies by country. Visit www.epeat.net for more information.
- ⁵ Comes with DisplayPort™, HDMI, USB-B to A cables and Power Cord.
- ⁶ Host PC requires Windows 10. HP Display Center is available on the Microsoft store.
- $^{7} \text{HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.}$

Technical Specifications Footnotes

- ¹All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- ³ Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. EPEAT* status varies by country. Visit www.epeat.net for more information.
- ⁴ Monitors produced from June 2024 comply with China regulation GB 21520-2023.



