ïíyama

iiyama ProLite XU2793QS-B1 computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LED Black

Brand : iiyama   **Product family:** ProLite   **Product code:** XU2793QS-B1

Product name : XU2793QS-B1

- IPS Technology
- WQHD
- Flicker-free + Blue Light
- ACR
- Speakers and Headphones
27", 68.5cm, 16:9, 300 cd/m², 30 - 120kHz, 20° up; 4° down, IPS panel technology LED, matte finish, matte, black

iiyama ProLite XU2793QS-B1 computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LED Black:

With an attractive 3-side borderless design the ProLite XU2793QS is perfect for multi-monitor setups. The IPS panel and WQHD (2560x1440) resolution, offers noticeably shaper images, excellent colour performance, wide viewing angles, making this ideal for productivity solutions, demanding office, and financial applications. Featuring a 1ms response time and FreeSync, this is suitable for the home office environment and casual gaming.

Equipped with speakers, headphone socket, HDMI and DisplayPort connections, a blue light reducer function to reduce eye fatigue and compatibility with iiyama desktop arm accessories for multiscreen productivity solutions, make this 27" XU2793QS display is ideal for any modern workplace.

Display

Display diagonal *	68.6 cm (27")
Display resolution *	2560 x 1440 pixels
HD type *	Wide Quad HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✘
Display brightness (typical)	300 cd/m²
Response time	1 ms
Display surface	Matt
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Pixel pitch	0.233 x 0.233 mm
Horizontal scan range	30 - 120 kHz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.5 cm
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✔
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✔

Ports & interfaces

Headphone out *	✔
HDCP	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✘
Tilt adjustment	✔
Tilt angle range	4 - 20°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Czech, German, Dutch, English, French, Italian, Japanese, Polish, Russian
Number of OSD languages	9

Power

Energy efficiency class (SDR) *	F
Energy consumption (SDR) per 1000 hours *	25 kWh
Power consumption (typical) *	25 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Packaging content

Stand included	✔
Cables included	AC, HDMI
Manual	✔

Multimedia

Built-in camera *	✘
Number of speakers	2
RMS rated power	4 W

Design

Market positioning *	Home
Product colour *	Black
Frameless design	✔
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✘
HDMI *	✔
HDMI ports quantity	2
DisplayPorts quantity	1

Weight & dimensions

Width (with stand)	612.5 mm
Depth (with stand)	236 mm
Height (with stand)	481 mm
Weight (with stand)	4.7 kg

Packaging data

Package width	685 mm
Package depth	145 mm
Package height	435 mm
Package weight	6 kg

Sustainability

European Product Registry for Energy Labelling (EPREL) code	1271771

4948570118953