



## Aluminum Gas Spring Dual Monitor Desk Mount

**Jointed Arms Hold Two 17" to 32" Monitors up to 9 kg (19.8 lbs.) Each; Full-Motion Height, Tilt, Swivel and Rotation Adjustments; C-Clamp or Grommet Installation; Black**

Part No.: [462501](#)

EAN-13: 0766623462501 | UPC: 766623462501

---

## Articulating Dual Monitor Arms with One-Touch Gas Spring Adjustment - ergonomic, full motion and height adjustable

Turn your (home) office desk into an ergonomic environment and reclaim valuable workspace with this Manhattan monitor mount. Since it uses a gas spring to hold your displays, these monitor arms only need a light touch to move your screen to the best viewing angle for you. The dual monitor VESA mount supports 17" to 32" displays with a weight capacity up to 9 kg (19.8 lbs.) each. An attractive black finish complements your workspace.

### Light-touch height adjustment

A gas-spring cylinder makes it easy to raise or lower the display anywhere from 158 to 406 mm (6.2 to 16 in.) so it can sit in the best place for your line of sight. Adjust the tension according to the weight of your monitors to reposition them effortlessly.

### Full-motion view optimization

For more information on Manhattan products, consult your local dealer or visit [www.manhattan-products.com](http://www.manhattan-products.com).

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

The full-motion arms let you extend, tilt and swivel across multiple axes, so it's easy to create an ergonomic workspace that fits your exact needs. You can also rotate your monitors from landscape to portrait orientation to view photos in portrait mode or see longer pages and blocks of code without having to scroll down.

## Easy installation

You can either clamp the mount to the side of a desk, table or counter that is 10 to 83 mm (0.4 to 3.3 in.) thick, or you can mount it through a grommet hole that is 10 to 83 mm (0.4 to 3.3 in.) wide. All the hardware you need is included in the box.

## Clean cable management

Built-in cable management keeps the cords on your desk tidy and organized.

## Features:

- Articulating double-link swing arms to support two 17" to 32" LED/LCD monitors up to 9 kg (19.8 lbs.)
- Optimized views with +90/-45° tilt, 180° swivel and 158 to 406 mm (6.2 to 16 in.) height adjustment
- Gas spring for light-touch viewing adjustment
- Supports 360° rotation for landscape or portrait display orientation
- Mounting options: C-clamp at the edge of a desk (for surfaces 10 to 83 mm [0.4 to 3.3 in.] thick) or grommet mounting through a drilled hole (for grommets 10 to 83 mm [0.4 to 3.3 in.] wide)
- Built-in tension adjustment to suit the weight of your monitor
- Durable aluminum construction
- Built-in cable management to minimize clutter
- Ideal for (home) office, studio, IT network and security applications
- Easy and quick installation, all hardware included
- Meets VESA standards: 75x75, 100x100
- Three-year warranty

## Specifications:

### General

- Certifications: RoHS
- Designed for most 17" to 32" flat and curved screens
- Weight capacity: 2 to 9 kg (4.4 to 19.8 lbs.) per arm
- Swivel: 180°
- Tilt: +90/-45°

- Rotation: 360°
- Height adjustment: 158 to 406 mm (6.2 to 16 in.)
- Dimensions
  - Total (L x W x H): 570 x 112 x 942 mm (22.44 x 4.41 x 37.09 in.)
  - Arm length (fully extended): 450 mm (17.7 in.)
- Net weight: 3.83 kg (8.44 lbs.)
- Gross weight: 4.36 kg (9.61 lbs.)
- Material: aluminum
- Surface thickness for clamp installation: 10 to 83 mm (0.4 to 3.3 in.)
- Hole diameter for grommet installation: 10 to 83 mm (0.4 to 3.3 in.)
- VESA standards: 75x75, 100x100

#### Package Contents

- Aluminum Gas Spring Dual Monitor Desk Mount
- Installation hardware with instructions

This product is part of a group; the complete list of variations follows:

- #462495 - Single Monitor Desk Mount
- #462501 - Dual Monitor Desk Mount



