## iiyama TE6512MIS-B3AG Signage Display Kiosk design 165.1 cm (65") LCD Wi-Fi 400 cd/m<sup>2</sup> 4K Ultra HD Black Touchscreen Built-in processor Android 11 24/7

Brand : iiyama

Product code: TE6512MIS-B3AG

Product name : TE6512MIS-B3AG

iiyama TE6512MIS-B3AG. Product design: Kiosk design. Display diagonal: 165.1 cm (65"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 400 cd/m<sup>2</sup>, HD type: 4K Ultra HD, Touchscreen. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Android 11. Product colour: Black





Display		Desian	
DisplayPanel typeIPSDisplay diagonal *165.1 cm (65")Display technology *LCDDisplay resolution *3840 x 2160 pixelsDisplay resolution *400 cd/m²HD type *4K Ultra HDTouchscreen *✓Touchscreen technologyPureTouch-IRNumber of simultaneous touchpoints16:9Response time8 msContrast ratio (typical)1200:1Contrast ratio (dynamic)400:1Viewing angle, horizontal178°Viewing angle, vertical1.07 billion coloursPixel pitch0.372 x 0.372 mmActive display area (W x H)1428.5 x 803.5 mmDisplay diagonal (metric)163.9 cmHorizontal scan range30 - 135 kHzSurface hardness7HGlass thickness3 mmGlass filmAG/AR Film	165.1 cm (65") LCD 3840 x 2160 pixels 400 cd/m <sup>2</sup> 4K Ultra HD ✓ PureTouch-IR 40 16:9 8 ms 1200:1 4000:1 178°	Design         Product colour *         VESA mounting *         Panel mounting interface         Bezel width (bottom)         Bezel width (side)         Bezel width (top)         Performance         Purpose *         On Screen Display (OSD)         On Screen Display (OSD) languages         Operating hours (hours/days)         HDCP         HDCP version	Polish, Russian, Slovenian 24/7 ✓ 2.2
	Mean time between failures (MTBF) Power Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Computer system	138 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz	
Ports & interfaces HDMI ports quantity * HDMI version HDMI input ports quantity HDMI output ports quantity DVI port * VGA (D-Sub) input ports USB port * USB ports quantity USB version USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity Ethernet LAN *	4 2.0 3 1 ★ 1 ↓ 5 3.2 Gen 1 (3.1 Gen 1) 2 3	Built-in processor * Processor manufacturer Processor family Processor model Processor architecture Processor cores Internal memory On-board graphics card model Internal storage capacity Operating system installed Weight & dimensions Width (with stand) Depth (with stand) Height (with stand)	<ul> <li>ARM</li> <li>ARM Cortex</li> <li>A55</li> <li>ARM Cortex-A55</li> <li>4</li> <li>8 GB</li> <li>ARM Mali-G52</li> <li>32 GB</li> <li>Android 11</li> <li>1488.5 mm</li> <li>87.5 mm</li> <li>896.5 mm</li> </ul>

Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports	2 ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Weight (with stand)	35 kg
Wi-Fi *		Packaging data	
Wi-Fi standards		Package width Package depth	1628 mm 208 mm
RS-232 interface	✓	Package height	1005 mm
RS-232C	✓	Package volume	44700 cm <sup>3</sup>
Remote (IR) input	1	Packaging content	
Audio Return Channel (ARC)	✓	Remote control included	1
Audio		Batteries included	1
Built-in speaker(s) *	✓	Cables included	HDMI, Power, USB
Number of built-in speakers	2	Wi-Fi module included	✓
RMS rated power	32 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Kiosk design	Operating relative humidity (H-H)	-20 - 60%
Placement supported * Orientation	Indoor Horizontal	Certificates	
		Certification	CB, CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH, EPA 8.0



4948570123698

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.