## Gigabyte B650 AERO G Motherboard - Supports AMD Ryzen 8000 CPUs, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : Gigabyte Product code: B650 AERO G

**Product name :** B650 AERO G Motherboard - Supports AMD Ryzen 8000 CPUs, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

B650 AERO G 1.0 AMD AM5 ATX Motherboard 4x DDR5 $\sim$ 128GB,3x PCle x16, 3x M.2, 4x SATA 6, 7x USB 3.2, 1x USB-C, 2x USB 2.0

Gigabyte B650 AERO G Motherboard - Supports AMD Ryzen 8000 CPUs, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor			Rear panel I/O ports	
Processor manufactu	rer *	AMD	HDMI ports quantity *	1
Processor socket *		Socket AM5	HDMI version	2.1
Compatible processor series *		AMD Ryzen™ 5, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen	DisplayPorts quantity DisplayPort version	2 1.4
Supported processor sockets		Socket AM5	Headphone outputs	3
Maximum internal memory supported by processor		192 GB	Microphone in USB connector type	✓ USB Type-A, USB Type-C
Memory			OSB connector type	озв туре-а, озв туре-с
Supported memory types * Number of memory slots *	DDR5-SDRAM 4		Network	
Memory slots type	DIMM		Ethernet LAN	✓
Memory channels Non-ECC Supported memory clock speeds	Dual-channel	6000,6200,6400,6600,6666,6800,7000,7200,7600,7800,8000	Ethernet interface type Wi-Fi *	2.5 Gigabit Ethernet  ✓
Supported memory clock speed	мп2 8000 MHz		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
(max) Maximum internal memory * Supported memory module capacities Unbuffered memory	192 GB 1GB, 2GB, 4GB, 8GB, 1 ✓	2GB, 16GB, 32GB, 48GB	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Storage controllers			WLAN controller model	RZ616
Supported storage drive types HDD & SSD			Bluetooth	✓
Supported storage drive interfaces * M.2, SA		M.2, SATA III	Bluetooth version	5.2
Number of HDDs supported 4			Features	
Number of storage drives supported 7		7	Motherboard chipset *	AMD B650
RAID support		✓	Audio output channels *	7.1 channels
RAID levels		0, 1, 10	Product colour	Black
Graphics			PC health monitoring	Fan, Temperature, Voltage
Parallel processing to	echnology	Not gunnarted	Component for *	PC
support *		Not supported	Motherboard form factor *	ATX
Maximum resolution		4096 x 2160 pixels	Motherboard chipset family *	AMD
HDCP		✓	Power source type	ATX
DirectX version  Number of displays supported		12.0 3	Windows operating systems supported	Windows 10 x64, Windows 11 x64
			Expansion slots	
		2	PCI Express x1 slots PCI Express x16 slots	1 1

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1)	1	PCI Express x16 (Gen 4.x) slots	1
connectors *	1	Number of M.2 (M) slots	3
USB 3.2 Gen 2x2 connectors  Number of SATA III connectors *	1	BIOS	
Total number of SATA connectors	4	BIOS type *	UEFI AMI
Front panel audio connector	<del>-</del>	BIOS memory size	256 Mbit
Front panel connector	1	ACPI version	5.0
ATX Power connector (24-pin)	1	Clear CMOS jumper	✓
CPU fan connector	1	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin) TPM connector	<b>√</b>	System Management BIOS (SMBIOS) version	2.7
Serial port headers 12V power connector	1	Logistics data	
RGB LED pin header	<b>V</b>	Country of origin	China
·	•	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports	2	Battery	
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Battery weight	3 g
ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	3	Number of battery cells	1
ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1 1 1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
ports quantity *		Battery type	CR2032
Ethernet LAN (RJ-45) ports * PS/2 ports quantity		Packaging data	
13/2 ports quantity	1	Package width	335 mm
		Package depth	270 mm
		Package height	80 mm
		Package weight	2.49 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Technical details	
		Warranty period	3 year(s)



4719331848972

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.