ASUS ProArt PA169CDV computer monitor 39.6 cm (15.6") 3840 x 2160 pixels 4K Ultra HD LED Touchscreen Tabletop Black

Brand : ASUS Product family: ProArt Product code: PA169CDV

Product name: PA169CDV

- 15.6-inch 4K UHD (3840 x 2160) IPS panel with anti-glare and capacitive 10-point multitouch
- Bundled ProArt Pen with Wacom EMR technology for pen-on-paper-like writing and drawing experiences
- 100% sRGB, Calman Verified, and factory pre-calibrated to Delta E < 2 for exceptional color accuracy
- ASUS Dial and Virtual Control Panel offer productive shortcuts and programmable hotkeys for compatible creative software
- Two innovative kickstands prop the display up at different angles to suit different needs
- Extensive I/O connectivity including USB-C (with DP Alt mode) and HDMI for compatibility with various devices
- $T\ddot{U}V$ Rheinland-certified Flicker-free and Low Blue Light technologies for comfortable viewing experiences

39.6cm (15.6") 4K Ultra HD 3840×2160 LED IPS, 16:9, 450cd/m², 1.073B, 29ms, $178^{\circ}/178^{\circ}$, 1200:1









Display		Design	
Display diagonal *	39.6 cm (15.6")	Product colour *	Black
Display resolution * HD type * Native aspect ratio *	y resolution * 3840 x 2160 pixels ee * 4K Ultra HD aspect ratio * 16:9	Certification	Energy Star TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 400 Calman Verified Pantone Validated
Display technology *	LED	Ports & interfaces	
Panel type * Backlight type	IPS LED	Built-in USB hub *	√
Touchscreen *	✓	USB Type-C downstream ports quantity	2
Touchscreen type Touchscreen technology	Tabletop Projected capacitive system	USB Type-C DisplayPort Alternate Mode	✓
Touch technology	Multi-touch	USB Power Delivery	✓
Number of simultaneous touchpoints	10	USB Power Delivery up to	15 W
Display brightness (peak) Display brightness (typical) Response time Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic)	500 cd/m ² 450 cd/m ² 29 ms √ Flat 1200:1 15000:1	HDMI * HDMI ports quantity HDMI version Headphone out * HDCP HDCP version Charging port type	1 2.0 2.2 USB Type-C
Maximum refresh rate *	60 Hz	Ergonomics	
Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Viewable size, horizontal Viewable size, vertical Digital horizontal frequency	178° 178° 1.073 billion colours 0.09 x 0.09 mm 282 ppi 34.6 cm 19.4 cm 29 - 160 kHz	VESA mounting * Cable lock slot * Height adjustment * Pivot Pivot angle Tilt adjustment Tilt angle range	X X X √ 0 - 90° √ 17 - 75°

Display		Power	
Digital vertical frequency High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth RGB colour space	R)	Energy efficiency class (SDR) * Power consumption (typical) * Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency	E 15 W 0.3 W 0.5 W 100 - 240 V 50/60 Hz
Colour gamut		Weight & dimensions	
sRGB coverage (typical)	100%	Width (without stand)	370 mm
Performance		Depth (without stand)	12 mm
NVIDIA G-SYNC * AMD FreeSync *	eeSync * X	Height (without stand) Weight (without stand)	237 mm 1.07 kg
Flicker-free technology		Packaging data	
Low Blue Light technology	✓	Package width	539 mm
Multimedia		Package depth	323 mm
Built-in speaker(s) * Built-in camera * Number of speakers	X 2	Package height Package weight Package type	107.5 mm 5.95 kg Box
RMS rated power	2 W	Sustainability	
Design Market positioning *	Graphics design	Sustainability compliance Sustainability certificates	✓ ENERGY STAR

