## ASUS ROG Swift Pro PG248QP computer monitor 61.2 cm (24.1") 1920 x 1080 pixels Full HD LCD Black

Brand : ASUS Product family: ROG Swift Product code: PG248QP

**Product name :** ROG Swift Pro

PG248QP

- 24.1-inch FHD ( $1920 \times 1280$ ) Esports-TN (E-TN) gaming monitor with 540 Hz (OC) refresh rate is designed for professional gamers
- World's fastest TN panel; E-TN panel technology is approximately 50% more responsive than traditional TN panels available
- Adjustable base with retractable claws ensures a small footprint
- NVIDIA G-SYNC Ultra Low Motion Blur 2 (ULMB 2) provides enhanced motion blur reduction, bringing over 2000 Hz of effective motion clarity
- NVIDIA Reflex Analyzer offers accurate measurements of system latency 61.2cm (24.1") Full HD 1920 x 1080 TN, 16:9,  $400 \text{cd/m}^2$ , 16.7M, 0.2ms,  $170^\circ/160^\circ$ , 1000:1 ASUS ROG Swift Pro PG248QP. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 0.2 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $170^\circ$ , Viewing angle, vertical:  $160^\circ$ . Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (peak) Display brightness (typical) Response time Anti-glare screen Screen shape *	61.2 cm (24.1")  1920 x 1080 pixels  Full HD  16:9  LCD  TN   400 cd/m²  400 cd/m²  0.2 ms  Flat	USB Type-A downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs Headphone connectivity HDCP HDCP version	2 2 2.0 1 1.4  1 3.5 mm  2 2.2
Contrast ratio (typical) * Maximum refresh rate *	1000:1 540 Hz	DC-in jack  Ergonomics	1
Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency High Dynamic Range (HDR) supported High Dynamic Range (HDR)	170° 160° 16.7 million colours 0.277 x 0.277 mm 53.6 cm 29.8 cm 510 - 510 kHz 1 - 510 Hz  ✓	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Swivelling Swivel angle range Tilt adjustment Tilt angle range	✓ 100 x 100 mm ✓ Kensington ✓ 11 cm ✓ -30 - 30° ✓ -5 - 20°
technology	High Dynamic Range 10 (HDR10)	Power	
RGB colour space Colour gamut sRGB coverage (typical)	sRGB 100% 100%	Energy efficiency class (SDR) * Power consumption (typical) * Power consumption (off)	E 21 W 0.3 W

Performance		Power	
NVIDIA G-SYNC *  AMD FreeSync *  Flicker-free technology  Low Blue Light technology	✓ <b>×</b> ✓	Power consumption (PowerSave) AC input voltage AC input frequency Power supply type	0.5 W 100 - 240 V 50/60 Hz External
Game mode	✓	Packaging content	
Multimedia		Stand included	✓
Built-in speaker(s) *	X	Weight & dimensions	
Built-in camera *	X	Width (with stand)	557 mm
Design		Depth (with stand)	255 mm
Market positioning *	Gaming	Height (with stand)	502 mm
Product colour *	Black	Weight (with stand)	7.5 kg
Detachable stand	✓	Width (without stand)	557.3 mm
Feet colour	Black	Depth (without stand)	85.8 mm
Certification	TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 400 G-SYNC	Height (without stand)	330.4 mm
		Weight (without stand)	3.6 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	672 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	228 mm
		Package height	520 mm
		Package weight	11.4 kg
		Package type	Вох

