/IOC

AOC G3 U32G3X/BK LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black, Red

Brand : AOC Product family: G3 Product code: U32G3X/BK

Product name: U32G3X/BK

Screen size (inch) 31.5, Panel resolution 3840x2160, Refresh rate 144 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 2.1 x 2, Display Port DisplayPort 1.4 x 2, Sync technology (VRR) G-SYNC Compatible + Adaptive Sync

AOC G3 U32G3X/BK LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black, Red:

Take your gaming adventures to new heights with the G-sync compatible monitor, U32G3X/BK, offering an impressive 31.5-inch display that delivers stunning 4K UHD resolution at 3840×2160

The G-Sync compatible U32G3X/BK boasts a remarkable 31.5-inch display, showcasing stunning 4K UHD resolution at 3840x2160 for an unrivaled level of visual clarity. With an ultra-responsive 1ms GtG response time and a high 144Hz refresh rate, this monitor redefines your gameplay. Immerse yourself in the heat of battle or explore vast virtual worlds with unmatched precision and smoothness.







Display		Ports & interfaces	
Display diagonal * Display resolution *	80 cm (31.5") 3840 x 2160 pixels	HDCP HDCP version	2.2
HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours *	4K Ultra HD 16:9 LED IPS W-LED X 350 cd/m² 1 ms ✓ Flat 1000:1 80000000:1 144 Hz 178° 178° 1.07 billion colours	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture On Screen Display (OSD)	✓ 100 x 100 mm ✓ Kensington ✓ 13 cm X ✓ -30 - 30° ✓ Simplified Chinese, Traditional Chinese, Croatian, Czech, German,
Pixel pitch Pixel density Viewable size, horizontal	0.181 x 0.181 mm 139 ppi 69.7 cm 39.2 cm	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Viewable size, vertical Display diagonal (metric)	80 cm	Power	
Local dimming zones High Dynamic Range (HDR) supported	16 ✓	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000	F G 32 kWh
High Dynamic Range (HDR) technology Surface hardness sRGB coverage (typical)	DisplayHDR 400 3H 122%	hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) *	65 kWh 40 W

Display		Power	
NTSC coverage (typical)	107%	Power consumption (standby) *	0.5 W
Performance		Power consumption (off)	0.3 W
NVIDIA G-SYNC * VESA Adaptive Sync support Low Blue Light technology Low input lag	4 4 4 4	AC input voltage AC input frequency Input current Energy efficiency scale	100 - 240 V 50/60 Hz 1.5 A A to G
FPS counter	·	Packaging content	
Dial point Shadow control Motion blur reduction Game mode	* * * * * * * * * * * * * * * * * * *	Stand included Cables included DisplayPort cable length HDMI cable length	AC 1.8 m 1.8 m
Multimedia		Weight & dimensions	
Built-in speaker(s) * Built-in camera *	x x	Width (with stand) Depth (with stand) Height (with stand)	715.3 mm 258.8 mm 587.1 mm
Design		Weight (with stand)	7.79 kg
Market positioning * Product colour * Frameless design Front bezel colour Detachable stand	Gaming Black, Red ✓ Black/Red	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	421.8 mm 47.6 mm 715.3 mm 6.41 kg
Feet colour	Black/Red	Packaging data	
Ports & interfaces		Package weight	10.9 kg
Built-in USB hub *	×	Sustainability	
HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	2 2.1 2	Sustainability compliance Sustainability certificates European Product Registry for Energy Labelling (EPREL) code	✓ WEEE 1711583
DisplayPort version	1.4	Other features	
Headphone out * Headphone outputs Headphone connectivity	1 3.5 mm	DCI-P3 coverage Picture-by-Picture (PbP) Digital signal format system Exterior finish type Bezel thickness type	95% Not supported Textured Frameless



4038986111430

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.