Gigabyte B650M D3HP AX Motherboard - Supports AMD AM5 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 1

Brand : Gigabyte Product code: B650M D3HP AX

Product name: B650M D3HP AX Motherboard - Supports AMD AM5 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 1

BG50M D3HP AX

Micro ATX, Socket AM5, AMD B650 chipset, 4x DDR5 DIMM, 7.1-ch audio, Wi-Fi 6E, Bluetooth 5.3, AMI UEFI BIOS

Gigabyte B650M D3HP AX Motherboard - Supports AMD AM5 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *		AMD Socket AM5 AMD Ryzen™ 3, AMD Ryzen™ 5,	Headphone outputs Microphone in USB connector type	1 √ USB Type-A, USB Type-C
Compatible processor seri	es *	AMD Ryzen™ 7, AMD Ryzen 9 7th Gen	Network	
Maximum number of SMP processors Supported processor sock	ets	1 Socket AM5	Ethernet LAN Ethernet interface type LAN controller	✓ 2.5 Gigabit Ethernet Realtek RTL8125
Memory			Wi-Fi *	✓
Supported memory types * Number of memory slots * Memory slots type Memory channels Non-ECC	DDR5-SDRA 4 DIMM Dual-chann		Top Wi-Fi standard Wi-Fi standards	Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4800,5200, MHz	5600,6000,6200,6400,6600,6800,7000,7200,7600	WLAN controller model	Realtek RTL8852CE
Supported memory clock speed	7600 MHz		Bluetooth	√
(max) Maximum internal memory *	192 GB		Bluetooth version	5.3
Unbuffered memory	✓		Features	
Storage controllers			Motherboard chipset *	AMD B650
Supported storage drive to Supported storage drive in Number of HDDs supported Number of storage drives RAID support RAID levels	nterfaces * ed	4	Audio chip Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor *	Realtek ALC897 7.1 channels Brown Fan, Temperature, Voltage PC micro ATX
Graphics			Motherboard chipset family * Windows operating systems	AMD
Parallel processing techno support *	logy	Not supported	supported	Windows 10 x64, Windows 11 x64
Maximum resolution		4096 x 2160 pixels	Expansion slots	
HDCP		✓	PCI Express x1 (Gen 3.x) slots	1
DirectX version		12.0	PCI Express x16 (Gen 4.x) slots	1
Discrete graphics support		✓	Number of M.2 (M) slots	2
Number of displays suppo	rted	3	BIOS	
			BIOS type *	UEFI AMI

Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS memory size	256 Mbit
USB 3.2 Gen 1 (3.1 Gen 1)	2	ACPI version	5.0
connectors *	4	Clear CMOS jumper	1
Number of SATA III connectors *	4	Clear CMOS button	✓
Front panel audio connector	4	Desktop Management Interface	2.7
Front panel connector ATX Power connector (24-pin)	V	(DMI) version System Management BIOS	
Number of EATX power connectors	1	(SMBIOS) version	2.7
CPU fan connector	'	Logistics data	
Number of chassis fan connectors	2	-	
EPS power connector (8-pin)	<i>J</i>	Country of origin	China
TPM connector	1	Products per shipping (inner) case	1 pc(s)
12V power connector	,	Battery	
RGB LED pin header	1	Battery weight	3 g
	•	Lithium weight per battery	0.07 g
Rear panel I/O ports		Number of battery cells	1
USB 2.0 ports quantity *	2	Battery technology	Lithium-Manganese Dioxide
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	-	(LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-C		Battery type	CR2032
ports quantity *	1	Packaging data	
Ethernet LAN (RJ-45) ports *	1	Package width	270 mm
PS/2 ports quantity	1	Package depth	268 mm
HDMI ports quantity *	1	Package height	68 mm
HDMI version	2.1	Package weight	1.7 kg
DisplayPorts quantity	2	Weight & dimensions	
DisplayPort version	1.4	Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	V
		Antenna included	Northwell International (OF)
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)





4719331859510

0889523040584



889523040584

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.