

## DeepCool CC560 ARGB V2 Midi Tower Black

**Brand :** DeepCool

**Product code:** R-CC560-BKTAA4-G-2

**Product name :** CC560 ARGB V2

Mid-Tower, Mini-ITX/Micro-ATX/ATX, 3.5"/2.5", 7 Slots, 4x 120 mm ARGB, USB3.0/2.0, 3.5 mm, 432 × 215 × 483 mm, 7.2 Kg, Black

DeepCool CC560 ARGB V2. Form factor: Midi Tower, Type: PC, Product colour: Black. Power supply location: Bottom, Supported power supply form factors: ATX. Front fans installed: 3x 120 mm, Front fans diameters supported: 120,140 mm, Rear fans installed: 1x 120 mm. Supported HDD sizes: 2.5,3.5", SSD form factor: 2.5". Width: 215 mm, Depth: 432 mm, Height: 483 mm



Design		Ports & interfaces	
Material	ABS, SPCC, Tempered glass	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Form factor *	Midi Tower	Combo headphone/mic port	✓
Type *	PC	Cooling	
Product colour *	Black	Front fans installed	3x 120 mm
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX	Number of front fans supported (max)	3
Number of 3.5" bays *	2	Front fans diameters supported	120,140 mm
Number of 2.5" bays	3	Rear fans installed	1x 120 mm
Number of internal 3.5" bays	2	Number of rear fans supported (max)	1
Number of expansion slots	7	Rear fans diameters supported	120 mm
Side window	✓	Number of top fans supported (max)	2
Suitable for	Gaming	Top fans diameters supported	140,120 mm
Illumination	✓	Number of bottom fans supported (max)	2
Illumination colour	Multi	Bottom fans diameters supported	120 mm
Illumination location	Case fans	Front radiator sizes supported	140,240,360,120,280 mm
Tempered glass panel(s)	✓	Rear radiator sizes supported	120 mm
Anti-dust filter	✓	Top radiator sizes supported	120,240,140 mm
Cable management	✓	Storage	
On/off button	✓	Supported HDD sizes *	2.5,3.5"
RGB control button	✓	SSD form factor	2.5"
LED indicators	✓	Weight & dimensions	
Maximum CPU cooler height	16.5 cm	Width	215 mm
Maximum graphics card length	37 cm	Depth	432 mm
Maximum PSU length	17 cm	Height	483 mm
		Weight	7.2 kg
Power supply			
Power supply included *	✗		
Power supply location	Bottom		
Supported power supply form factors	ATX		
Ports & interfaces			
USB 2.0 ports quantity *	1		



6933412774570

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date