DELL

DELL P2424HEB 60.5 cm (23.8") LCD 1920 x 1080 pixels Full HD

Brand : DELL

Product name : P2424HEB

Product code: DELL-P2424HEB

- 60.5cm (23.8") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- USB, HDMI, DisplayPort
60.5cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL P2424HEB 60.5 cm (23.8") LCD 1920 x 1080 pixels Full HD:

Connect like you're there with a 23.8-inch FHD IPS display built for effortless collaboration.
DELL P2424HEB. Display diagonal: 60.5 cm (23.8"), Display technology: LCD, Display resolution: 1920 x 1080 pixels. Megapixel (approx.): 4 MP, Maximum frame rate: 60 fps. RMS rated power: 10 W. Product colour: Black, Screen shape: Flat, Panel mounting interface: 100 x 100 mm. USB version: 3.2 Gen 1 (3.1 Gen 1), USB Power Delivery up to: 90 W

Display

Display diagonal *	60.5 cm (23.8")
Display technology *	LCD
Panel type	IPS
LED backlight	✔
Display resolution *	1920 x 1080 pixels
Display brightness	250 cd/m²
HD type *	Full HD
Touchscreen *	✘
Native aspect ratio *	16:9
Response time	8 ms
Contrast ratio (typical)	1000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.78 million colours
Pixel pitch	0.2745 x 0.2745 mm
Display diagonal (metric)	60.47 cm
Surface hardness	3H
Anti-glare screen	✔

Camera

Built-in camera	✔
Megapixel (approx.)	4 MP
Maximum frame rate	60 fps

Audio

Built-in speaker(s)	✔
Number of built-in speakers	2
RMS rated power	10 W

Design

Product colour *	Black

Ports & interfaces

USB Type-C downstream ports quantity	1
Microphone in	✔
USB port *	✔
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery	✔
USB Power Delivery up to	90 W

Computer system

Computer system *	✘
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	MacOS

Performance

On Screen Display (OSD)	✔
HDCP	✔
HDCP version	1.4

Power

Power consumption (typical)	15.5 W
Power consumption (max)	195 W
Power consumption (standby)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
Energy efficiency class (SDR) *	E
Energy consumption (SDR) per 1000 hours *	16 kWh
Power supply type	Internal

Design

Screen shape	Flat
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Bezel width (bottom)	1.72 cm
Bezel width (side)	5.5 mm
Bezel width (top)	3.63 cm
Height adjustment	✔
Height adjustment	15 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 21°

Ports & interfaces

HDMI ports quantity *	1
HDMI version	1.4
DVI port *	✘
DisplayPorts quantity	1
USB ports quantity	6
USB version	3.2 Gen 1 (3.1 Gen 1)
USB 2.0 Type-B ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Display width	538 mm
Display depth	60.5 mm
Display height	374.6 mm
Display weight	4.44 kg
Width (with stand)	538 mm
Depth (with stand)	185 mm
Height (with stand)	401.6 mm
Weight (with stand)	6.08 kg

Packaging data

Package weight	8.43 kg

Packaging content

Stand included	✔
Remote control included	✘
Stylus pen	✘
Power adapter included	✔
Cables included	AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C

Sustainability

Sustainability compliance	✔
Sustainability certificates	ENERGY STAR, RoHS, TCO

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✘

5397184657041

0884116441441

884116441441