

Professional PTZ Cameras

/ Product Catalogue /



Pro AV Solutions Provider

EMBRACE SUPERIOR ACCURACY

Broadcasting, streaming, and recording have never been this easy! AVer auto tracking and livestreaming PTZ cameras enable anyone to perfectly capture stunning content without hiring a professional AV technician, saving users time, energy, and money.

Featuring market-standard pinpoint accuracy and advanced targeting technology to go along with high resolution, these innovations are ideal solutions for the video capturing needs of education & distance learning, communication, sports & esports, gaming, government, house of worship, and healthcare.




Communication


Professional PTZ Cameras

Broadcast, stream, and record—all with one camera! Equipped with optical zooms and advanced AI tracking technology, Professional PTZ Cameras capture every detail of classrooms, auditoriums, stages, meeting rooms, and houses of worship.









Wide Area ModePresenter Mode

- Stage Mode
- Segment ModeZone Mode
- Hybrid Mode



PTC500+

- Full HD 1080p at 60fps
- 30X Optical Zoom
- Dual Lens Design
- No Extra Devices Needed
- Multi-Presenter Detection
- Al Auto Tracking Modes: Wide Area/Stage/Segment



zoom

Certified



PTZ330 PTZ310 PTZ330N NOTICE PTZ310N NOTICE

- Full HD 1080p at 60fps
- 30X or 12X Optical Zoom
- Upside-Down Installation
- Al Functions:

SmartShoot/SmartFrame

PTZ330 & PTZ310 Intro Video

* PTZ330, PTZ330N, and PTZ310 receive Barco Certified Certifications. ** PTZ310 and PTZ310N receive Zoom Rooms Certifications.





Auto Tracking Cameras

PTC330UV2

- 4K Ultra HD at 30 fps
- 30X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- License Upgrade to NDI®
- Al Auto Tracking Modes: Presenter/Zone/Hybrid



Scan to Purchase NDI® License



PTC320UV2

- 4K Ultra HD at 30 fps
- 21X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- License Upgrade to NDI®
- Al Auto Tracking Modes: Presenter/Zone/Hybrid

PTC310UV2

- 4K Ultra HD at 30 fps
- 12X Optical Zoom
- Upside-Down Installation
- No Extra Devices Needed
- License Upgrade to NDI®
- Al Auto Tracking Modes: Presenter/Zone/Hybrid





PTZ Camera Controller

The ideal solution for education, conferencing, telemedicine, livestreaming & broadcasting!

Software Add-Ons











Activate Auto Tracking



nera Contro



PTZ Management

Change the Way You Manage

200+ PTZ Cameras

Device & User Settings





CaptureShare

Connect Your PTZ Camera to Any Laptop or Desktop













Comparison Chart

Model	PTZ330 PTZ330N	PTZ310 PTZ310N	PTC500+	PTC330UV2	PTC320UV2	PTC310UV2	
PTZ Camera							
Effective Picture Elements	2 Megapixels CMOS	2 Megapixels CMOS	2 Megapixels CMOS	8 Megapixels Exmor CMOS	8 Megapixels Exmor CMOS	8 Megapixels Exmor CMOS	
Output Resolution	Full HD 1080p 60fps	Full HD 1080p 60fps	Full HD 1080p 60fps	4K 30fps	4K 30fps	4K 30fps	
Optical Zoom	30X	12X	30X	30X	21X	12X	
HFOV	67° (Wide) to 2.3° (Tele)	72.5° (Wide) to 6.3° (Tele)	65° (Wide) to 2.3° (Tele)	65.1° (Wide) to 2.34° (Tele)	52.26° (Wide) to 2.66° (Tele)	70° (Wide) to 6° (Tele)	
Panoramic Camera							
Effective Picture Elements	_	-	2 Megapixels CMOS	-	-	-	
Output Resolution	_	_	Full HD 1080p 60fps	_	_	_	
HFOV	_	-	110°	-	_	_	
Camera Operation							
Pan/Tilt Rotation	Pan: ±170° Tilt: +90°/-30°	Pan: ±170° Tilt: +90°/-30°	Pan: ±175° Tilt: +90°/-30°	Pan : ±170° Tilt : +90°/-30°	Pan : ±170° Tilt : +90°/-30°	Pan : ±170° Tilt : +90°/-30°	
Pan/Tilt Speed	0.1° to 100°/sec	0.1° to 100°/sec	2° to 50°/sec	0.1° to 100°/sec	0.1° to 100°/sec	0.1° to 100°/sec	
Preset Speed	200°/sec	200°/sec	160°/sec	200°/sec	200°/sec	200°/sec	
Output Interfaces	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB	3G-SDI HDMI IP USB	
USB Video Formats	YUV, MJPEG, H.264	YUV, MJPEG, H.264	MJPEG, YUY2	MJPEG, YUY2	MJPEG, YUY2	MJPEG, YUY2	
UVC	UVC1.1	UVC1.1	UVC1.1	UVC1.1	UVC1.1	UVC1.1	
UAC	UAC1.0	UAC1.0	UAC1.0	UAC1.0	UAC1.0	UAC1.0	
Control Interfaces	RS-232, RS-422, IP, USB	RS-232, RS-422, IP, USB	RS-232, IP, USB	RS-232, RS-422, IP, USB	RS-232, RS-422, IP, USB	RS-232, RS-422, IP, USB	
Network Protocols	IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, ONVIF, VISCA over IP			IPv6, IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTF	IPv6, IPv4, TCP, UDP, ARP, ICMP, IGMP, HTTP, DHCP, RTP/RTCP, RTSP, RTMP, VISCA over IP		
Control Protocols	VISCA, Pelco-D, Pelco-P, CGI			VISCA (RS-232/RS-422/IP), PELCO-D & PELCO-P (RS-232/RS-422), CGI (IP)			
NDI [®] HX	Yes (PTZ330N only)	Yes (PTZ310N only)	_	License Upgrade	License Upgrade	License Upgrade	
Auto Tracking Modes/ AI Functions	SmartFrame SmartShoot	SmartFrame SmartShoot	Wide Area Mode Stage Mode Segment Mode	Presenter Mode Zone Mode Hybrid Mode	Presenter Mode Zone Mode Hybrid Mode	Presenter Mode Zone Mode Hybrid Mode	
Warranty	Camera: 3 Years Accessories: 1 Year						

* Specifications may vary depending on location and are subject to change without notice.







©2022 AVer Information Europe B.V. All rights reserved. All brand names and logos are trademarks of their respective companies.

www.aver.com

CE FC ROHS

Distributor/Dealer