

Viewsonic PA700X data projector Standard throw projector 4500 ANSI lumens XGA (1024x768) White



Brand : Viewsonic


Product code: PA700X

Product name : PA700X

- 4,500 ANSI Lumens, offering clear images in any environment
 - Up to 300" ultra large screen with lower cost-per-inch
 - Easy and flexible connection: dual HDMI ports, USB Type-A port
 - Vivid colors with ViewSonic's SuperColor™ Technology
 - Convenient software updates for projectors via USB connection
- XGA, 4500 ANSI, 12500:1, 1.07 B, 240W UHP, 1.1x, 3W, HDMI, Audio-in/out, VGA, RS232, USB, 100-240 V, 2.70 kg

| Projector | | Network | |
|--|--|-----------------------------------|---|
| Smart projector * | ✗ | Ethernet LAN * | ✗ |
| Screen size compatibility * | 762 - 7620 mm (30 - 300") | Wi-Fi * | ✗ |
| Projection distance | 1.18 - 13.17 m | Storage | |
| Projector brightness * | 4500 ANSI lumens | Card reader integrated * | ✗ |
| Projector native resolution * | XGA (1024x768) | Features | |
| Contrast ratio (typical) * | 12500:1 | Interactive * | ✗ |
| Number of colours | 1.07 billion colours | Noise level (economic mode) | 25 dB |
| Horizontal scan range | 15 - 102 kHz | HDCP | ✓ |
| Vertical scan range | 23 - 120 Hz | On Screen Display (OSD) | ✓ |
| Keystone correction, vertical | -40 - 40° | On Screen Display (OSD) languages | Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Korean, Polish, Portuguese, Russian, Thai, Turkish, Vietnamese |
| Light source | | Number of OSD languages | 22 |
| Light source type * | Lamp | HDCP version | 1.4 |
| Service life of light source * | 4000 h | Noise level * | 34 dB |
| Service life of light source (economic mode) | 12000 h | Air filter | ✓ |
| Lamp type | UHP | Multimedia | |
| Lamp power | 240 W | Built-in speaker(s) * | ✓ |
| Lamps quantity | 1 lamp(s) | RMS rated power | 3 W |
| Lens system | | Number of built-in speakers | 1 |
| Focus * | Manual | Design | |
| Focal length range | 21.85 - 24.01 mm | Market positioning * | Education |
| Aperture range (F-F) | 2.42 - 2.53 | Product type * | Standard throw projector |
| Zoom capability | ✓ | Product colour * | White |
| Digital zoom | 2x | LED indicators | ✓ |
| Optical zoom | 1.1x | Cable lock slot | ✓ |
| Throw ratio | 1.94 - 2.16 | Cable lock slot type | Kensington |
| Offset | 115% | Display | |
| Video | | Built-in display * | ✗ |
| Analog signal format system * | NTSC, PAL, SECAM | Power | |
| Full HD * | ✓ | Power source * | AC |
| 3D * | ✗ | Power consumption (typical) * | 295 W |
| Supported graphics resolutions | 640 x 480 (VGA), 1920 x 1080 (HD 1080) | Power consumption (standby) * | 0.5 W |
| Supported video modes | 480i, 480p, 576i, 576p, 720p, 1080i, 1080p | AC input voltage | 100 - 240 V |
| Ports & interfaces | | AC input frequency | 50 - 60 Hz |
| HDMI connector type | Full-size | Operational conditions | |
| HDMI version | 1.4 | Operating temperature (T-T) | 0 - 40 °C |
| Service port type | USB Type-A | | |
| USB 2.0 ports quantity * | 1 | | |
| USB 2.0 Type-A ports quantity | 1 | | |
| Serial interface type * | RS-232 | | |

| Ports & interfaces | | Weight & dimensions | |
|------------------------------|---|---------------------------|---------|
| PC Audio in | ✓ | Width | 309 mm |
| PC Audio out | ✓ | Depth | 234 mm |
| PC in (D-Sub) | ✓ | Height | 115 mm |
| VGA (D-Sub) ports quantity * | 2 | Weight * | 2.7 kg |
| HDMI ports quantity * | 2 | Package width | 400 mm |
| DVI port * | ✗ | Package depth | 337 mm |
| AC (power) in | ✓ | Package height | 168 mm |
| Network | | Package weight | 3.8 kg |
| Smart TV * | ✗ | Packaging content | |
| | | Remote control included * | ✓ |
| | | Remote control type | IR |
| | | Cables included | AC, VGA |
| | | Quick start guide | ✓ |
| | | Warranty card | ✓ |
| | | Technical details | |
| | | Image lag time | 33.2 ms |



0766907020007



766907020007

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.