ASUS Chromebook CX1102CKA-N00001 Intel® Celeron® N N4500 29.5 cm (11.6") HD 4 GB LPDDR4x-SDRAM 64 GB eMMC Wi-Fi 6 (802.11ax) ChromeOS Silver

Brand : ASUS Product family: Chromebook Product code: 90NX05N1-

M00020

Product name: CX1102CKA-

N00001

- ChromeOS
- Intel Celeron N4500 (4MB Cache, 1.1GHz)
- 29.5 cm (11.6") HD 1366 x 768 TN
- 4GB LPDDR4x-SDRAM & 64GB eMMC

Intel Celeron N4500 (4MB Cache, 1.1 GHz), 4GB LPDDR4x-SDRAM, 64GB eMMC, 29.5 cm (11.6") HD 1366 x 768 TN, Intel UHD Graphics, WLAN, Webcam, ChromeOS

ASUS Chromebook CX1102CKA-N00001 Intel® Celeron® N N4500 29.5 cm (11.6") HD 4 GB LPDDR4x-SDRAM 64 GB eMMC Wi-Fi 6 (802.11ax) ChromeOS Silver:

Get more done every day, from anywhere

ASUS Chromebook CX1 is made for boosting productivity and having more fun while on the move — all day, every day. This lightweight, ultraportable device is powered by up to a quad-core Intel® processor, has WiFi 6 technology for ultrafast connectivity and gives you the freedom of up to 10-hour battery life1. The compact chassis offers the capability for easy multitasking and incredibly immersive entertainment, and the device is your gateway to the best of Google — including the rich library of apps for work or play found on Google Play2. With smooth performance, robust security and convenient features, ASUS Chromebook CX1 is ideal for anyone on the go!











Design		Ports & interfaces	
Colour name Product type * Product colour * Form factor * Housing material Market positioning Country of origin	Transparent Silver Chromebook Silver Clamshell Plastic Home China	USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * Combo headphone/mic port Charging port type USB Type-C DisplayPort Alternate Mode USB Power Delivery	2 ✓ USB Type-C ✓
Display		Keyboard	
Display diagonal * 29.5 cm (11.6")	29.5 cm (11.6") 1366 x 768 pixels	Pointing device Numeric keypad *	Touchpad ×
Touchscreen *	×	Software	
HD type	HD	Operating system installed *	ChromeOS
Panel type	TN	Processor special features	
LED backlight Native aspect ratio	√ 16:9	Intel Stable Image Platform Program (SIPP)	×
Anti-glare screen	✓	Intel 64	✓
Display brightness	220 cd/m²	Execute Disable Bit	✓
RGB colour space	NTSC	Idle States	✓
Colour gamut	45%	CPU configuration (max)	1
Maximum refresh rate	60 Hz	Embedded options available	✓
Contrast ratio (typical) Processor	500:1	Intel Virtualization Technology for Directed I/O (VT-d)	✓
	letel	Intel Smart Idle Technology	×
Processor manufacturer *	Intel® Celeron® N	Intel Secure Boot	✓
Processor family * Processor model *	N4500	Intel Identity Protection Technology version	1.00
Processor cores Processor frequency *	2 1.1 GHz	Intel Secure Boot Technology version	1.00
Processor cache	4 MB	Intel Secure Key Technology version	1.00

Memory		Processor special features	
Internal memory * Internal memory type Memory form factor Maximum internal memory *	4 GB LPDDR4x-SDRAM On-board 4 GB	Intel Virtualization Technology (VT-x) Intel Rapid Storage Technology Conflict-Free processor	✓ ×
Storage		Battery	
Total storage capacity * Storage media * Optical drive type *	64 GB eMMC	Battery technology Number of battery cells Battery capacity *	Lithium-lon (Li-lon) 2 42 Wh
Card reader integrated	✓	Power	
Compatible memory cards	MicroSD (TransFlash)	AC adapter power	45 W
On-board graphics card *	Not available ✓ Intel	AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage	50/60 Hz 100 - 240 V 3 A 15 V
Discrete graphics card *	×	Security	
On-board graphics card model *	Intel® UHD Graphics	Cable lock slot	1
Audio		Cable lock slot type	Kensington
Built-in microphone	✓	Sustainability	
Camera Front camera	1	Sustainability certificates	EPEAT Silver, ENERGY STAR, RoHS, REACH
Front camera HD type	HD	Weight & dimensions	
Network Top Wi-Fi standard * Wi-Fi 6 (802.11ax) Wi-Fi standards Wi-Fi 6 (802.11ax) Mobile network connection *	Wi-Fi 6 (802.11ax)	Width Depth Height Weight *	292 mm 205.3 mm 18.8 mm 1.21 kg
Antenna type	2x2	Packaging data	
Ethernet LAN Bluetooth Bluetooth version	X ✓ 5.2	Package width Package depth Package height	328 mm 386 mm 250 mm
Ports & interfaces		Package weight	1.99 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Logistics data	
		Commodity Classification Automated Tracking System (CCATS)	8471300000





4711387177600

0197105177604



197105177604

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.