Gigabyte Z790 AORUS ELITE AX ICE Motherboard - Supports Intel Core 13th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5, 4xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : Gigabyte Product code: Z790 AORUS ELITE AX

 $\begin{array}{l} \textbf{Product name:} \ Z790 \ \text{AORUS ELITE AX ICE Motherboard -} \\ \textbf{Supports Intel Core 13th CPUs, } 16+1+2 \ \text{Phases Digital VRM,} \\ \textbf{up to } 7600 \text{MHz DDR5, } 4x \text{PCle } 4.0 \ \text{M.2, Wi-Fi } 6\text{E, } 2.5 \text{GbE LAN ,} \\ \textbf{USB } 3.2 \ \text{Gen } 2 \\ \end{array}$

ATX, LGA 1700 socket, Intel Z790 Express chipset, 4x DDR5 DIMM, Wi-Fi 6E, Bluetooth 5.3, AMI UEFI

Gigabyte Z790 AORUS ELITE AX ICE Motherboard - Supports Intel Core 13th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5, 4xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN , USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series *		Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version Headphone outputs	1 2.0 1 1.2 2
Supported processor sockets Maximum internal memory supported by processor		LGA 1700 192 GB	Microphone in S/PDIF out port WiFi-AP antenna jack	√ √ 2
Memory Supported memory types *	DDR5-SDRAM		USB connector type	USB Type-A, USB Type-C
Number of memory slots * Memory slots type Memory channels ECC Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory	4 DIMM Dual-channel	.5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600	Network Ethernet LAN Ethernet interface type Wi-Fi * Top Wi-Fi standard Wi-Fi standards	2.5 Gigabit Ethernet Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Storage controllers		Bluetooth	1	
•		HDD & SSD	Bluetooth version Features	5.3
Number of HDDs supported Number of storage drives supported RAID support RAID levels		6	Motherboard chipset * Audio output channels * Product colour PC health monitoring	Intel Z790 Express 7.1 channels White Fan, Temperature, Voltage, Water
Graphics			Component for *	cooling PC
Parallel processing technology support * Maximum resolution HDCP		Not supported 4096 x 2304 pixels ✓	Motherboard form factor * Motherboard chipset family * Windows operating systems supported	ATX Intel Windows 10 x64, Windows 11 x64
DirectX version		12.0	Expansion slots	
Internal I/O USB 2.0 connectors *		2	PCI Express x16 slots	3

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1)	1	Number of M.2 (M) slots	4
connectors * USB 3.2 Gen 2 (3.1 Gen 2)		BIOS	
connectors *	1	BIOS type *	UEFI AMI
Number of SATA III connectors *	6	BIOS memory size	256 Mbit
Total number of SATA connectors	6	ACPI version	5.0
Front panel audio connector	√	Clear CMOS jumper	√
Front panel connector	V	Clear CMOS button	✓
ATX Power connector (24-pin) CPU fan connector	✓ ✓ ✓ 2	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin) TPM connector		System Management BIOS (SMBIOS) version	2.7
Thunderbolt headers		Logistics data	
12V power connector	✓	Country of origin	China
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports		Battery	
USB 2.0 ports quantity *	4	Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	3	Lithium weight per battery	0.07 g
ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A		Number of battery cells	1
ports quantity *	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2x2 Type-C ports quantity	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
		Package width	335 mm
		Package depth	270 mm
		Package height	80 mm
		Package weight	2.3 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		Technical details	
		Warranty period	3 year(s)





4719331858896

0889523039922



889523039922

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.