

Gigabyte B760 DS3H Motherboard - Supports Intel Core 14th Gen CPUs, 8+2+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2

Brand : Gigabyte


Product code: B760 DS3H

Product name : B760 DS3H Motherboard - Supports Intel Core 14th Gen CPUs, 8+2+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2



- Intel® Socket LGA 1700: Support 13th and 12th Gen Series Processors
 - Unparalleled Performance: Hybrid 8+2+1 Phases Digital VRM Solution
 - Dual Channel DDR5: 4*DIMMs XMP Memory Module Support
 - Next Generation Storage: 2*PCIe 4.0 x4 M.2 Connectors
 - EZ-Latch: PCIe 4.0x16 Slot with Quick Release Design
 - Fast Networks: GbE LAN
 - Extended Connectivity: Rear USB-C® 20Gb/s, DP, HDMI
 - Smart Fan 6: Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
 - Q-Flash Plus: Update BIOS Without Installing the CPU, Memory and Graphics Card
- ATX, LGA 1700 socket, Intel B760 Express chipset, 4x DDR5 DIMM, AMI UEFI BIOS

[Gigabyte B760 DS3H Motherboard - Supports Intel Core 14th Gen CPUs, 8+2+1 Phases Digital VRM, up to 7600MHz DDR5 \(OC\), 2xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 2:](#)



Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor		Rear panel I/O ports				
Processor manufacturer *	Intel	USB 3.2 Gen 2x2 Type-C ports quantity	1			
Processor socket *	LGA 1700	Ethernet LAN (RJ-45) ports *	1			
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	PS/2 ports quantity	1			
	Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	HDMI ports quantity *	1			
Supported processor sockets	LGA 1700	HDMI version	2.0			
Maximum internal memory supported by processor	192 GB	DisplayPorts quantity	1			
Memory	Supported memory types * Number of memory slots * Memory slots type Memory channels ECC Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory	DDR5-SDRAM 4 DIMM Dual-channel ✓ ✓ 4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 MHz 7600 MHz 192 GB 1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB ✓	DisplayPort version	1.2		
			Headphone outputs	3		
			Microphone in	✓		
			USB connector type	USB Type-A, USB Type-C		
			Network			
					Ethernet LAN	✓
					Ethernet interface type	Gigabit Ethernet
					Wi-Fi *	✗
			Storage controllers		Features	
			Supported storage drive types	HDD & SSD	Motherboard chipset *	Intel B760 Express
Supported storage drive interfaces *	M.2, SATA III	Audio output channels *	7.1 channels			
Number of HDDs supported	4	Product colour	Blond			
Number of storage drives supported	6	PC health monitoring	Fan, Temperature, Voltage, Water cooling			
RAID support	✓	Component for *	PC			
RAID levels	0, 1, 5, 10	Motherboard form factor *	ATX			
Graphics	Parallel processing technology support * Maximum resolution HDCP DirectX version	Not supported 4096 x 2304 pixels ✓ 12.0	Motherboard chipset family *	Intel		
			Windows operating systems supported	Windows 10 x64, Windows 11 x64		
			Expansion slots			
		PCI Express x16 slots	5			
		Number of M.2 (M) slots	2			

Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	BIOS memory size	128 Mbit
Number of SATA III connectors *	4	ACPI version	5.0
Total number of SATA connectors	4	Clear CMOS jumper	✓
S/PDIF out connector	✓	Desktop Management Interface (DMI) version	2.7
Front panel audio connector	✓	System Management BIOS (SMBIOS) version	2.7
Front panel connector	✓	Logistics data	
ATX Power connector (24-pin)	✓	Country of origin	China
CPU fan connector	✓	Products per shipping (inner) case	1 pc(s)
EPS power connector (8-pin)	✓	Battery	
TPM connector	✓	Battery weight	3 g
Serial port headers	1	Lithium weight per battery	0.07 g
12V power connector	✓	Number of battery cells	1
RGB LED pin header	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Rear panel I/O ports		Battery type	CR2032
USB 2.0 ports quantity *	4	Packaging data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Package width	335 mm
		Package depth	270 mm
		Package height	80 mm
		Package weight	1.27 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security
		Technical details	
		Warranty period	3 year(s)



4719331853136

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date