![ASUS]

ASUS ZenBeam E1R data projector Standard throw projector 200 ANSI lumens LED WVGA (854x480) Silver

Brand : ASUS

Product code: 90LJ00J3-B01070

Product name : ZenBeam E1R

- Automatic portrait projection mode* makes it ideal for viewing social media content
- Enables up to 100-inch projections at 2.7m and includes auto vertical keystone correction and tripod socket for convenience
- Light source of 200 LED lumens with native WVGA (854 x 480) resolution and also supports FHD content
- Built-in battery: Enables up to four hours* of video playback

ZenBeam E1R mini LED projector – 200 LED lumens, WVGA (854x480) resolution, automatic portrait projection mode, built-in battery for up to 4-hour portable video playback , power bank, USB Type-A, HDMI

ASUS ZenBeam E1R. Projector brightness: 200 ANSI lumens, Projection technology: LED, Projector native resolution: WVGA (854x480). Light source type: LED, Service life of light source: 30000 h. Focus: Manual, Zoom ratio: Fixed, Throw ratio: 1.2:1. HDMI connector type: Full-size. Noise level: 30 dB, Noise level (economic mode): 28 dB

Projector

Screen size compatibility *	406.4 - 3048 mm (16 - 120")
Projection distance	0.5 - 3.7 m
Projector brightness *	200 ANSI lumens
Projection technology *	LED
Projector native resolution *	WVGA (854x480)
Contrast ratio (typical) *	500:1
Native aspect ratio *	16:9
Number of colours	16.7 million colours
Colour gamut	120%

Light source

Light source type *	LED
Service life of light source *	30000 h

Lens system

Focus *	Manual
Zoom ratio	Fixed
Throw ratio	1.2:1
Offset	100%

Video

Analog signal format system *	Not supported
Full HD *	✔
3D *	✘

Ports & interfaces

HDMI connector type	Full-size
USB 2.0 ports quantity *	1
Headphone outputs	1
HDMI ports quantity *	1
DVI port *	✘
DC-in jack	✔

Network

Smart TV *	✘
Ethernet LAN *	✘

Storage

Card reader integrated *	✘

Features

Noise level *	30 dB

Multimedia

Built-in speaker(s) *	✔
RMS rated power	2 W
Number of built-in speakers	1

Design

Market positioning *	Portable
Product type *	Standard throw projector
Product colour *	Silver
Placement	Ceiling, Desktop

Display

Built-in display *	✘

Power

Power source *	DC
Power consumption (typical) *	45 W
Power consumption (standby) *	0.5 W
Power consumption (max)	45 W
Battery capacity	5700 mAh
Battery life (max)	4 h

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%

Weight & dimensions

Width	84 mm
Depth	108 mm
Height	29 mm
Weight *	310 g
Package width	210 mm
Package depth	135 mm
Package height	100.5 mm
Package weight	1.05 kg

Packaging content

Remote control included *	✘
Cables included	AC, HDMI, USB Type-C

Features		Packaging content	
Noise level (economic mode)	28 dB	AC adapter included	✔
HDCP	✔	Warranty card	✔

4711081642305

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date