ASUS ROG STRIX B760-A GAMING WIFI Intel B760 LGA 1700 ATX

Brand: ASUS **Product code**: 90MB1EP0-M0EAY0

Product name: ROG STRIX B760-A GAMING WIFI

Intel B760, 4 x DIMM slots, Max. 128GB, DDR5, 2.5Gb Ethernet, 802.11 a/b/g/n/ac/ax, 256 Mb Flash ROM, UEFI AMI BIOS, ATX

ASUS ROG STRIX B760-A GAMING WIFI. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ Supported memory types: DDR5-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6E (802.11ax), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Component for: PC, Motherboard form factor: ATX, Motherboard chipset family: Intel





Processor			Rear panel I/O ports	
Processor manufacti	urer *	Intel	USB 2.0 ports quantity *	4
Processor socket *		LGA 1700 Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9 LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Compatible processor series *			USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1
Supported processor sockets			USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1
Memory Supported memory types *	DDR5-SDRAM		USB 3.2 Gen 2x2 Type-C ports quantity	1
Number of memory slots * Memory slots type	4 DIMM		Ethernet LAN (RJ-45) ports *	1
Memory channels Non-ECC	Dual-channel ✓		HDMI ports quantity *	1
Supported memory clock speeds	7800,7600,7400,7200,700 MHz	00,6800,6600,6400,6200,6000,5800,5600,5400,5200,5000,4800	HDMI version	2.1
Supported memory clock speed (max)	7800 MHz		DisplayPorts quantity	1
Maximum internal memory * Unbuffered memory	128 GB ✓		DisplayPort version	1.4
Storage controllers			Headphone outputs	1
Supported storage drive types HDD & SSD Supported storage drive interfaces * M.2, SATA III		HDD & SSD	Line-in	V
		M.2. SATA III	Microphone in	4
	Number of HDDs supported 4		Network	
Number of storage of	drives supported	7	Ethernet LAN	✓
RAID support		✓	Ethernet interface type	2.5 Gigabit Ethernet
RAID levels		0, 1, 5, 10	Wi-Fi *	1
Graphics			Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Parallel processing technology support *		Not supported	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Internal I/O			Bluetooth	✓
USB 2.0 connectors * 1 USB 3.2 Gen 1 (3.1 Gen 1) connectors * 1		1	Bluetooth version	5.3
		_		

Internal I/O		Features	
USB 3.2 Gen 2 (3.1 Gen 2) connectors * Number of SATA III connectors * S/PDIF out connector Front panel audio connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connectors	1 4 ✓ ✓ 4 4	Motherboard chipset * Audio chip Audio output channels * Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported	Intel B760 Realtek ALC4080 7.1 channels PC ATX Intel Windows 10 x64, Windows 11
Peripheral (Molex) power connectors (4-pin) EPS power connector (8-pin) Thunderbolt headers 12V power connector	1 1 1	Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots	2 1 3
RGB LED pin header	*	BIOS	
		BIOS type * BIOS memory size	UEFI AMI 256 Mbit
		Weight & dimensions	
		Width Depth	305 mm 244 mm
		Packaging content	
		Cables included	SATA

