Hisense 65E7KQTUK PRO TV 165.1 cm (65") 4K Ultra HD Smart TV Wi-Fi Grey 350 cd/m²

Brand : Hisense

Product code: 65E7KQTUK PRO

Product name : 65E7KQTUK PRO

- QLED Direct Lit

- 144Hz Game Mode Pro (AMD Freesync Premium, 144hz, hdmi 2.1) <8ms, VRR, ALLM. Low Input Lag - Game Bar

- Dolby Vision IQ, HDR10+, HDR10+Adaptive, HDR10, HLG, 4k HDR Immersive

- Dolby Atmos , DTS Virtual X - 2.1 ch

Hisense 65E7KQTUKPRO 65" 144hz QLED 4k Gaming TV AMD freesync and game mode pro

Hisense 65E7KQTUK PRO TV 165.1 cm (65") 4K Ultra HD Smart TV Wi-Fi Grey 350 cd/m²:

The E7KPRO is for the serious gamer, With Quantum Dot technology and an upgraded 144Hz Game Mode Pro bringing together industry leading technology (AMD Freesync Premium) and connectivity (HDMI2.1 eArc) to give you the winning gaming formula, smooth lag free gaming every time, add to that the 2.1 sound with built in subwoofer, not only the picture comes alive but the sound too. Once you are finished, that to the latest VIDAA U software, you have access to all the major streaming apps. Perfect for relaxing after a gaming session.





Dimensions with stand (width x depth x height) 1449-0304956 mm Dimensions without stand (width x depth x height) 1449-04355 mm Stand Width : 994 mm Weight : 189 kg

What's in the Bo Remote Battery User Manual Guick Start, Pag



Display		Management features	
Display diagonal * ID type * Igh frequency rate Display technology * .ED backlight .ED backlighting type Screen shape * Jative aspect ratio *	165.1 cm (65") 4K Ultra HD 144 Hz QLED ✓ Direct-LED Flat 16:9	Voice control Electronic Programme Guide (EPG) Auto power off Sleep timer Works with Amazon Alexa Works with the Google Assistant Works with Samsung Bixby Power	<pre></pre>
isplay brightness * esponse time ontrast ratio (typical) * ontrast ratio (dynamic) isplay resolution * / tuner	350 cd/m² 6 ms 4000:1 2000:1 3840 x 2160 pixels	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	180 W 200 W G G 110 kWh
uner type * ligital signal format system * mart TV	Digital DVB-C, DVB-S2, DVB-T2	Energy consumption (HDR) per 1000 hours * Energy saving mode	200 kWh
imart TV * Operating system installed * Operating system version Screen mirroring	VIDAA U7	Certificates UN number Technical details Sound technology	85287220 Dolby Atmos
Apple AirPlay 2 support /ideo apps ⁄lusic apps	4oD, All 4, Amazon Prime Video, Apple TV, BBC iPlayer, BritBox, DAZN, Disney+, ITV Hub, My5, NOW TV, Netflix, Rakuten TV, YouTube Amazon Music, BBC Sounds	Processor Weight & dimensions Width (with stand) Depth (with stand)	Quad Core 1449 mm 300 mm
ports apps ifestyle apps	BBC Sports Facebook	Height (with stand) Weight (with stand) Width (without stand)	895 mm 18.9 kg 1449 mm

Audio		Weight & dimensions	
Number of speakers *	3	Depth (without stand)	82 mm
RMS rated power *	40 W	Height (without stand)	835 mm
Audio output channels	2.1 channels	Weight (without stand)	18.7 kg
Built-in subwoofer	✓	Stand width	99.4 cm
Sound modes	Movie, Music, Standard, Theater	Packaging data	
Audio system	Dolby Atmos	Screws included	1
Network		Quick start guide	
Wi-Fi *	4	Manual	
Wi-Fi standards	802.11a, 802.11b, 802.11g	Package width	1610 mm
Bluetooth *	✓	Package depth	175 mm
Ethernet LAN *	1	Package height	1010 mm
Miracast	1	Package weight	28.7 kg
	•	Package type	Box
Design			
Product colour *	Grey	Packaging content	
VESA mounting *	V	Desktop stand	×
Panel mounting interface	300 x 200 mm	Mounting kit	×
Frameless design	V	Cables included	AV
Bezel type	Narrow Bezel	Remote control included	
Stand type	Legs stand	Remote control type	1
Performance		Smart Remote included	1
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10),	Logistics data	
technology	High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)	Export Control Classification Number (ECCN)	85287220
Game mode	1		
		Other features	
Subtitles function	1		1
Dolby Vision	4	HDMI Ethernet channel	4
Dolby Vision Ambient light sensor	× ×	HDMI Ethernet channel Hybrid Log-Gamma (HLG)	1
Dolby Vision Ambient light sensor Noise reduction *	√ ✓ ★ ✓	HDMI Ethernet channel	
Dolby Vision Ambient light sensor	✓ ✓ ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D	1
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR)	✓ ✓ ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control	4 4 4
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported *	4	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption	✓ ✓ ダ 84 kWh
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync	4 4 4	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input	✓ ✓ 84 kWh 1
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC	4 4 4	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI	✓ ✓ 84 kWh 1 ✓
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling	✓ ✓ ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin	✓ ✓ 84 kWh 1 ✓ China
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby	✓ ✓ ✓ × ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control	✓ ✓ ✓ × ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording	✓ ✓ ✓ × ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces	 ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces	 ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC)	 ✓ ✓ ✓ ✓ ✓ 2.0/2.1 ✓ 	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD)	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 1 × ✓
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces	 ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 × ✓ 1449 x 300 x 895 mm BBC
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) *	 ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD)	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 1 × ✓
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	 ✓ 1 	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 × ✓ 1449 x 300 x 895 mm BBC
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	 <	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 × ✓ 1449 x 300 x 895 mm BBC
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	 ✓ ✓	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 × ✓ 1449 x 300 x 895 mm BBC
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	 ✓ ✓ ✓ × ✓ × 2.0/2.1 ✓ × 1 1	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 × ✓ 1449 x 300 x 895 mm BBC
Dolby Vision Ambient light sensor Noise reduction * High Dynamic Range (HDR) supported * AMD FreeSync NVIDIA G-SYNC 4K Ultra HD upscaling Auto standby Parental control USB recording USB playback Ports & interfaces HDMI version Audio Return Channel (ARC) PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Component video (YPbPr/YCbCr) in	 ✓ ✓ × ✓ × 2.0/2.1 ✓ × 1 1 1 1 × 	HDMI Ethernet channel Hybrid Log-Gamma (HLG) 3D Motion control Annual energy consumption Aerial input HDMI Country of origin Dimensions (W x D x H) with stand Mains power Stand Picture mode Smart TV applications Analogue tuner DVB-T2 tuner Dimensions (with stand) (WxHxD) News apps	✓ ✓ 84 kWh 1 ✓ China 1449 x 300 x 895 mm ✓ 1 1 1 × ✓ 1449 x 300 x 895 mm BBC



6942147489840

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.