## ASUS PRIME A620M-K AMD A620 Socket AM5 micro ATX

Brand: ASUS Product code: 90MB1F40-M0EAY0

Product name: PRIME A620M-K

- AMD AM5 Socket: Ready for AMD Ryzen  $^{\tiny\textrm{TM}}$  7000 Series Desktop Processors
- Ultrafast Connectivity: PCle 4.0, 64Gbps M.2 slot, Realtek 1Gb Ethernet, USB 3.2 Gen 1 Type-A
- Comprehensive Cooling: PCH heatsink and Fan Xpert
- Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware
- Two-way Al Noise Cancelation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences AMD A620, AM5, 2 x DIMM DDR5, Gigabit Ethernet, 256 Mb Flash ROM, UEFI AMI BIOS, micro-ATX





Processor			Internal I/O	
Processor manufacturer *		AMD	12V power connector	✓
Processor socket *		Socket AM5	Rear panel I/O ports	
Compatible processor series *		AMD Ryzen 5 7th Gen, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen	USB 2.0 ports quantity *	2
Supported processor sockets		Socket AM5	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Memory			Ethernet LAN (RJ-45) ports *	1
Number of memory slots * 2		SDRAM	PS/2 ports quantity	1
		hamal	VGA (D-Sub) ports quantity *	1
		hannel	HDMI ports quantity *	1
	4800,5 MHz	5000,5200,5400,5600,5800,6000,6200,6400	Network	
Maximum internal memory *	96 GB		Ethernet LAN	✓
Unbuffered memory	✓		Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Storage controllers			Wi-Fi *	×
Supported storage drive types		HDD & SSD	Features	
Supported storage drive interfaces ** Number of HDDs supported		M.2, SATA III	Motherboard chipset *	AMD A620
		4	Audio output channels *	7.1 channels
Number of storage drives supported 5			Component for *	PC
Internal I/O			Motherboard form factor *	micro ATX
USB 2.0 connectors *		2	Motherboard chipset family *	AMD
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		1	Windows operating systems supported	Windows 10 x64, Windows 11
Number of SATA III connectors *	k	4	Expansion slots	
S/PDIF out connector		✓	PCI Express x1 (Gen 3.x) slots	1
Front panel audio connector		✓	Number of M.2 (M) slots	1
ATX Power connector (24-pin) CPU fan connector Number of chassis fan connectors EPS power connector (8-pin) Number of COM connectors TPM connector		✓	BIOS	
		✓	BIOS type *	UEFI AMI
		1	BIOS type ** BIOS memory size	256 Mbit
		<b>V</b>	,	250 MIDIC
		1	Packaging data	
			Package width Package depth	260 mm 270 mm

Packaging data		
Package height	51.5 mm	
Package weight	920 g	
Weight & dimensions		
Width	226 mm	
Depth	221 mm	



4711387242087

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.