Gigabyte A620M DS3H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 1xPCle 4.0 M.2, GbE LAN, USB 3.2 Gen 1

Brand : Gigabyte Product code: A620M DS3H

Product name : A620M DS3H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 1xPCle 4.0 M.2, GbE LAN, USB 3.2 Gen 1

ABZIM BSM

- AMD Socket AM5 Supports AMD Ryzen™ 7000 Series Processors
- Unparalleled Performance 5+2+2 Phases Digital VRM Solution
- Dual Channel DDR5□4*SMD DIMMs with AMD EXPO™ & Intel® XMP Memory Module Support
- SuperSpeed Storage PCle 4.0 x4 M.2 Connector
- EZ-Latch

 PCle x16 Slot with Quick Release Design
- Fast Networks GbE LAN
- Extended Connectivity $\ \square \ DP,\ HDMI,\ D-Sub$
- Smart Fan 6 Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- Q-Flash Plus Update BIOS Without Installing the CPU, Memory and Graphics Card

AMD A620, Socket AM5, 4 x DDR5, 6400 MT/s, 1 x DisplayPort, 1 x HDMI, 1 x D-Sub, 4 x SATA, Micro ATX

Gigabyte A620M DS3H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 1xPCle 4.0 M.2, GbE LAN, USB 3.2 Gen 1:





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series Supported processor sockets Maximum internal memory supported by processor		AMD Socket AM5 AMD Ryzen™ 5, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen Socket AM5 192 GB	HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version Headphone outputs Microphone in USB connector type	1 2.1 1 1.4 3 ✓ USB Type-A, USB Type-C
Memory			Network	, , , , , , , , , , , , , , , , , , ,
Supported memory types * Number of memory slots * Memory slots type Memory channels Non-ECC	DDR5-SDRAM 4 DIMM Dual-channel		Ethernet LAN Ethernet interface type Wi-Fi *	✓ Gigabit Ethernet
Supported memory clock speeds	4800,52 MHz	00,5600,6000,6200,6400,6800,7000,7200,7600	Features	
Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory	7600 MH 192 GB 1GB, 2G	lz B, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Motherboard chipset * Audio output channels * Product colour PC health monitoring	AMD A620 7.1 channels Brown Fan, Temperature, Voltage, Water
Storage controllers			Component for *	cooling PC
Supported storage drive types HDD & SSD Supported storage drive interfaces * M.2, SATA III Number of HDDs supported 1 Number of storage drives supported 4		Motherboard form factor * Motherboard chipset family * Windows operating systems supported	micro ATX AMD Windows 10 x64, Windows 11 x64	
RAID support		Expansion slots		
RAID levels 0, 1, 10 Graphics Parallel processing technology		PCI Express x1 slots PCI Express x16 slots Number of M.2 (M) slots	1 1 1	
support *		Not supported	BIOS	
Maximum resolution HDCP DirectX version		4096 x 2160 pixels ✓ 12.0	BIOS type * BIOS memory size ACPI version	UEFI AMI 256 Mbit 5.0

Internal I/O		BIOS	
USB 2.0 connectors *	1	Clear CMOS jumper	✓
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Desktop Management Interface (DMI) version	2.7
Number of SATA III connectors * Total number of SATA connectors	4	System Management BIOS (SMBIOS) version	2.7
Front panel audio connector	✓	Logistics data	
Front panel connector ATX Power connector (24-pin)	*	Country of origin Products per shipping (inner) case	China 1 pc(s)
CPU fan connector EPS power connector (8-pin)	1	Battery	
TPM connector 12V power connector RGB LED pin header	* * * * * * * * * * * * * * * * * * *	Battery weight Lithium weight per battery Number of battery cells	3 g 0.07 g 1
Rear panel I/O ports		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports * PS/2 ports quantity VGA (D-Sub) ports quantity *	4	Battery type	CR2032
	1	Packaging data	
	1 1 1	Package width Package depth Package height Package weight	265 mm 265 mm 54 mm 1.07 kg
		Weight & dimensions	
		Width Depth Height	244 mm 244 mm 35 mm
		Packaging content	
		Cables included Bundled software	SATA Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331855567

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.