

## ASUS ROG -STRIX-RTX4070-O12G-GAMING NVIDIA GeForce RTX 4070 12 GB GDDR6X

**Brand :** ASUS

**Product family:** ROG

**Product code:** 90YV0J00-M0NA00

**Product name :** ROG-STRIX-RTX4070-O12G-GAMING



- Powered by NVIDIA DLSS3, ultra-efficient Ada Lovelace arch, and full ray tracing
  - 4th Generation Tensor Cores: Up to 4x performance with DLSS 3 vs. brute-force rendering
  - 3rd Generation RT Cores: Up to 2x ray tracing performance
  - OC mode: 2640 MHz (OC mode)/ 2610 MHz (Default mode)
  - Axial-tech fans scaled up for 31% more airflow
  - 3.12-slot design: massive fin array optimized for airflow from the three Axial-tech fans
  - Diecast shroud, frame, and backplate add rigidity and are vented to further maximize airflow and heat dissipation
  - Digital power control with high-current power stages and 15K capacitors to fuel maximum performance
  - Auto-Extreme precision automated manufacturing for higher reliability
  - GPU Tweak III software provides intuitive performance tweaking, thermal controls, and system monitoring
- NVIDIA GeForce RTX 4070 12GB GDDR6X, PCI Express 4.0, 21 Gbps, 192-bit, 650W, 1 x 16-pin, 3.12 slot

Processor		Performance	
CUDA *	✓	HDCP version	2.3
CUDA cores	5888	Dual Link DVI *	✗
Graphics processor family *	NVIDIA	Design	
Graphics processor *	GeForce RTX 4070	Cooling type *	Active
Processor boost clock speed	2610 MHz	Cooling technology	ASUS Axial-tech
Processor frequency (OC mode)	2640 MHz	Number of fans	3 fan(s)
Maximum resolution *	7680 x 4320 pixels	Number of slots	3.12
Parallel processing technology support *	Not supported	Illumination	✓
Maximum displays per videocard	4	Illumination colour	Multi
Memory		Product colour	Multicolour
Discrete graphics card memory *	12 GB	Power	
Graphics card memory type *	GDDR6X	Minimum system power supply *	650 W
Memory bus *	192 bit	Supplementary power connectors	1x 16-pin
Memory bandwidth (max)	21 GB/s	System requirements	
Ports & interfaces		Windows operating systems supported	✓
Interface type *	PCI Express 4.0	Weight & dimensions	
HDMI ports quantity *	2	Weight	1.75 kg
HDMI version	2.1	Depth	62.4 mm
DisplayPorts quantity *	3	Height	149.4 mm
DisplayPort version	1.4a	Width	338.9 mm
Performance		Packaging data	
OpenGL version *	4.6	Package width	427 mm
HDCP	✓	Package depth	227 mm
		Package height	88 mm
		Package weight	2.49 kg
		Package type	Box



4711387145777

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2024. Prints or copies of Information are only valid on the printed Publication date