Viewsonic VX Series VX1755 computer monitor 43.2 cm (17") 1920 x 1080 pixels Full HD LED Black, Grey

Brand : Viewsonic   **Product family:** VX Series   **Product code:** VX1755

Product name : VX1755

17, 17.2, IPS, 1920 x 1080, Full HD, 800:1, 80000000:1, LED, 250 cd/m2, 16.7M, 8 bit, 16:9, 4.489ms, 170 x 170, 15000, 3H, 144 Hz, USB Type C, HDMI, 0.8W, 100-240 VAC, 50-60Hz, 0 - 40º C, 20-90%, 495.0 x 395.0 x 77, 396.0 x 247.0 x 17, 396.0 x 247.0 x 17
Viewsonic VX Series VX1755. Display diagonal: 43.2 cm (17"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4.489 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 170°, Viewing angle, vertical: 170°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). Product colour: Black, Grey

Display

Display diagonal *	43.2 cm (17")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✖
Display brightness (typical)	250 cd/m²
Response time	4.489 ms
Screen shape *	Flat
Contrast ratio (typical) *	800:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	144 Hz
Viewing angle, horizontal	170°
Viewing angle, vertical	170°
Display number of colours *	16.7 million colours
Colour depth	8 bit

Multimedia

Built-in speaker(s) *	✔
Number of speakers	2
RMS rated power	0.8 W

Design

Product colour *	Black, Grey
Certification	cTUVus, FCC-B, ICES003, CEC, NRCan, NOM, CE, CE EMC, CB, RoHS, ErP, UkrSEPRO, UKCA

Ports & interfaces

Built-in USB hub *	✔

Ports & interfaces

Charging port type	USB Type-C

Ergonomics

VESA mounting *	✖
Tilt angle range	20 - 62°

Power

Energy efficiency class (SDR) *	D
Energy consumption (SDR) per 1000 hours *	10 kWh
Power consumption (typical) *	12 W
Power consumption (standby) *	0.5 W
Power consumption (max)	13 W
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%

Packaging content

Cables included	HDMI to Mini-HDMI, USB Type-C to USB Type-A, USB Type-C to USB Type-C
Power adapter included	✔
Quick start guide	✔

Weight & dimensions

Width (with stand)	396 mm
Depth (with stand)	17 mm
Height (with stand)	247 mm
Weight (with stand)	1 kg

Ports & interfaces

USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
HDMI version	2.0
Mini HDMI ports quantity	1
Audio output	✔

Packaging data

Package width	495 mm
Package depth	395 mm
Package height	77 mm
Package weight	2.2 kg

Sustainability

European Product Registry for Energy Labelling (EPREL) code	860421

Logistics data

Harmonized System (HS) code	85285210

0766907015034

766907015034