

## SSD | QX SATA 6Gb/s







TEAMGROUP QX 2.5" SSD uses the latest 3D QLC flash memory. It supports SLC Caching technology, and has a blazing fast read/write speed of 560/500MB per second, offering you smooth user experience. Compared with mechanical hard drives, it has the same massive terabyte capacity and also provides features such as read/write performance, low power consumption, shock resistance, and noise-free that traditional mechanical hard drives do not have. The QX is a monster SSD that completely defeats mechanical hard drives.

## Main Feature

- Smart SLC Cache and powerful performance
- · A monster that can defeat mechanical hard
- · Ultra-high durability. Stable and reliable

## **Ordering Information**

Capacity	Team P/N
512GB	T253X7512G0C101
1TB	T253X7001T0C101
2TB	T253X7002T0C101
4TB	T253X7004T0C101



## **Specification**

Interface	SATA III 6Gb/s
Capacity	512GB / 1TB / 2TB / 4TB <sup>[1]</sup>
Voltage	DC +5V
Operation Temperature	0°C ~ 70°C
Storage Temperature	-40°C ~ 85°C
DRAM Cache	NO NO
Terabyte Written (TBW)	512GB: 160 TBW
	1TB: 300 TBW
	2TB: 690 TBW
	4TB: 1,000 TBW <sup>[2]</sup>
Performance	Crystal Disk Mark:
	Read/Write: up to 560/500 MB/s[3]
Dimensions	100(L) x 69.9(W) x 7(H) mm
Humidity	0°C ~ 55°C / 5% ~ 95% RH,non-condensing
Vibration	20G (non-operating)
Shock	1,500G
MTBF	1,500,000 hours
Operating System	• Windows 11 / 10 / 8.1 / 8 / 7 or later
	• MAC OS 10.4 or later
	• Linux 2.6.33 or later
Warranty	3-year limited warranty

<sup>[1] 1</sup>GB=1,000,000,000 Bytes. In OS system, it would be displayed as 1,000,000,000 Bytes/1024/1024/1024 = 0.93GB

<sup>[2]</sup> Definition and conditions of TBW (Terabytes Written)are based on JEDEC standard

<sup>[3]</sup> Transmission speed will vary according to different hardware/software conditions, therefore the data can only use for basic reference.

<sup>\*</sup>Made by order. We reserve the right to modify product specifications without prior notice. Different devices may have a different best format for usage. It is recommended to format the device before use to ensure the correctness and the integrity of the SSD.