

25U Open Frame Server Rack - 4 Post Adjustable Depth (22" to 40") Network Equipment Rack w/ Casters/ Levelers/ Cable Management

Product ID: 4POSTRACK25U



The 4POSTRACK25U 25U Server Rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Designed with ease of use in mind, this 25U rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40in) that make it easy to adapt the rack to fit your equipment.

This durable 4-post rack supports a static loading capacity of up to 1200lbs (544kg), and offers compliance with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 40494) for a universal design that's compatible with most rack equipment.

For a complete server storage solution that saves you time and hassle, the rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also pre-drilled for securely fastening the rack to the floor if needed, providing you with additional stability to better suit your server environment.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required



• Rack-mounting A/V equipment in a radio or television studio

Features

• The STARTECH.COM Advantage: StarTech.com offers a 2-year warranty and free lifetime technical support on this 25U rack and has been the choice of IT professionals and businesses for over 30 years

• Ultimate Versatility: With an adjustable mounting depth of 22 to 40", this open frame server rack provides you with a customized data storage solution for your IT equipment

• Hassle-Free Set Up: The server rack includes accessories such as casters, levelling feet and cable management hooks; the base is pre-drilled for securely fastening the rack to the floor if needed

• User Friendly: This 25U rack offers easy-to-read markings for both rack units (U) and depth; it has a wide range of mounting depth adjustments that make it easy to adapt to fit your equipment

• Built to Last: This durable 4-post rack supports up to 1200 pounds (544 kilogram), has a total product height of 50.8 inch / 129 centimeter (with casters), 48 inch / 122 cm (without casters), and is EIA/ECA-310, IEC 60297, DIN 40494 compliant

Hardware		
	Warranty	2 Years
	Wallmountable	No
	Rack Type	4-Post
	Frame Type	Open Frame
	U Height	25U
	Special Features	Adjustable Mounting Rails
		Base Plate with Floor-Anchoring Holes
		Built-in Cable Management
		Casters (Included)
		Grounding Lug(s)
		Leveling Feet
		Easy Assembly
		U-Markings
	Mounting Rail Profile	L-Shape



	Mounting Hole Types	Square (For Cage Nut)
	Industry Standards	EIA/ECA-310-E
Performance	Weight Capacity (Stationary)	1202.9 lb [544.3 kg]
Physical Characteristics		
	Color	Black
	Construction Material	Steel
Product Measurements		
	Product Length	41.3 in [104.8 cm]
	Product Width	23.8 in [60.4 cm]
	Product Height	47.8 in [121.3 cm]
	Weight of Product	72.9 lb [33.0 kg]
	Maximum Mounting Depth	40.0 in [101.7 cm]
	Minimum Mounting Depth	22.0 in [56 cm]
	Product Height with Casters	50.8 in [129 cm]
Packaging Information		
	Flat Pack (Assembly Required)	Yes
	Package Length	5.0 ft [1.5 m]
	Package Width	6.3 in [16.0 cm]
	Package Height	7.9 in [20.0 cm]
	Shipping (Package) Weight	77.4 lb [35.0 kg]
What's in the Box		

Included in Package

2 - Left Vertical Rail



- 2 Right Vertical Rail
- 2 Base Bracket
- 8 Corner Section
- 4 Center Section
- 2 Top Bracket
- 48 M8 Bolt
- 48 M8 Washer
- 1 M8 (13mm) Wrench
- 1 M6 (10mm) Wrench
- 1 Phillips Screwdriver
- 32 M6 Cage Nut
- 32 PVC Cup Washer
- 32 M6 Phillips Head Screw
- 12 Cable Management Hook
- 12 Hook Mounting Screw
- 4 Casters
- 4 Leveling Feet
- 16 M6 Screw
- 16 M6 Flat Washer
- 16 M6 Flange Nut
- 4 Grounding Wires

*Product appearance and specifications are subject to change without notice.