# **Mobile** Printing Solutions

Today's mobile workforce demands mobile printers that are light, fast and reliable indoors or out; whether you are producing labels for warehousing logistics or providing on-the-go receipts for Tablet POS or Mobile Payment. Star's extensive range of feature-rich receipt and label printers provide the ideal solution.

#### **Key applications**

- Retail

  Mobile receipts, product coupons
- Logistics
  Delivery labels and invoices
- Transport Mobile receipts and tickets
- Hospitality
  Mobile receipts, food labels



Windows



Made for **€ iPhone** | iPad | iPod



### Star WebPRNT Browser for Bluetooth Mobile

Star's platform-agnostic WebPRNT™ solution is designed to generate print data via a web browser to output directly to Star mobile printers using Star's WebPRNT Browser Software available from Google Play or the App Store.

Star's WebPRNT removes the issues usually associated with web-based printing by offering driverless printing capabilities for all receipt data, utilising HTML and JavaScript standards to provide consistent browser printing. Star WebPRNT supports all standard receipt requirements including logos and barcodes.

WebPRNT SDKs including a demonstration page are available from Star's Global Support Site

www.starmicronics.com/support

### **SM-S230i**

#### Bluetooth Super Compact 2"/58mm Mobile Receipt Printer with Auto Reconnect

- High resolution 203 dpi and 80mm/second print speed
- Super compact & durable design just 114 x 80 x 44mm and weighing 217g (inc. battery) with 1.5m drop test
- Auto detect pairing with Apple iOS (MFi certified), Android, Linux & Windows devices
- Multiple LED status display for easy use
- Maximum 19 hour battery life printing at 5 minute intervals





### **SM-T300i**

## Rugged 3"/80mm Bluetooth Receipt and Label printer with Auto-Reconnect



- Pairs with iPad, iPhone and iPod Touch (MFi certified) as well as Android and Windows devices via Bluetooth
- Wired Serial Connection RS-232
- Receipts and fixed length labels
- High resolution 203 dpi and 80mm/second print speed
- Rugged design with IP54 dust/splash-proof certificate
- 1.5m drop reliability
- Maximum 31 hour battery life, printing at 5 minute intervals
- SM-T301i version with 1&2 track magnetic stripe reader

### **SM-T400i**

# **Durable 4"/112mm Bluetooth Receipt and Label printer** with Auto-Reconnect

- Pairs with iPad, iPhone and iPod Touch (MFi certified) as well as Android and Windows devices via Bluetooth
- Wired Serial Connection RS-232
- Receipts and fixed length labels
- High resolution 203 dpi and 110mm/second print speed
- Rugged design with IP54 dust/splashproof certificate
- 1.5m drop reliability
- Maximum 35 hour battery life printing at 5 minute intervals
- SM-T404i version with 1,2&3 track magnetic stripe reader



Easy-to-use with simple paper loading and a long battery life, Star's range of Bluetooth mobile printers are ideal for printing high quality receipts, coupons, labels and tickets directly from tablets and smartphones. The latest SM-L Printers offer Micro USB Charging and traditional Classic Bluetooth connectivity as well as Bluetooth 4.0 (Bluetooth Smart/BLE) and can communicate with multiple iOS devices (no Pin required).

▶ Please note Android and Windows will only connect via traditional Bluetooth 2/3

#### **SM-L200**

# Compact 2"/58mm Bluetooth/BLE Receipt and Label printer with Micro USB Charging

- High resolution 203 dpi and 35mm/second print speed
- Super compact design just 122 x 83 x 44mm & weighing 220g with the battery
- Simple, no pin required auto pairing with Bluetooth 4.0 devices including Apple iOS, Android, Linux & Windows
- Bluetooth 4.0 allows the use of multiple iOS tablets as opposed to the traditional one-to-one
- Print receipts during the day and product labels after hours with traditional 58mm Label support with Black Mark & transmissive sensors or MAXStick™ ReStick style, liner-free labels
- OLED display and 13 hour battery life
- Desk dock cradle charger & in-vehicle mount options



4.0 Bluetooth



### **SM-L300**

# Compact 3"/80mm Bluetooth/BLE Receipt and Label printer with Micro USB Charging

- High resolution 203 dpi and 65mm/second print speed
- Traditional 40 80mm Label support with Black Mark & transmissive sensors
- MAXStick™ ReStick style, liner-free label support
- Unprecedented 43 hour battery life!
- High contrast OLED Display for improved visibility of printer status
- Unique "flat", decurl paper feature

- Unique micro USB charging 5V desktop cradle charger
- Super compact design just 119 x 146 x 69 mm / 540g
- Bluetooth 4.0 allows the use of multiple iOS tablets as opposed to the traditional one-to-one
- SM-L304 version with Magnetic Stripe Reader

#### SM-L200/SM-L300 options



### **5V Desktop Charging Cradle**

- Convenient presentation angle for desktop receipt or label printing while charging
- USB charging cable included (charge from existing system or add power adaptor)
- SM-L200: 116 w x 94 d x 80 h mm SM-L300: 135.65 w x 140.78 d x 85.6 h mm

#### Liner-Free Labelling from MAXStick™

With a **ReStick/RePositioning** feature according to the "stick" strength you are looking for – perfect for hospitality special orders/deliveries/warehouse or temporary labelling.



#### Specialist Thermal, **Mobile Printers Matrix Hybrid Lottery & Ticketing SP700** SM-L200 SM-L300 SM-S230i SM-T300i SM-T400i **SP298 HSP7000** TSP1000 TSP-L10 **Series STAR** PRINTER **SERIES** 8 \* 4.0 8 Bluetooth 4.0 Bluetooth Pages 16-17 Page 18 Page 20 Page 21 Rugged 3" (80mm) Compact **Durable** Compact 3" (80mm) Bluetooth/BLE 4" (112mm) **Compact** 2" (58mm) Versatile High Bluetooth Bluetooth **High Speed** 2" (58mm) Mobile Receipt Mobile Receipt Bluetooth / BLE **Mobile Receipt** Direct Performance Bluetooth UNIQUE 203 dpi 9-pin **Mobile Receipt Thermal** and Label and Label and Label Secure 9-pin Red/Black **Mobile Receipt** Matrix Slip Thermal and Label Ticket Printer Transaction Printer for Printer for **Printer for** Description Printer for **Printers with** Receipt & Apple iOS Android, Apple iOS, Android, Apple iOS, Android, **Printer for** with **Printer able** Apple iOS, **Dot Matrix** Matrix **AutoSide** Receipt/ Apple iOS. to print and Android. Loading<sup>1</sup> Cheque/Slip **Printer Series** Android. Windows and Windows and Windows and Ticket stack Windows and Printer Windows and Linux. Linux. Linux. Stacker 100 Tickets Linux SM-L304 model SM-T301i model SM-T404i model Linux with MSR with MSR with MSR Multi-part Receipts/Forms Multi-part Receipts/Forms Multi-part Receipts/Forms **Application** Receipts, Labels Receipts, Labels Receipts Receipts, Labels Receipts, Labels Receipts, Tickets Receipts, Tickets Max. Print 250mm/se 300mm/sec 35mm/sec 65mm/sec 80mm/sec. 80mm/sec. 110mm/sec 3.1 lps 4.0 to 8.9 lps 180mm/sec up to 8.9 lps 203 dpi 203 dpi 203 dpi 203 dpi 203 dpi 7 x 9 half dot 7 x 9 half dot 203 dpi/9-pin 203 dpi 203 dpi Resolution Tear Bar and Full/ Tear Bar/ Partial (Guillotine). Partial Cut Full Cut Full Cut Tear Bar Tear Bar Tear Bai Tear Bar Tear Bai Slip Printer Autocutter (Guillotine) (Guillotine) (Guillotine) Rewind models Thermal: 58, 76, 80mm Matrix: 68-230mm 40 – 80mm adjustable 76mm default, 69.5, 58mm 45 – 82.5mm Adjustable 58mm **Paper Width** 58mm 80mm 112mm up to 182mm 82.5mm Thermal: 0.065 – 0.085mm Matrix: 0.09 – 0.31mm 0.053 - 0.085mm Labels up to 0.15mm Paper Thickness 0.06 - 0.085mm/ 0.09 - 0.20mm/ 0.053 - 0.12mm MaxStick up to 0.086mm 0.058 - 0.075mm 0.06 - 0.07mm 0.06 - 0.07mm 0.065 - 0.15mm 0.075 - 0.09mm 1+2 copies 1+2 copies Paper Roll Diameter) 40mm 50mm 50mm 85mm Thermal: 83mm ▶ 180mm ◀ ≥200mm **◄** 40mm 57mm Slips only Desktop Cradle Desktop Cradle Horizontal Desktop Horizontal Desktop Horizontal model Media operation, Horizontal peration, Horizonta Horizontal Desktop Vertical or 30 Receipt/ 100 Receipt/ Top Receipt/front Slip delivery or Vertical Belt/ Shoulder Strap or Vertical Belt/ Shoulder Strap Horizontal mode Desktop or Vertical Belt Strap Desktop or Vertical Belt Strap or Vertical Belt Strap Horizontal mode Ticket Stacker Ticket Stacker Presentation Thermal: 72mm Slip: 85.4mm max **Print Width** 48mm 32 - 72mm48mm 72mm 104mm 63mm 63/60/45mm 80mm 80mm Paper End, Black Mark Black Mark. Paper End. Paper End. Paper End. Paper End. Paper End. Paper End, Near End & Cover Open Black Mark Cover Open, Black Mark. AutoSide Paner End Near End option Cover Open, Paper End. Near Sensors Cover Open Black Mark Cover Open Black Mark Cover Open Black Mark Loading (Near End option) AutoSide Loading Transmissive Gar (front and back Cheque validation Stacker End (4 position) Serial, Parallel, Bluetooth, Non-interface. Plug-in options: Serial, Parallel or USB as Standard. Bluetooth 3.0/4.0 USB charging/ Bluetooth 3.0/4.0 USB charging/ Bluetooth (2.1), iOS (MFi), RS-232 Serial Bluetooth (2.1), iOS (MFi), RS-232 Serial Bluetooth (2.1), iOS (MFi), High Speed USB 2.0 RS232C or RS232C or Serial (HD04) Interface Parallel 9-Pin Serial (HN04) Parallel with LAN/USB options Ethernet options USB communication + USB Host communic 9-PIR Serial (HN04), Parallel (HC04), USB (HU08), Ethernet (HE08) HI X with CloudPRNT (HI02) USB with adapter 3rd Party WiFi/Bluetooth cable included cable included cable included (cable included) (cable included) and Ethernet 1.5m (MSR model: 1.2m) 1.5m (MSR model: 1.2m) **Drop Test** 1.2m 1.2m 1.5m Desktop Cradle or USB charging/ Desktop Cradle or USB charging/ AC Charger & Battery Pack included AC Charger & Battery Pack included AC Charger & Battery Pack included External PS60 (option) Internal with cable provided External PS60 (option) External PS60 External PS60 **Power Supply** (option) communication cable included cable included (option) 7.4V rechargeable battery offering 3.7V rechargeable 7.4V rechargeable 7.4V rechargeable battery offering 7.4V rechargeable battery offering battery offering battery offering Power/ 13 hours printing at 3 hours printing a 19 hours printing at 31 hours printing at 35 hours printing at **Battery Life** 5 minute printing intervals intervals intervals intervals Thermal 37 million lines 50km 37 million lines 50km 37 million lines 37 million lines 37 million lines 22 million lines 60 million lines 60 million lines 60 million lines Reliability 9 million lines Slip: 37 million lines 50km 50km 50km 1 million cuts 1 million cuts 2 million cuts 120 x 130.5 x 58.3 120 x 132.2 x 58.3 (with MSR) 442g (including battery) 150.9 x 136.6 x 63.3 150.9 x 143.2 x 63.3 (with MSR) 735g (including battery) Dimensions (w x d x h) mm Weight 119 x 146 x 69 540g (including battery) 80 x 114 x 44 217g (including battery) 165 x 343 x 276 4.4kg (including scanner) 83 x 122 5 x 44 180 x 190 x 138.5 2.1kg 160 x 245 x 152 3.3kg 186 x 296 x 177 4.6kg 161 x 307 x 249 3.0kg 220g (including battery) Battery Pack Battery Pack Battery Pack Battery Pack Sample Paper Roll Belt Clip Battery Pack Ribbon • Sample Paper Roll • Belt Clip Sample Paper Roll Belt Clip Serial Cable Sample Paper Roll Belt Clip Included in Ribbon Paper Set-Up Guide Paper Guide Paper Switch & Interface Covers Sample Paper Roll Belt Clip Ribbon Set-Up GuideInternal Power box with Manual Serial Cable Battery Charger Safety Instruction Sheet • USB Cable • Safety Instruction Sheet • USB Cable Ferrite Core Fastener printer at Safety Instruction Sheet Battery Charger Safety Instruction Sheet Battery Charger Safety Instruction Sheet Lead purchase Paper Guide • USB Cable • 4 Unit Battery • 4 Unit Battery PS60 Power Charger • Shoulder Strap Charger • Shoulder Strap 4 Unit Battery · Desktop Cradle Desktop Cradle Charger Single Battery Charger Charger Extra Battery Pack Vehicle Charger Star WebPRNT Rrowsor App. Desktop Cradle Charger MSR version available Extra Battery Pack Star WebPRNT Description Snoulder Strap Single Battery Charger Extra Battery Pack Vehicle Charger MSR version Survivables Snoulder Strap Single Battery Charger Extra Battery Pack Vehicle Charger MSR version Strain Strain Supply Interface options Charger In-vehicle Mount Bracket Extra Battery Pack Buzzer Alarm Wall Mount Kit Vertical Kit SP700R Paper • PS60 Power MICR versions: Supply TSP-L11 Internal Print • PS60 Power HSP7643 PS60 Options • HSP7643 Top position • HSP7743 Bottom position • HSP7543 Non-MICR Supply Interface options Power Supply Star WebPRNT Rewind version Browser App Browser App available • Star WebPRNT available • Star WebPRNT verification Browser App Plug-in Scanner version download from download from download from interfaces Browser App download from the App Store & Google Play Browser App download from the App Store & Google Play the App Store & Google Play the App Store & Google Play

version

the App Store & Google Play