

MSA Compliant Transceiver Module - 1000BASE-TX

Product ID: SFP1000TXST



The SFP1000TXST is an MSA compliant copper SFP transceiver that's designed, programmed and tested to work with 1000BASE-TX compatible MSA switches and routers. The SFP transceiver module supports a maximum distance of up to 100 m (328 ft) and delivers dependable 1 GbE connectivity over copper cabling.

Technical Specifications:

• Maximum Data Transfer Rate: 1000 Mbps

Type: Copper

• Connection Type: RJ45 Connector

Maximum Transfer Distance: 100 m (328 ft)
Power Consumption: Less than 1.3 Watt

DDM: No

This SFP copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.



Data Sheet

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP Cables, providing the convenience and reliability you need to ensure dependable network performance.





Certifications, Reports and Compatibility













Applications

- Replace defective or damaged SFP modules
- Expand your network to remote segments

Features

- Delivers reliable 1 GbE connections for 1000BASE-TX compliant networks
- StarTech.com SFP modules are backed by a lifetime warranty
- Uses a cost-effective cabling alternative to fiber-optic set ups
- Complies with Multi-Source Agreement (MSA) industry standards
- Low power consumption of less than 1.3 W
- Hot-swappable with fiber-optic modules



Data Sheet

	Warranty	Lifetime
Hardware	Compatible Brand	MSA Compliant
	Industry Standards	IEEE 802.3z 1000BASE-TX
Performance	Compatible Networks	1000 Mbps (1 Gbps)
	DDM	No
	Fiber Operating Mode	Full-Duplex
	Max Transfer Distance	100 m (328 ft)
	Maximum Data Transfer Rate	1000 Mbps
	Туре	Copper
Connector(s)	Local Unit Connectors	1 - RJ-45 Female
Special Notes / Requirements	Note	For use in 1 Gigabit networking equipment and media converters
	System and Cable Requirements	MSA compliant SFP port
Power	Power Consumption (In Watts)	< 1.3 W
Environmental	Humidity	5~95% RH
	Operating Temperature	0°C to 70°C (32°F to 158°F)
	Storage Temperature	-40°C to 85°C (-40°F to 185°F)
Physical Characteristics	Color	Silver
	Enclosure Type	Aluminum
	Product Height	0.5 in [12.6 mm]
	Product Length	2.3 in [58.4 mm]
	Product Weight	0.9 oz [25 g]
	Product Width	0.5 in [13.9 mm]
Packaging Information	Shipping (Package) Weight	1.8 oz [52 g]
What's in the Box	Included in Package	1 - SFP transceiver

Product appearance and specifications are subject to change without notice.