

USB-C & USB-A Dock - Dual Monitor 4K 60Hz Dock DisplayPort + HDMI - Hybrid USB 3.0 Docking Station for USB-C or USB-A Laptops - 6x USB Type-A, GbE - USB 3.1 Gen 1 - Mac/Windows

Product ID: DK30A2DH



This dual-4K docking station offers wide flexibility in setting up your workstation, working with both USB-C and USB-A port laptops and supporting multiple combinations of Ultra HD 4K DisplayPort and HDMI monitors.

Ideal for highly detailed graphics applications, this dual-4K 60Hz docking station enhances your productivity by expanding the display capabilities of your laptop across two Ultra HD 4K monitors. The laptop docking station works with DisplayLink to support high-resolution monitors, enabling two full 4K 60Hz displays from a single USB connection.

With the dual-4K dock, connect:

- 2x 4K DisplayPort displays (up to 4096 x 2160p @ 60Hz)
- 2x 4K HDMI displays (up to 4096 x 2160p @ 60Hz)
- 1x 4K DisplayPort + 4K HDMI displays (up to 4096 x 2160p @ 60Hz)

The USB 3.0 docking station supports USB-C and USB-A enabled Mac and Windows laptops. This means you can connect newer USB-C or Thunderbolt 3 laptops or extend the life of legacy USB 3.0 (Type-A) laptops.

This USB-A & USB-C dock lets you transform your Mac or Windows laptop into a full workstation with six USB 3.0 (Type-A) ports, a Gigabit Ethernet port, and separate 3.5 mm audio and microphone ports for multiple audio connections, all using a single cable.

DK30A2DH is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Perfect for laptops in business, government, finance, and sales environments
- Ideal for working with graphics or data-intensive applications on your laptop

Features

- DUAL 4K 60Hz HYBRID USB-C & USB-A DOCK: Universal USB 3.0 docking station (5Gbps) works with USB-C & USB-A laptops/computers; port replicator features 6-Port USB Type-A hub, Gigabit Ethernet, and 3.5mm audio jacks (headset and mic)
- FLEXIBLE MULTI MONITOR VIDEO: This dual 4K 60Hz universal laptop docking station can connect up to 2 monitors: Dual DisplayPort or Dual HDMI or DP + HDMI displays; supports two extended displays on MacBooks with both the Intel processor or Apple M1 chip
- 6 DOWNSTREAM USB-A PORTS: Hybrid USB C dock has a built-in 6-port USB 3.1/3.2 Gen 1 (5Gbps) hub with USB-A ports on the front and back to support devices such as a keyboard, mouse, flash drive, external hard drive, and printer
- FOR USB-A & USB-C LAPTOPS: DisplayLink certified DL 6950 chipset supports USB-C/Thunderbolt 3 & USB-A PCs; USB-C & USB-A host cables incl; Supports Windows, macOS, Chrome OS, & Ubuntu; This dock does not provide USB-C Power Delivery to charge your laptop
- STARTECH.COM ADVANTAGE: StarTech.com offers a 3-year warranty and free lifetime technical support on all docking stations; with over 3000 products globally, StarTech.com makes hard-to-find easy.

Hardware		
	Warranty	3 Years
	4K Support	Yes
	Displays Supported	2
	Fast-Charge Port(s)	No
	Bus Type	USB-C
		USB 3.0
	Industry Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
		USB 3.0 - Backward compatible with USB 2.0/1.1
	Chipset ID	DisplayLink - DL-6950
		VIA/VLI - VL813

Performance



Maximum Data Transfer

Rate

5 Gbps (USB 3.0)

2 Gbps (Ethernet; Full-Duplex)

Maximum Digital

Resolutions

Single display - DisplayPort - 5120 x 2880 @ 60Hz (using two DP ports) / 4096 x 2160 @ 60Hz / 3840 x 2160 @ 60Hz

Single Display - HDMI - 4096 x 2160 @ 60Hz / 3840 x 2160 @

60Hz

Dual displays - DisplayPort and HDMI - 4096 x 2160 @ 60Hz /

3840 x 2160 @ 60Hz

Type and Rate USB 3.0 - 5 Gbit/s

UASP Support Yes

Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes

Full Duplex Support Yes

Connector(s)

Connector Type(s) DisplayPort (20 pin)

HDMI (19 pin)

USB Type-C (24 pin) USB 3.0 (5Gbps)

RJ-45

USB 3.1 USB Type-A (9 pin, Gen 1, 5 Gbps)

3.5 mm Mini-Jack (3 Position)

3.5 mm Mini-Jack (4 Position)

Software

OS Compatibility Windows XP (32-bit), Vista, 7, 8, 8.1, 10, 11, macOS 10.6 -

10.12, 10.14 - 10.15, 11.0, 12.0, Ubuntu 18.04, 20.04, Chrome

OS v55+

Special Notes / Requirements

System and Cable

Requirements

A host laptop with an available USB-C port or a USB-A port.

Note USB 3.0 is also known as USB 3.1 Gen 1; this connectivity

standard offers speeds up to 5Gbps.

A USB-C to USB-C cable and a USB-C to USB-A cable are



included.

4K resolution is supported on both video ports. A 4K-capable DisplayPort or HDMI display is required to achieve 4Kx2K resolution

DisplayLink docking stations and video adapters support more than one external display on Apple's M1-based Mac. Requires driver installation. Please contact StarTech.com support for a recommendation based on your specific setup.

Indicators	
maioatoro	

LED Indicators

Power

Power

Power Source AC Adapter Included

Input Voltage 100 - 240 AC

Input Current 1 A

Output Voltage 20V DC

Output Current 2 A

Center Tip Polarity Positive

Plug Type N

Power Consumption (In

Watts)

40W

Environmental

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -10C to 70C (14F to 158F)

Humidity 10~90% RH

Physical Characteristics

Color Black & Silver

Material Aluminum and Plastic

Cable Length 39.4 in [100 cm]

Product Length 8.9 in [22.6 cm]

Product Width 3.4 in [87.0 mm]



	Product Height	1.1 in [28.0 mm]
	Weight of Product	10.6 oz [301.0 g]
Packaging Information		
	Package Length	12.5 in [31.8 cm]
	Package Width	5.1 in [13.0 cm]
	Package Height	2.0 in [52.0 mm]
	Shipping (Package) Weight	30.0 oz [851.0 g]
What's in the Box		
	Included in Package	docking station
		1 m USB-C to USB-A cable
		1 m USB-C to USB-C cable
		universal power adapter (NA/JP, UK, EU, ANZ)
		quick-start guide

^{*}Product appearance and specifications are subject to change without notice.