

i-tec USB-C HDMI Adapter 4K/60 Hz

i-tec USB-C to HDMI Video Adapter 60 Hz,
1x HDMI 4K Ultra HD, compatible with
Thunderbolt 3



PRODUCT DESCRIPTION

Expand your desktop to external HDMI monitor or connect projector or television with HDMI interface to your notebook, tablet or PC via new USB-C or Thunderbolt 3 connector. The adapter supports 4K Ultra HD video with resolution up to 3840 x 2160@60 Hz and stereo sound.

Using is very simple, just plug the adapter into the USB-C or Thunderbolt 3 port on your computer, connect it with a display device via HDMI cable and you can immediately start using. Driver installation is automatic from the system.

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode). If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or – alternatively – via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at support@itecproduct.com.

Long product description: i-tec USB-C to HDMI Video Adapter 60 Hz, 1x HDMI 4K Ultra HD, compatible with Thunderbolt 3

PRODUCT FEATURES

- 1x USB-C 3.1 port, transfer rate up to 10 Gbps
- Graphic interface: 1x HDMI (spec. 1.4b); max. resolution 3840x2160 / 60 Hz
- Possible resolutions: 640x480, 800x600, 1024x768, 1280x720, 1280x768, 1280x800, 1280x1024, 1360x768, 1366x768, 1368x768, 1400x1050, 1600x1200, 1680x1050, 1920x1080, 1920x1200, 2048x1152, 2048x1280, 2048x1536, 2560x1440, 2560x1600, 3840x2160
- Modes: Extend, Mirror, and Primary monitor
- Supported colours 16/32 bits
- Powered from the USB bus, no external power supply adapter required
- OS: Requires a USB-C interface with "DisplayPort Alternate Mode" support (not all USB-C-equipped)

devices/systems follow this standard) or Thunderbolt 3 port - now Windows 10 32/64bit, Mac OS X, Chrome OS (Google)

- Product dimensions: 45 x 45 x 15 mm
- Product weight: 27 g
- Package dimensions: 160 x 120 x 25 mm
- Package weight: 60 g

SYSTEM REQUIREMENTS

- Hardware requirements: laptop, tablet, PC, smartphone with the Windows, Mac, or Google OS and with a free USB-C port supporting the "DisplayPort Alternate Mode"
- Operating requirements: Windows 10, Mac OS X, Google (Chrome OS) with the latest updates.

SPECIFICATION

Part Number	Product Description & EAN
C31HDMI60HZP	i-tec USB-C HDMI Adapter 4K/60 Hz EAN: 8595611702990
Notice: Undefined variable: pnuk_c in /root/dsgen/form.php on line 388	i-tec USB-C HDMI Adapter 4K/60 Hz EAN: Notice: Undefined variable: eanuk_c in /root/dsgen/form.php on line 390
Hardware	
Bus type	USB-C, Thunderbolt-3
Ports/Connectors	
System Requirements	
Hardware	Hardware requirements: laptop, tablet, PC, smartphone with the Windows, Mac, or Google OS and with a free USB-C port supporting the "DisplayPort Alternate Mode"
Operating system	Windows 7/8/8.1/10 (32/64 bit) Mac OS X Chrome OS Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
Other features	
Colour	Black
Housing Material	Plastic
Product Dimensions	45 x 45 x 15 mm
Product Weight	27 g
Package Weight	60 g
Packaging Dimensions (LxWxH)	160 x 120 x 25 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	

i-tec USB-C HDMI 4K/60 Hz adapter with a cable (15 cm)
--

Quick Start

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 29.1.2019