



Engineered to the same exacting standards that have made Shure the choice of pros for over 85 years, Shure Sound Isolating™ Earphones deliver unmatched performance whether you're on stage, or simply on the go.



SHURE

LEGENDARY PERFORMANCE™



www.shure.com/asia ©2014 Shure Asia Limited Shure Asia Limited 22/F, 625 King's Road, North Point, Island East, Hong Kong Phone: 852-2893-4290 Fax: 852-2893-4055 Email: info@shure.com.hk SAL-SE1307

SE846 Sound Isolating[™] Earphones

Quad High-Definition MicroDrivers with True Subwoofer deliver extended high-end clarity and unparalleled low-end performance in a patent-pending design. Customizable frequency response via changeable nozzles, detachable cable with wireform fit and a wide variety of accessories ensure an unequalled, perfectly tailored listening experience.



SE846

Sound Isolating[™]

4 4 4 Quad Drivers

Quad High-Definition MicroDrivers with

True Subwoofer for extended high-end clarity and unparalleled low-end

Earphones

SPEAKER

performance

SPECIFICATIONS

Frequency Range : 15 Hz-20 kHz Sensitivity (1kHz) Impedance (1kHz) : 9Ω Cable

: 114 dB SPL/mW

: 46" and 64" detachable cables with wireform fit

Customized Sound Signatures via changeable nozzles for balanced, warm and bright frequency responses

	Color	Sound Signature	Response				
	Blue	Balanced	Neutral (as shipped)				
	White	Bright	+2.5dB, 1kHz to 8kHz				
	Black	Warm	- 2.5dB, 1kHz to 8kHz				



INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S. M. L)
- Yellow foam sleeves
- Triple flange sleeves
- + Nozzle removal key
- Nozzle inserts
- + 1/4" adapter (6.3mm)
- + Airline adapter
- + Volume control
- Cable clip
- Polishing cloth
- Detachable cable (46" / 64")
- + Zipper Case

COLOR

Crystal Clear



SE535 SPECIAL EDITION Sound Isolating[™] Earphones

SHUR

Triple Drivers

SPEAKER

Triple High-Definition MicroDrivers for spacious sound with rich bass and enhanced high frequency performance

SPECIFICATIONS

 Frequency Range
 : 18 Hz

 Sensitivity (1kHz)
 : 119 d

 Impedance (1kHz)
 : 36 Ω

 Cable
 : 46° d

nge : 18 Hz–19.5 kHz kHz) : 119 dB SPL/mW kHz) : 36 Ω : 46" detachable cable with wireform fit

INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- + Premium carrying case
- + 1/4" adapter (6.3 mm)
- + Airline adapter
- + Volume control

COLOR

Red





Sound Isolating[™] Earphones

Triple Drivers

SPEAKER

Triple High-Definition MicroDrivers for spacious sound with rich bass



requency range	:18Hz-19kHz
ensitivity (1kHz)	:119 dB SPL/mW
mpedance (1kHz)	:36 Ω
able	: Detachable w/ wireform fit

INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- + Premium carrying case
- + 1/4" adapter (6.3 mm)
- + Airline adapter
- + Volume control

COLORS

- Metallic Bronze
- Clear

SE425

Sound Isolating[™] **Earphones**

d Dual Drivers

SPEAKER

Dual High-Definition MicroDrivers for accurate and balanced sound



Frequency range :20Hz-19kHz Sensitivity (1kHz) : 109 dB SPL/mW Impedance (1kHz) : 22 Ω Cable : Detachable w/ wireform fit

INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- + Premium carrying case
- + 1/4" adapter (6.3 mm)

COLORS

Metallic Silver

Clear

SPECIFICATIONS

Frequency range : 22Hz – 18.5kHz Sensitivity (1kHz) :116 dB SPL/mW Impedance (1kHz) : 27 Ω Cable : Detachable w/ wireform fit

INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S, M, L)
- Yellow foam sleeves
- Triple flange sleeves
- + Carrying case

COLORS

O Black

Clear

SE315

Sound Isolating[™]

Single Driver

SHURU

SPEAKER

High-Definition MicroDriver + Tuned BassPort for full range sound

SE215 SPECIAL EDITION Sound Isolating[™]

Single Driver

SHUA

SPEAKER

Dynamic MicroDriver and newly tuned acoustic network deliver detailed sound with extended low frequency performance

Frequency Range : 21 Hz-17.5 kHz Sensitivity (1kHz) : 107 dB SPL/mW Impedance (1kHz) : 17Ω Cable

SPECIFICATIONS

: 46" detachable cable with wireform fit

INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S, M, L)
- + Carrying Case

COLOR

Translucent Blue

SE215

SHURI

Sound Isolating[™]

Single Driver

SPEAKER

Dynamic MicroDriver for detailed sound with enhanced bass

SPECIFICATIONS

Frequency Range	: 22 Hz–17.5 kHz
Sensitivity (1kHz)	: 107 dB SPL/mW
Impedance (1kHz)	: 17 Ω
Cable	: Detachable cable with wireform fit

INCLUDED ACCESSORIES

- Foam sleeves (S, M, L)
- Soft flex sleeves (S, M, L)
- + Carrying Case

COLORS

- O Translucent Black
- Clear

GREAT SOUND HDEEP



SE112

Sound Isolating[™] Earphones

Single Driver

SPEAKER

Dynamic MicroDriver delivers great sound with deep bass

SPECIFICATIONS

 Frequency Range
 : 25 Hz–17 kHz

 Sensitivity (1kHz)
 : 105 dB SPL/mW

 Impedance (1kHz)
 : 16 Ω

 Cable
 : 50" durable fixed cable

INCLUDED ACCESSORIES

- Soft flex sleeves (S, M, L)
- + Drawstring Pouch

COLOR

🔵 Gray

SE112m+

Sound Isolating[™] Earphones with Remote + Mic

Single Driver

SPEAKER

Dynamic MicroDriver delivers great sound for music and calls

SPECIFICATIONS

- Frequency Range Sensitivity (1kHz)
- : 25 Hz–17 kHz : 105 dB SPL/mW
- Impedance (1kHz) $: 16 \Omega$
 - : 50" durable fixed cable
 - with inline three-button remote and microphone

INCLUDED ACCESSORIES

- Soft flex sleeves (S, M, L)
- + Drawstring Pouch

COLORS

Cable

Gray


DETACHABLE. REPLACEABLE. CUSTOMIZABLE.

Shure Sound Isolating™ Earphones feature detachable, Kevlar® reinforced cables that allow for easy replacement and customization.

Add Shure Music Phone Accessory Cable to convert your Earphones into a Stereo Mobile Headset with enhanced controls for music-enabled phones and portable devices.



A variety of accessories are available to enhance the listening experience. Sleeves are available in multiple shapes and sizes for maximum comfort, isolation and a customized fit.



Model	Foam Sleeves (S, M, L)	Soft Flex Sleeves (S, M, L)	Yellow Foam Sleeves	Triple Flange Sleeves	Carrying Case	1/4" Adaper	Airline Adaper	Volume Control	Nozzle Removal Key	Nozzle Inserts	Nozzle Inserts Case	Cable Clip	Polishing Cloth	Detachable Cable (46" / 64")
SE112/ SE112m+		•			+									
SE215	•	•			•									
SE215SPE	•	•			•									
SE315	•	•	•	•	•									
SE425	•	•	•	•	*	•								
SE535	•	•	•	•	*	•	•	•						
SE535LTD	•	•	•	•	*	•	•	•						
SE846	•	•	•	•	#	•	•	•	•	•	•	•	•	•

* Premium Carrying Case + Drawstring Pouch