# HP LaserJet Pro MFP 4102dw Printer



## Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





## Highlights

- Instant Ink for Laser available
- HP Smart app and Smart Adv/Pro
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning



















#### Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app.<sup>2</sup>

#### Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
  of features. <sup>4</sup>
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives IT visibility.<sup>3</sup>
- $\bullet$  Avoid interruptions with Wi-Fi $^{\rm 0}$  that intelligently looks for the best connection to stay on-line.  $^{\rm 5}$

#### HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.<sup>6</sup>

### Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. <sup>7,8,9</sup>
- Never run out of toner with Instant Ink for laser.<sup>10</sup>
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.<sup>9</sup>
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time.<sup>11</sup>

## Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



# Accessories, Supplies and Support

Supplies	W1490A HP 149A Black Original LaserJet Toner Cartridge (Average cartridge yields 2,900 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1490X HP 149X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 9,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

# **Technical specifications**

Margari .	I I I I I I I I I I I I I I I I I I I
Model	HP Laser Jet Pro MFP 4102dw Printer
Product number	ZEGZEF
Functions Control panel	Print, copy, scan  2.7* Color Touchscreen
Print	E. Color robotacien
Print technology	Laser
Print speed <sup>1</sup>	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 34 ipm
First page out <sup>2</sup>	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes 1200, HP ProRes1200, Economode
Monthly duty cycle	Up to 80,000 pages A4; <b>Recommended monthly page volume</b> : 750 to 4,000
Printer smart software features <sup>3</sup>	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Standard print languages Fonts and typefaces	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster  84 scalable TrueType fonts
Print area	or statation true from min, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm
Duplex printing	Automatic (default)
Сору	
Copy speed	Black (A4): Up to 38 cpm
Copier specifications	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	Defaults, Planificant Municer of Copies. Op 10: 95937 Copies, Neducez Linkinger. 22: 10: 400%
Scan speed <sup>4</sup>	Normal (A4): Up to 29 ppm/46 ipm (b8w), up to 20 ppm/34 ipm (color) ;Duplex (A4): Up to 46 ipm (b8w), up to 34 ipm (color)
Scan file format	PDE, JPG, TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Ves; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi
Scanner advanced features	Copy preview
Recommended monthly scan volume	750 to 4000
Scannable area	Maximum media size (flatbed): 216 x 297 mm: Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256
Fax	
Fax	No No
Fax smart software features	Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax
Processor speed	1200 MHz
Connectivity	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT
Standard  Mobile printing capability	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n / 2.4 / 5 GHZ Wi-Firadio + BLE  HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; Optional ROAM Queue Printing; HP ROAM For Business
	TCP/IR_IPAG-Prints TCP_IP port 9100 Direct Mode, LPD Gwar queue support only), Apple a Prints: Novement of Society St. P. Bonjour, Web Services Discovery; IP Config: IPV4 (BootP, DHCP, AutoIP, Manual), IPV6
Supported network protocols	(Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management; MNPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP WD Download
Network canabilities	
Network capabilities Hard disk	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X No
	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X
Hard disk	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X No
Hard disk Memory Media handling Number of paper trays	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3
Hard disk Memory Media handling	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;
Hard disk Memory Media handling Number of paper trays	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3
Hard disk Memory Media handling Number of paper trays Media types	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EccEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (195 x 273 mm); bapanese Postcard: Double Japan Postcard Rotated; Envelope #10; Envelope #10; Envelope #10; Envelope #10; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5
Hard disk Memory Media handling Number of paper trays Media stypes Media size	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); A9; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) ADF: Letter; Legal; A4; custom size; 102 x 152 to 216 x 356 mm  Standard input: 100-sheet tray 1, 250-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional Input: Optional third 550-sheet tray ADF: Standard, 50 sheets  Tray 1: 60 to 200 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²
Hard disk Memory Media handling Number of paper trays Media stypes Media size Media handling Media weight Input capacity	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB; Ma
Hard disk Memory Media handling Number of paper trays Media stypes Media size Media handling Media weight Input capacity Output capacity	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB; Ma
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media wize Media wize Media wagadity Output capacity Compatible operating systems	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Standard: 2; Maximum: 3  Paper (plan; EcoEFFICIER), Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 270 mm); 16K (195 x 270 mm); 176 x 270 mm); 176 x 270 mm
Hard disk Memory Media handling Number of paper trays Media stypes Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512
Hard disk Memory Media handling Number of paper trays Media stypes Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Light paperse Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope B5; Envelope B5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; d x 6 in; B6 (JIS); ADF: Letter; Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm  Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray 3: 60 to 120 g/m²  Tray 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets  Windows 11; Windows 10; Windows 7; Windows Cliric; Novell  Windows 8; Windows Server; Livns; Citric; Novell  Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;  Mac 2 GB available hard dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Hard disk Memory Media handling Number of paper trays Media stypes Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB ;Maximum: 512 MB  Paper (plant, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2. 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (19
Hard disk Memory Media handling Number of paper trays Media stypes Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Light paperse Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope B5; Envelope B5; Envelope D1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; d x 6 in; B6 (JIS); ADF: Letter; Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm  Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray 3: 60 to 120 g/m²  Tray 1: Sheets: 100; Envelopes: 10 Tray 2; Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets  Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets  Windows 11; Windows 10; Windows 7; Windows Cliric; Novell  Windows 8; Windows Server; Livns; Citric; Novell  Windows 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;  Mac 2 GB available hard dive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB ;Maximum: 512 MB  Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2.3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 270 mm); 16K (195
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media size  Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H)	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB; Standard: 512 MB; Standar
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media size  Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Yes, via built-in 10/100/10008ase-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 512 MB  Standard: 2; Maximum: 512 MB  Standard: 2; Maximum: 512 MB; Maximum: 512
Hard disk Memory Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Maximum: 512 MB  Standard: 512 MB; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EccEFFICIEN, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); 16K (195 x 270 mm); 16K (195 x 27
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 2; Maximum: 512 MB ; Maximum: 512 MB  Standard: 2; Maximum: 3  Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels:  Custom (metric): Tray 1: 76,2 x 1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (IIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Japanese Postcard, Double Japan Postcard Rotated; Envelope 810, Envelope Monarch; Envelope 85; Envelope D1: Custom Size, 4 x 6 in; 5 x 81 in; Statement; Tray 2 & Tray 3 x 64; A5; A6; B5 (IIS); Oficio (216 x 340 mm); Not (194 x 275 mm); Lostom Size, 4 x 6 in; 8 x 81 in; Statement; Tray 2 & Tray 3 x 64; A5; A6; B5 (IIS); Oficio (216 x 340 mm); Oficio (216 x 340 mm); Not (194 x 275 mm); Lostom Size, 4 x 6 in; 8 x 81 in; Statement; Tray 2 & Tray 3 x 64; A5; A6; B5 (IIS); Oficio (216 x 340 mm); Oficio (216 x 340 mm); Not (194 x 275 mm); Lostom Size, 4 x 6 in; 8 x 81 in; Statement; Tray 2 & Tray 3 x 64; A5; A6; B5 (IIS); Oficio (216 x 340 mm); Oficio (216 x 340 m
Hard disk Memory Media handling Number of paper trays Media handling Number of paper trays Media types  Media size  Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Ves, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: \$12 MB; Maximum: \$12 MB  Standard: \$12 MB; Maximum: \$12 MB  Standard: \$12 MB; Maximum: \$12 MB  Paper (plain, EccEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Qustom (netric), Troy 1: 76.2 x 1.27 to 21.5 y 3.35.6 mm. Tray 2: 3: 10.4 y 3.1 MB; 59 to 21.5 y 3.35.6 mm. Supported (metric). Tray 1: 7.44: A5; A6; B5 (JIS); Oficio (21.6 x 340 mm); 16K (19.5 x 270 mm); 16K (19.8 x 260 mm); 16K (19.8 x 270 mm); 16K (19.8 x 260 mm); 16K (19.8 x 260 mm); 16K (19.8 x 260 mm); 16K (19.8 x 270 mm); 16
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media size  Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements  Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics  Power	Ves, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard 5.12 MB. Maximum: 3  Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metrid): Tray 1: 76.2 x 1.27 to 21.5 x 25.56 mm; Tray 2, 3: 10.49 x 148.59 to 21.5 x 35.56 mm Supported (metrid). Tray 1: A4; A5; A6; B5 (IIS); Officio (216 x 340 mm); 16K (1194 x 260 mm); 16
Hard disk Memory Media handling Number of paper trays Media handling Number of paper trays Media types  Media size  Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Ves, via built-in 10/100/10008ase-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 5:12 MB; Maximum: 512 MB  Standard: 2: Maximum: 3  Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 35.5 mm; Tray 2, 3: 104.9 x 148.9 to 215.9 x 35.5 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (197 x 273 mm); Lapsaree Postardi Double japan Postardar (Baste, Envelope B1; Develope CS; Envelope CS; Envelope CL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2: A7 Tay 3: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (194 x 273 mm); Lostom Size; A5-R; 4 x 6 in; B6 (JIS) A0FL etter; Legal; A4; custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2: A7 Tay 3: A4; A5; A6; B5 (JIS); Officio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (194 x 260 mm); 16K (195 x 270 mm); 16K (195 x
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media size  Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements  Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics  Power	Ves, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard 5.12 MB. Maximum: 3  Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;  Custom (metrid): Tray 1: 76.2 x 1.27 to 21.5 x 3.55.6 mm; Tray 2, 3: 10.49 x 1.48.59 to 21.5 x 3.55.6 mm Supported (metrid). Tray 1: A4; A5; A6; B5 (IIS); Officio (21.6 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (194 x 260 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (195 x 270
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media size  Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements  Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics  Power	Ves. via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet, Authentication via 802.1X  No  Standard: 2   Maximum: 3  Paper [plain, ExcEFFICIENT, Light, Lewy, bond, colored, letterhead, preprinted, prepunched, recycled, rough): envelopes: labels:  Custom froetfix Light, Lewy, bond, colored, letterhead, preprinted, prepunched, recycled, rough): envelopes: labels:  Custom froetfix Light, 1:76.2: x 127 to 21.5 9 x 35.5 6 mm; Tray 2, 3: 106.9 x 148.59 to 215.9 x 35.5 6 mm; Supported (netric), Tray 1: 76.2 x 13.5 to 3.25 cmm; Light (194 x 273 mm); Japanese Post card; bouble: lapan Post card Rotated; Envelope 810, Envelope thomard; Envelope B15, Envelope D11, Custom Size; 4x 6 in 5.5 x 8 in; Statement; Tray 2.8 Tray 3: A4.65, 86; 85  Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard unjub. 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard unjub. 100-sheet tray 1, 250-sheet tray 3; 60 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 3; 50 to 120 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 4, 50 fr. 50 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 4, 50 fr. 50 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 4, 50 fr. 50 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 4, 50 fr. 50 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 4, 50 fr. 50 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sheet tray 4, 50 fr. 50 g/m². Tray 1: 50 to 200 g/m²; tray 2, optional 550-sh
Hard disk Memory Media handling Number of paper trays Media types  Media types  Media handling Media size  Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements  Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics  Power  Energy savings feature technology	Vers. via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 512 MB; Madmum: 512 MB  Standard: 2 /Maximum: 3  Paper [plain, EcoFFFICER Hight, heavy, bond, colored, letterhead, preprinted, preprinted, prepunched, recycled, rough): envelopes; labels;  Custom froetfich: Tray 1: 762 x; 127 to 216.9 x 355.6 mm; Tray 2.3: 104.9 x; 148.59 to 216.9 x; 355.6 mm; Supported (metric): Tray 1: A4; A5; A6; B5 (IIS): Officio (216 x; 240 mm); 16K (1194 x; 250 mm); 16K (1194 x; 250 mm); 16K (1194 x; 250 mm); 16K (1194 x; 270 mm); 16K (1194 x;
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements  Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics  Power  Energy savings feature technology  Certifications	Ver. via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 2; Mas/mum: 3  Paper [plain, EccEFFICENT, Bight, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 76.2 x 340 mm); It (515 x 340 mm); It (515 x 247 mm); It (515
Hard disk Memory Media handling Number of paper trays Media types  Media size  Media handling Media size  Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics  Power Energy savings feature technology  Certifications  Sustainable impact specifications	New Standard: 512 MB, Maximum: 512 MB  Standard: 2: Maximum: 3  Paper [plan: EcoFFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunded, recycled, rough): envelopes: labels:  Custom (metric): Tay 1: 762 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (US); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (194 x 260 mm); 16K (195 x 270 mm);
Hard disk Memory Media handling Number of paper trays Media types  Media types  Media handling Media kandling Media kandling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements  Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics  Power  Energy savings feature technology  Certifications	Ver. via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  No  Standard: 2; Mas/mum: 3  Paper [plain, EccEFFICENT, Bight, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 76.2 x 340 mm); It (515 x 340 mm); It (515 x 247 mm); It (515
Hard disk Memory Media handling Number of paper trays Media handling Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Output capacity Output capacity Output capacity Fornpatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Vers, to balls in 10/100/1000Base-TX Ethernet, Gigabit, Auto-crossover Ethernet, Authentication via 802.1X No  Standard: 512 MB, Maximum: 512 MB  Standard: 52 MB, Maximum: 512 MB  Standard: 2 Maximum: 512 MB  Standard: 512 MB, Maximum: 512 MB  Standard: 100-5-heet tray 1, 250-5-heet plut tray 2, 250-5-heet Automatic Document Feeder (AIDF) Standard output: 150-5-heet output bin Optional binut: 550-5-heet tray AIDF: 530-5-heet Tray 2 MB, 530-5-heet Tray 3 MB, 530-5-

#### Footnotes

- <sup>1</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 3 months, a monthly fee applies to continue advanced features with HP Smart Pro. For more information, see http://www.hpsmart.com.
- <sup>3</sup> Easy setup and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- <sup>4</sup> HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps). Internet access required and must be purchased separately.

  6 HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- Recycling: Through the HP Planet Partners program (where available), recycled plastics are used as raw material and combined with other materials to help make new Original HP cartridges and other everyday products. For details, see http://www.hp.com/recycle.
- <sup>8</sup> Save up to 50% on toner (mono) Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers <€494 and MFPs priced <€672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker Final Historical 2021Q2. For details: www.kevpointintelligence.com/HPInstantInk.
- 9 Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately.
- 10 Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 11 Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

#### Technical specifications disclaimers

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
- <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>5</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- <sup>7</sup> For yield information on the carridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

















