HP LaserJet Pro MFP 4102fdn Printer



Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

This printer is built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (40 ppm A4)
- High monthly duty cycle (80,000 pages)
- 50 sheet ADF with single-pass, two-sided scanning

















Maximum productivity.

- Support your dynamic workteam with this high-speed smart printer, ideal for up to 10 users.
- Step up your workflow with HP Pro-class maximum print speed to meet high-demand environments.
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. ²

Seamless management.

- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite
 of features. ⁴
- Set up your printers quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Access your printers from a single dashboard. Smart Admin guides you through setup and gives
 IT visibility.³

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy. $^{\rm 3}$
- $\bullet \quad \mathsf{Add} \ \mathsf{a} \ \mathsf{layer} \ \mathsf{of} \ \mathsf{security}. \ \mathsf{PIN/pull} \ \mathsf{option} \ \mathsf{authenticates} \ \mathsf{your} \ \mathsf{print} \ \mathsf{jobs} \ \mathsf{only} \ \mathsf{when} \ \mathsf{you're} \ \mathsf{present}.$
- Set configuration policies and validate settings universally with HP Security Manager.⁶

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. ^{6,7,8}
- Never run out of toner with Instant Ink for laser.⁹
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁸
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time. 10

Product walkaround

- 1. Designed for workteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Hi-speed USB ports, built-in Gigabit Ethernet
- 6. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity



Accessories, Supplies and Support

Supplies	
Service and Support	U42TZE - HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U8PE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x

Technical specifications

Model	HP Laser Jet Pro MFP 4102fdn Printer
Productnumber	2Z623F
Functions	Print, copy, scan, fax
Control panel	2-lineLCD; OK button; Left button; Right button; Cancel button; Backbutton; Ready LED; Error LED; Wi-FiLED (only for wireless bundle)
Print	
Print technology	Laser Black(A4, normal): Up to 40 ppm; Black(A4, duplex): Up to 34 ipm
Print speed ¹ First page out ²	Black (Av., norman, up to 40 ppm, plack row, duplex, up to 34 ppm, Black (Av., 104 ppm, plack row, duplex, up to 34 ppm, Black (Av., 104 ppm, plack row, duplex, up to 34 ppm, Black (Av., 104 ppm, plack row, duplex, up to 34 ppm, Black (Av., 104 ppm, plack row, duplex, up to 34 ppm, Black (Av., 104 ppm, plack row, duplex, up to 34 ppm, Black row, duplex, up to 34 ppm, Black row, duplex, d
Printresolution	Disck.Vivi.1 (2007). 135018 500. 3 (2007). 1
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume 750 to 4,000
Printer smart software features ³	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster
Fonts and typefaces	84 scalable TrueType fonts
Print area	Printmargins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm
Duplexprinting	Automatic (default)
Сору	
Copyspeed	Black(A4) : Up to 38 cpm
Copierspecifications	DCopy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge 2: 50 4 00%
Scan	Totally beliately, marrier member of copies, optio 3555 copies, married copies
Scan speed ⁴	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color); Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)
Scan file format	PDE JPG, TFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Contact image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WA; Twain version:
	Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi
Scanner advanced features	Сорургеиіем
Recommended monthly scan volume	750 to 4000
Scannable area	Maximum mediasize (flatibed): 216 x 297 mm; Minimum mediasize (ADP): 102 x 152 mm Maximum mediasize (ADP): 216 x 356 mm
Bit depth/Grey scale levels	24-bit/256
Fax	
Fax	Yes, 33.6 kbps
Fax specifications	Faxmemory. Up to 400 pages; Faxresolution: Standard: 203 x 98 dpt; Fine: Up to 203 x 196 dpt; Superfine: Up to 300 x 300 dpt; Quick dialing: Up to 200 numbers
Fax smart software features	Auto fax reduction: Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctivering detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting;
Processorspeed	Print fax log; HP Digital Fax 1200 MHz
Connectivity	1200 PH2
Standard	1 Hi- Speed USB 2.0; 1 rearhost USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)
Mobile printing capability	Apple Air Print***; Mopria*** Certified
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support on ly), Apple Air Print™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery: IP Config: IPv4 (BootP, DHCP, AutolP,
	Manual), Pv6 (Stateless Link-Local and via Router, Statefull via DHC Pv6), SSL Security and Certificatemanagement; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Network cap abilities	Yes, via built-in 10/1 00/1 000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1 X
Hard disk	No.
Hard disk Memory	
Hard disk Memory Media handling	No Standard: 512 MB;Maximum: 512 MB
Hard disk Memory Mediahandling Number of paper trays	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3
Hard disk Memory Media handling	No Standard: 512 MB;Maximum: 512 MB
Hard disk Memory Media handling Number of paper trays Media types	No Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope#10; EnvelopeB5; EnvelopeE5; EnvelopeE5; EnvelopeC5; EnvelopeD1; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JS); Officio (124 x 340 mm); 16K (195 x 270 mm); 16K (195
Hard disk Memory Media handling Number of paper trays Media types Media size	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2×12 7 to 215, 9×355, 6 mm; Tray 2, 3: 10.4 9×148, 59 to 215, 9×355, 6 mm Supported (metric): Tray 1: 74; 15, 76; 2×12 7 to 215, 9×355, 6 mm; Tray 2, 3: 10.4 9×148, 59 to 215, 9×355, 6 mm Supported (metric): Tray 1: 74; 15, 74;
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media handling Media weight Input capacity	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain; EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope B5; Envelope E5; Envelope E5; Envelope C5; Envelope D1; Custom Size, 4 x 6 in; 58 db in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size, 4 x 6 in; 86 (U5) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Moreover Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optiona
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media wight hput capacity Output capacity Output capacity	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (merito): Tray 1: 76, 2×1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (merito): Tray 1: A4; A5; A6; B5 (JB); Officio (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); p
Hard disk Memory Mediahandling Number of papertrays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain; EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope B5; Envelope E5; Envelope E5; Envelope C5; Envelope D1; Custom Size, 4 x 6 in; 58 db in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); Custom Size, 4 x 6 in; 86 (U5) ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Moreover Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optiona
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (merito): Tray 1: 76, 2×1 27 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (merito): Tray 1: A4; A5; A6; B5 (JB); Officio (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); 16K (195 x 270 mm); plain (216 x 340 mm); p
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.5 mm; Tray 2, 3: 10.4 9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JIS): Officio (216 x 340 mm); 16K (195 x 270 mm); 136K (198 x 270 mm); 136K (198 x 270 mm); 16K (198 x 280 m
Hard disk Memory Media handling Number of paper trays Media types Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, ErcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 74; 745; 745; 746; 746; 747.73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Monardn; Envelope BS; Envelope CS; Env
Hard disk Memory Mediahandling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2×127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Officio (216 x 340 mm); 16K (19 x 270 mm); 16K (19 x 273 mm); Japanese Potstard; Double Japan Postcard Rotated; Envelope B1; Envelope B2; Envelo
Hard disk Memory Media handling Number of paper trays Media types Media handling Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, ErcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: 74; 745; 745; 746; 746; 747.73 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope Monardn; Envelope BS; Envelope CS; Env
Hard disk Memory Mediahandling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 2: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16
Hard disk Memory Media handling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 3 Paper (plain, EcoEFFCENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 2: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (U5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16
Hard disk Memory Mediahandling Number of paper trays Media types Media size Media size Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFICENT, Light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76, 2x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (J5); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (195 x 273 mm); 10 y 2.50 y 2.
Hard disk Memory Media handling Number of paper trays Media types Media handling Media kize Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 x127 to 215.9 x355.6 mm; Tray 2, 3: 104.9 x148.59 to 215.9 x355.6 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JG); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (197 x273 mm); 1apanese Postscard; Dobubel apan Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apan Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apan Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apan Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apane Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apane Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apane Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel apanese Postcard; Dobubel apane Postcard Rotated; Enveloped 1: (bc 197 x273 mm); 1apanese Postcard; Dobubel 2: (bc 197 x2
Hard disk Memory Mediahandling Number of paper trays Media types Mediahandling Mediaweight Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 64; A12 Tro 215, 54 x35.5 mm; Tray 2, 3: 104.9 x1 48,59 to 215, 9 x355.5 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oftico (216 x340 mm); 16K (195 x270 mm); 16K (184 x260 mm); 16K (197 x273 mm); bapanese Postcard: Double Japan Postcard Rotated; Envelope#10; Envelope#0 march; Envelope#0; Envelope#0; Cistom Size; 4 x 6in; 5 x 8in; 5
Hard disk Memory Media handling Number of paper trays Media types Media handling Media kize Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 512 MB;Maximum: 512 MB Standard: 512 MB;Maximum: 512 MB;Maxim
Hard disk Memory Mediahandling Number of paper trays Media types Mediahandling Mediaweight Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 3 Paper (plain, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 64; A12 Tro 215, 54 x35.5 mm; Tray 2, 3: 104.9 x1 48,59 to 215, 9 x355.5 mm Supported (metric): Tray 1: A4; A5; A6; B5 (JS); Oftico (216 x340 mm); 16K (195 x270 mm); 16K (184 x260 mm); 16K (197 x273 mm); bapanese Postcard: Double Japan Postcard Rotated; Envelope#10; Envelope#0 march; Envelope#0; Envelope#0; Cistom Size; 4 x 6in; 5 x 8in; 5
Hard disk Memory Media handling Number of paper trays Media handling Media types Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H)	Standard: 512 MB; Maximum: 512 MB Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 5 Paper (plan, EcoEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (merk): Tray 1: 76, 2x 127 to 215.9x 355.6 mm; Tray 2, 3: 104.9x 148.59 to 215.9x 355.6 mm Supported (merk): Tray 1: 74; A5; A6; B5 (J5); Oftico (216 x 340 mm); 16K (195 x 270
Hard disk Memory Mediahandling Number of paper trays Media types Mediahandling Mediaweight Mediahandling Mediaweight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power	Standard: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 512 MB; Maximum: 512 MB Standard: 2; Maximum: 512 MB; Maximum: 512 MB Paper (plan), EcoEFFC/ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metrk: 1 ray 1: 76, 2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm Supported (metrk:) Tray 1: Ad; A5; A6; BS (US); Offico (216 x 340 mm); 16K (195 x 270 mm); 16K (195 x 27
Hard disk Memory Media handling Number of paper trays Media types Media size Media handling Media wight Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard; 2; Maximum; 31 Standard; 2; Maximum; 31 Standard; 2; Maximum; 31 Space (plan; EcoEFREENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray; 17, 62, 21, 27; no. 21, 59, 33, 55, 65, 65, 75, 75, 22, 21, 70, 21, 59, 33, 55, 65, 65, 75, 75, 22, 21, 70, 21, 59, 33, 55, 65, 75, 75, 22, 21, 70, 21, 59, 33, 55, 65, 75, 75, 22, 21, 70, 21, 59, 33, 55, 65, 75, 75, 75, 22, 21, 70, 21, 59, 33, 55, 65, 75, 75, 75, 75, 75, 75, 75, 75, 75, 7
Hard disk Memory Mediahandling Number of paper trays Mediahandling Sormandling Software included Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics Power Energysavings feature technology Certifications	Standard: 5:12 MB; Maximum: 512 MB Standard: 2: MBaximum: 512 MB; Maximum: 512 MB Standard: 2: MBaximum: 3 Pager (plan, EcoFFPCENT, light, heavy, bond, colored, letterhead, preprinted, preprinted, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 76.2 × 12 To 21:5 ye x355.6 mm; Tray 2: 3: 104.9 × 148.5 ye 3: 15.9 × 3255.6 mm Supported (metric): Tray 1: 74.4; A5; A6; B5 US); Oficio (216 x340 mm); 16K (195 x270 mm); 16K (184 x260 mm); 16K (195 x270 mm); 16K (194 x260 mm); 16K (194 x260 mm); 16K (195 x270 mm); 16K (194 x260 mm
Hard disk Memory Media handling Number of paper trays Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer dimensions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	Stendard: 2: Maximum: 512 MB. Stendard: 2: Maximum: 512 MB. Pape (plan. E. COEFFE ENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): 17x91-17.6 x x1 27 to 215 9.345.6 mm; 17x9, 23: 10.4 9.x1 48.5910-215, 9.x35.6 mm Supported (metric): 17x91-17.6 x x1 27 to 215 9.x35.6 mm; 17x9, 23: 10.4 9.x1 48.5910-215, 9.x35.6 mm Supported (metric): 17x91-17.6 x x1 27 to 215 9.x35.6 mm; 17x9, 23: 10.4 9.x1 48.5910-215, 9.x35.6 mm Supported (metric): 17x91-17.6 x x1 27 to 215 9.x35.6 mm; 16x (195-x2 70 mm); 16x (195-x2 7
Hard disk Memory Media handling Number of paper trays Media hypes Media handling Media keight Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer weight Printer weight Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impacts pecifications Country of origin	Standard: 1,2 MB, Maximum: 512 MB Paper (plan, EccEFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; Custom (metric): Tray 1: 7.6 x 1 2 7 to 2.15 ys 3.55.6 mm; Tray 2,3: 10.4 ys 1/4 8.5 910 2 15,9 x 3.55.6 mm Supported (metric): Tray 1: 7.6 x 1 2 7 to 2.15 ys 3.55.6 mm; Tray 2,3: 10.4 ys 1/4 8.5 910 2 15,9 x 3.55.6 mm Supported (metric): Tray 1: 7.6 x 1/2 7 to 2.15 ys 3.55.6 mm; Tray 2,3: 10.4 ys 1/4 8.5 910 2 15,9 x 3.55.6 mm Supported (metric): Tray 1: 7.6 x 1/4 x 5/4 6.6 BU (61) x 2 7 to 2.15 ys 3.55.6 mm; Tray 2,3: 10.4 ys 1/4 x 5/4 6.6 BU (61) x 400 to 1/6 x 3/4 to 1/6 x 5/4 to 1/6 x 5/4 to 1/6 to 1/6 x 5/4

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only, and differ between desktop and mobile applications. Subscription may be required. Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only. After 3 months, a monthly fee applies to continue advanced features with HP Smart Pro. For more information, see http://www.hpsmart.com.
- Easy setup and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
 ⁶ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- As Save up to 50% on toner (mono) Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers < 494 and MFPs priced < 672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details: www.keypointintelligence.com/HPInstantInk.
- ⁸ Automatic delivery and consolidated bill: Printers require direct connection to the Internet for program participation. Internet access sold separately
- 9 Never run out: Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 10 Change or cancel: Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁵ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219











© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



