ThinkSmart Core for Microsoft Team Rooms 11S30008UK

Product

ThinkSmart Core Full Room Kit

Region

WE

Country/Region

UK

Machine Type

11S3

TopSeller

TopSeller

Processor

Intel Core i5-1145G7E (4C / 8T, 1.5 / 4.1GHz, 8MB)

Graphics

Integrated Intel Iris Xe Graphics

Chipset

Intel SoC Platform

Memory

8GB Soldered DDR4-3200

Storage

256GB SSD M.2 2280 PCIe 3.0x4 NVMe

Display

10.1" Display on ThinkSmart Touch Controller

Touchscreen

10-point Multi-touch

Remote Control

ThinkSmart Touch Controller

Camera

ThinkSmart Cam

Microphone

2x Mic on Camera + 4x Mic on ThinkSmart Bar + 2x Satellite Mic

Speakers

ThinkSmart Bar (4 Speakers)

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.0, vPro

VESA Mount

Integrated VESA Mount

Case Color

Black case with red bottom

Power Supply

90W 89% Adapter

System Management

Intel vPro

Operating System

Windows 10 IoT Enterprise CLB 64, English

Base Warranty

3-year, Onsite

Included Upgrade

First Year Maintenance (5MS0Z44663), 3Y Premier Support Upgrade from 3Y Onsite (5WS0Y57697)

EAN/UPC/JAN

0196119603031

End of Support

N/A

Announce Date

2021-11-02

Recommended Services

Best

4Y Premier Support upgrade from 3Y Premier Support (5WS0Z53125)

Better

5Y Premier Support upgrade from 3Y Premier Support (5WS0Z53126)

Good

First Year Maintenance (5MS0Z44663)

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a



particular purpose.

https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2022. All rights reserved.





ThinkSmart Core for Microsoft Team Rooms Platform Specifications

| ThinkSmart Core | | ThinkSmart Core Full ThinkSmart Core + | | | | | | ThinkSmart Controller | | |
|---------------------|---|--|--------------------|-------------|-----------------|----------------------------|------------------------|--|--|--|
| Kit Options | | Room Kit | | | Controller Kit | | Display | 10.1" (1280x800), < 340 nits, 16:10 aspect ratio, Anti-Fingerprint, Anti-Glare, support 30° or 60° placement Supports 10-point touch | | |
| | ThinkSmart Core 1x | | | | 1x | | Multi-touch Sensors | | | |
| | ThinkSmart Cont | troller | 1x | | 12 | 1x | | IR sensors for motion detection, up to 3 meters distance and 90° angle • 1x USB-C (connect to compute unit, 10m USB-C cable incluided) | | |
| | ThinkSmart Ca | am | 1x | | No | None | | • 1x 3.5mm headphone / mic combo jack, | | |
| | ThinkSmart B | lar | 1x | | No | ne | Dimensions | 1x Kensington Security Slot Width: 265.5 mm (10.5 inches) | | |
| | Satellite Microph | - | 2x (optional) | | No | | | Height: 168.1 mm (6.6 inches) Depth: 13 mm (0.5 inches) 83.3 mm (3.3 inches) with the stand | | |
| | Raven black case | | | | | | Weight | 753.8 g (1.7 lb) | | |
| Base Warranty | Some: 3-year Lend Some: 3-year limite | ovo Prem | nier Support warr | anty | | | | ThinkSmart Cam | | |
| | Joine. 3-year IIMI | | npute System | | | | Image | 8MP 1/1.8" CMOS sensor, up to 1080p@30fps video capture, digital PTZ (Pan / Tilt / Zoom) | | |
| Processor | 11th Gen Intel® Co | | | | | | Optics | 100° Horizontal FoV, 68° Vertical FoV, 125° Diagonal FoV | | |
| | Processor | Cores / | Frequency | Cache M | lemory Support | Integrated | Al features | Auto Zoom/Frame, Speaker Tracking, Whiteboard Recognition, People Count | | |
| | . 10003301 | | Base/Max(GHz) | | (Op to) | Graphics | Microphone | 2x digital microphone | | |
| | Core i5-1145G7E | 4/8 | 1.5G / 4.1G | 8 MB | DDR4-3200 | Intel Iris® Xe Graphics | Ports | 1x USB-C (connect to ThinkSmart Core compute unit) | | |
| Memory | 8GB DDR4-3200, dual-channel | | | | | | Mounting | Wall mount kit, TV mount kit, and magnetically mount on ThinkSmart Bar | | |
| | 256GB M.2 SSD (2280) / PCIe NVMe, PCIe 3.0 x4 | | | | | | Dimensions | Width: 105 mm (4.1 inches) Light: 26 mm (4.4 inches) F1.7 mm (2 inches) with clamp | | |
| | Intel SoC (System on Chip) platform | | | | | | 1 | Height: 36 mm (1.4 inches), 51.7 mm (2 inches) with clamp Depth: 60.5 mm (2.4 inches) | | |
| | None | | .,, | | | | Weight | 220 g (0.5 lb) | | |
| Rear Ports* | • 2x USB 3.2 Gen | | or ThinkSamrt Ba | er, one for | ThinkSmart Ca | am) | | ThinkSmart Bar | | |
| | 1x USB 3.2 Gen1 1x Thunderbolt™ 4 1x USB-C 3.2 Gen 1 (connect to ThinkSmart Controller) 1x HDMI-in | | | | | | Speaker | Power output 20+20W with 4 speaker units, up to 97dB to cover large meeting room, 250 Hz to 20 KHz frequency range | | |
| | | | | | | | Microphone | 4 forming mic array with 180° coverage, 300Hz to 8KHz frequency range | | |
| | 2x HDMI-out 1.41x Ethernet | | | | | | Noise Control | Built-in DSP for echo and noise-cancellation | | |
| | 1x power connector Depending on many factors, actual data transfer speed may be lower than theoretical speed | | | | | | Ports | 1x USB-C (USB 2.0, connect to ThinkSmart Core compute unit) 1x AUX in (connect to Mic Pod) | | |
| WLAN | 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 | | | | | | Bluetooth | Bluetooth 5.0 (A2DP, SBC, MPEG-4, AAC) | | |
| | combo adapter, Intel vPro technology support, 2x2 | | | | | | Mounting | Wall / Monitor mount kit | | |
| Ethernet | Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit ethernet, Intel Ethernet Connection I219-LM (Jacksonville), Wake on LAN® Intel Active Management Technology 15.0 (Intel AMT 15.0) | | | | | | Dimensions | Width: 798 mm (31.4 inches) Height: 56.5 mm (2.2 inches) Depth: 91.3 mm (3.6 inches) | | |
| Security chip | Discrete TPM 2.0, | TCG Cei | rtified | | , | | Weight | • Depth: 91.3 mm (3.6 inches) 3.6 kg (7.9 lb) | | |
| Security features | Kensington Secuthe cable connect | | with the integrate | ed cable n | management, ca | an also secure |) igitt | Satellite Microphone | | |
| | · Power-on, Super | rvisor, har | rd disk password | | | | Capturing Range | ge 1m 360 degree omni direction | | |
| | Smart USB Prote watts adapter 1 | | IOV autocome | 800/ DOI | 1 | | Ports | 1x Mic out (connect to ThinkSmart Bar) | | |
| | 90 watts adapter, 1 | 1007 - 24 | tov autosensing | , 03% PSL | | | _ | 1x Mic in (connect to next Mic Pod) | | |
| | Width: 226 mm (8.9 inches) | | | | | | Dimensions | Width: 100 mm (3.9 inches) Height: 20 mm (0.8 inches) | | |
| | Width: 226 mm (8Height: 37.5 mmDepth: 200 mm (7 | (1.5 inch | nés), 51.7 mm (2 | inches) wi | ith the clamp u | nfolded | Weight | 220 g (0.5 lb) | | |
| Weight | 1.1 kg (2.4 lb) | ` | , | | | |] | | | |
| | Windows 10 IoT E | nterprise | SAC 64 bit | | | | | | | |
| See footnotes for m | nore detailed informa | ation | | | | | | Lenovo, August 20 | | |











