



Headset Adapter Cable with Stereo Audio Aux Y-Splitter

3.5 mm Female to 2 x 3.5 mm Male, 15 cm (6 in.), Splits Single Headset Plug into Microphone and Audio Plugs, CTIA, Gold-plated Contacts, Braided Nylon, Black/Silver

Part No.: [356121](#)

EAN-13: 0766623356121 | UPC: 766623356121

Headset Adapter - Dual AUX 3.5 mm Stereo Y Splitter Adapter Cable (F/2xM, CTIA) with Microphone and Audio Plugs to connect a headset with one 3.5 mm plug to a PC or notebook

The Manhattan Headset Adapter Cable with Stereo Audio AUX Y-Splitter converts a single 3.5 mm headset plug into separate mic and speaker plugs. It lets you connect your headset to the two individual audio ports on a laptop desktop computer. This Headset Adapter is ideal for common calling applications, such as Skype, Teams or Zoom and in online gaming voice chats with your friends.

Perfect conductivity with Oxygen-free Copper (OFC) wire and gold-plated contacts

For best sound in HiFi quality, conductivity is everything because it maintains the integrity of the sound signals. To achieve maximum signal integrity, this cable comes with 24 karat gold-plated contacts and pure OFC wire. For additional physical durability, the cable's aluminum boots help withstand daily or on-the-go use and a lot of plugging/unplugging. The durable nylon-braided jacket with strain relief remains highly flexible in all connection scenarios.

Features:

- One female and two male 3.5 mm stereo auxiliary connectors to split a

single headset plug into mic and audio plugs

- Lets you connect a headset with a single 3.5 mm plug to the speaker and microphone jacks of a laptop or PC
- Premium HiFi quality with 24 karat gold-plated contacts and pure oxygen-free copper (OFC) wire
- Sturdy aluminum boot for superior durability
- Highly flexible, durable, nylon-braided jacket with heavy-duty strain relief
- This cable uses CTIA pole configuration, which may result in only the earphones working - not the mic - when used with an OMTP-configured device
- Lifetime warranty

Specifications:

Standards and Certifications

- CE
- RoHS
- REACH
- WEEE

General

- Two 3.5 mm stereo males (TRS)
- One 3.5 mm stereo female (TRRS, 4-pole)
- CTIA pole configuration
- Gold-plated contacts
- Aluminum boot with strain relief
- OFC copper wire
- Braided nylon jacket
- 28 AWG
- Length: 15 cm (6 in.)
- Outer diameter (OD): 3.5 mm (0.14 in.)
- Weight: 14 g (0.49 oz.)

Operating Environment

- Operation temperature: -5 - 80°C (23 - 176°F)
- Storage temperature: -10 - 85°C (14 - 185°F)

Package Contents

- Headset Adapter Cable with Stereo Audio AUX Y-Splitter

This product is also available to adapt a mic-in and audio-out plugs by the model shown:

- #356107

