







IFP6502-V7PRO

SKU: CE32913

V7 PRO Interactive Flat Panel 4K displays allow users to easily collaborate, save and share ideas interactively and digitally in meeting rooms and classrooms. The system uses a powerful quad core processor and graphics chipset with increased memory. It is optimal for the built-in multi-window multitasking applications for leading classrooms or meetings including whiteboard, note taking, web browser, screen sharing and recording, and more. With Bytello Share, you can share and receive content between the IFP and Windows, Mac OS, Chrome OS, Android, and iOS Devices using the included application or using Miracast, ChromeCast or AirPlay (up to 9 devices split screen at one time). Bytello DMS software included for bulk remote management, status monitoring, volume control, broadcasting and more. With one USB-C cable users can share content, allow 2-way touch, and charge your device with 65W Power Delivery. Connect to a variety of resources and provide a great interactive multimedia environment with 20 point touch, two 16 watt speakers, and a multitude of ports including USB, video, Bluetooth and wired/wireless networking.

- Fast Android 11 system with 64GB ROM and 8 GB RAM
- 4K Interactive Touch Display with 20 point touch
- Built for multi-window multitasking with easy to use, built-in applications
- Wired and Wireless Networking included with Internet access and screen sharing to and from almost any device
- USB-C connection allows screen sharing, 2-way touch, and charges your device with 65W Power Delivery with one cable
- Best-in-class account manager allows users to quickly login multiple ways to a customizable work space with cloud drive auto-login and more
- 5 year subscription of Bytello DMS software included for bulk remote management
- Includes heavy duty wall mount for fast deployment

General

Sku: CE32913

Model: IFP6502-V7PRO

EAN: 0662919115826

Warranty: 5 years

Compliance: CE, Energy Star, FCC, RoHS, TUV, UL,

WEEE

Country Of Origin: China

Package Type: One Color

Package Includes: IFP, 3m US power cord, 3m Schuko power cord, 3m UK power cord, 1.8m USB-C

Cable, 3m HDMI cable, 2 Writing Pens, 1 Remote

Control with 2 AAA batteries, Quick Start Guide, Heavy Duty Wall Mount, 802.11ac (2T2R) Wi-Fi

Module

Color

Color: Black

Desian

Resolution: 3840 x 2160 px (4K)

Package Dimensions

Package Dimensions (L/W/H): $64.09 \times 8.19 \times 39.57$ in $(1628 \times 208 \times 1005 \text{ mm})$

Package Weight: 108.14 lbs (49.05 kg)

Product Dimensions

Product Dim (L/W/H): 58.6 x 3.4 x 35.3 in (1488.4 x 86.4 x 896.7 mm)

Product Weight: 83.89 lbs (38.05 kg)

Other

Additional Info: IFP, 3m US, Schuko, UK power cords, 2m USB-C Cable, 3m HDMI cable, 2 Writing Pens, 1 Remote Control with 2 AAA batteries, Quick Start Guide, Heavy Duty Wall Mount, 802.11ac (2T2R) Wi-Fi Module

Technical

Panel Size: 65 in

Panel Type: ADS

Power Input: AC 100V-240V 50-60Hz

Aspect Ratio: 16:9

Response Time: 8 ms

Viewing Angle: 178°H / 178°V

Brightness: 410 nits

Contrast Ratio: 1200:1

Dynamic Contrast Ratio: 4000:1 Input Port: HDMI, RJ45, USB, USB-C, VGA

VESA Mount: 600 x 400 mm

Active Display Area: 56.23 x 31.63 in (1428.48 x

803.52 mm)

Storage Temperature: -20図 - 60図

Glass Hardness: 9H

Operating Temperature: 0\(\overline{\Omega}\)- 40\(\overline{\Omega}\)

Speaker: 2 x 16W

Storage Humidity: 10% - 90%RH Wall Mount Screw Size: M8 x 25 mm Support Colors: 1.07B (10bits + FRC) Operating Humidity: 10% - 90%RH

Pixel Pitch (H/V): 372x 372 Speaker Output Power: 2 x 16W

Power Consumption: Maximum - 445W; Typical -

195W; Standby - ≤0.5W



Android System

Android 11.0 4K UI, CPU A73 x 4, GPU ARM Mali G52 MC 2

RAM: 8 GB DDR3

ROM: 64GB

Specifications

SURFACE TREATMENT

Haze 25%, Anti-glare treatment

LIGHT SENSOR

Automatic brightness adjustment

BACKLIGHT UNIT

D-LED

CONNECTORS

HDMI Input x 3

USB 2.0 x 1 (for Software update only)

USB $3.0 \times 2 - 2$ front (with passthrough in/out) + 2 rear

USB-C - x 1 (65W PD, DP 1.4, Touch) pass through

VGA In x 1

TOUCH out - USB 3.0 x 2

AUDIO in/out - 3.5mm x 1

SPDIF x 1

WIFI - 802.11ac (2T2R) Wi-Fi Module Included with Hotspot

LAN(RJ45) - 10/100/1000Mbps LAN both in & out auto switch

RS232 - DB9 x 1

OPS Slot -120 Pins

Bluetooth 5.0