Fujitsu recommends Windows 11 Pro.



### **Data Sheet**

# Fujitsu Notebook LIFEBOOK U7512

### Ultra-Mobile Meets Ultra Secure

The Fujitsu LIFEBOOK U7512 is a modern slim & light notebook for business professionals. Based on the 12th generation Intel® Core™ processor, the 15.6-inch screen, light weight of 1.38 kg and an all-day battery runtime enable it to provide best portability. The outstanding security like PalmSecure™ makes the notebook to the perfect choice in today's modern workstyle.

### Elegant design and enjoyable mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- The remarkably slim 19.1 mm ultra-mobile notebook weighs only 1.38 kg.
- Enjoy the Intel® Iris® Xe Graphics with a FHD display.
- The outdoor-friendly anti-glare FHD touch panel comes with a narrow bezel design and complete magnesium warm silver housing.

#### **Excellent security**

Enhance your security with outstanding features to best protect your notebook and company data

- Integrated PalmSecure<sup>™</sup> or fingerprint sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader

### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 4 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and HDMI
- Embedded 4G or 5G/LTE

#### Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily

### Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Family port replicator for the whole LIFEBOOK E5 and U7 Series ensures ultimate flexibility and shared workplace concepts
- Shared components such as the USB Type-C port replicator, USB Type-C AC Adapter, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family









## Components

Base unit	LIFEBOOK U7512		
Operating systems			
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 11 Home Windows 10 Pro. Fujitsu recommends Windows 11 Pro for business.		
Microsoft OS support information	After the end of the product life Fujitsu will continue to test and support all upcoming Windows releases for a perio of maximum 5 years, depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see "Fujitsu Service Statement for Windows General Availability Channel" at https://support.ts.fujitsu.com/IndexProdSupport.asp?Ing=com&OpenTab=		
Operating system notes	The use of Windows Operating System is subject to acceptance of the End User License Agreement of Microsoft as applicable under the relevant Microsoft program.		
Processor	Intel® Core™ i7-1270P processor (12C, up to 4.8 GHz)		
	Intel® Core™ i7-1255U processor (10C, up to 4.7 GHz) *		
	Intel® Core™ i5-1250P processor (12C, up to 4.4 GHz)		
	Intel® Core™ i5-1245U processor (10C, up to 4.4 GHz)		
	Intel® Core™ i5-1240P processor (12C, up to 4.4 GHz) *		
	Intel® Core™ i5-1235U processor (10C, up to 4.4 GHz) *		
	Intel® Core™ i3-1215U processor (up to 4.4 GHz) *		
	*Processor only for retail, SMB, education and government		
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 3,200 MT/s, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR4, 3,200 MT/s, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM		
	32 GB (1 module(s) 32 GB) DDR4, 3,200 MT/s, SO DIMM		
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED		
	PCIe-SSD, 256 GB M.2 NVMe module, SED		
	PCIe-SSD, 2 TB M.2 NVMe module, SED		
	PCIe-SSD, 1 TB M.2 NVMe module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
4G/5G (optional)	Fibocom FM350-GL (5G Sub-6/cat.19) (Downlink speed 5G - 3740 MB/s, 4G - 1600 MB/s, Uplink speed 5G - 835 MB/s 4G - 211 MB/s)		
	Quectel EM120R-GL (4G Cat.12) (Downlink speed 600 MB/s, Uplink speed 150 MB/s)		
Display	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare multi-touch, 250 cd/m² (Touch), 700:1 (Touch)		
	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare HDR, 500 cd/m² (FHD), 800:1 (FHD)		
	39.6 cm (15.6-inch), IPS, FHD, 1,920 x 1,080 pixel, Anti-glare display, 300 cd/m <sup>2</sup> (FHD), 1000:1 (FHD)		
Multimedia			
Camera	Built-in webcam (HD) with Status LED  Built-in Infrared webcam (HD) with Status LED		
Camera notes	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter		
Microphone	dual digital array microphone		

### Base unit

Ganaral system information				
General system information Chipset	Integrated			
Supported capacity RAM (min.)	4 GB			
Supported capacity RAM (max.)	4 GB 64 GB			
Memory slots	2 SO DIMM (DDR4, 3200 MHz)			
Memory notes				
LAN	Dual channel support			
	10/100/1,000 MBit/s Intel® I219LM			
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2			
BIOS version	UEFI Specification 2.8			
BIOS features	InsydeH2O BIOS			
Audio type	On board			
Audio codec	Realtek ALC257			
Audio features	2x built-in speakers (2 W each), Stere			
MIL-STD tested	Yes, selected MIL-STD-810H tests passed.  MIL-STD-810H test results are not a guarantee of future performance under identified test conditions.  Accidental damage is not covered under standard international limited warranty.			
Color	Warm Silver			
Material	Magnesium			
Graphics				
Base unit	LIFEBOOK U7512			
Graphics brand name	Intel® UHD Graphics (with Single channel memory), Intel® Iris® Xe Graphics (with Dual channel memory)			
Graphics notes	Shared memory depending on main memory size and operating system			
Interfaces				
Audio: line-in / line-out	1			
Internal microphones	2x digital array microphones (optional)			
USB 3.2 Gen1 (5 Gbps) total	3x Type-A (1 with Anytime USB charge functionality)			
USB 4.0 Gen3 (20 Gbps) total	2x Type-C Intel® Thunderbolt™ 4 (40 Gbps), Power Delivery (15W), DP out			
HDMI	1 - Supports 4k@60Hz as specified in HDMI 2.0b			
Ethernet (RJ-45)	1 (with status LED)			
Memory card slots	1 microSD 3.0 Standard microSD card microSDHC card microSDXC card Speed Class: up to UHS-I			
SmartCard slot	1 (optional)			
SIM card slot	1 (Nano-SIM, only for models with co	1 (Nano-SIM, only for models with configuration WWAN ready or with 4G/5G LTE modules)		
eSIM card	eSIM integrated in 4G/5G LTE Modul	e - Dual SIM (DSSA) supported		
Docking connector for Port Replicator	1 - PR Model: NPR50			
Kensington Lock support	1 - Recommendation: Kensington's N	Aicro Security Saver		
Port Replicator interfaces (optional)				
	USB Type-C PR	Thunderbolt™ 4 PR	Mechanical PR Model: NPR50	
DC-in	1 (19V/90W required)	1 (20V/170W required)	1 (19V/90W required)	
Power on switch	1	1	1	
Audio: line-in / line-out			1	
Audio: comments	1 Combo jack for headset usage	1 Combo jack for headset usage	Combo-Port	
USB 3.2 Gen1 (5 Gbps) total			4x Type-A 2x Type-C	
DisplayPort	1x V1.2	2x V1.4++	2 (up to 2x 3840x2160 60Hz)	
VGA	1		1 (up to 1920x1200 6Hz)	
HDMI text	1	V 2.0b	1 (up to 4096x2160 60Hz)	

Port Replicator interfaces (optional)			
Interface Notes	3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	2x Type-A - 5V/0.9A, 4.5W 1x Type-A - 5V/2.4A, 12W 2x Type-C - 5V, 1.5A/4.5W charging port 1x Type-C - TBT4 up to 60 W (PD v2.0-1.1), 5-20V/3.0A upstream (PC), Intel AMT support (vPRO) 1x Type-C - TBT4 up to 15 W (PD v2.0-1.1), 5V/3.0A downstream, power output to client	The shown up to resolutions are maximum values each port and will be different depending on Multi-Display combinations.
Kensington Lock support	no	1	1 (lock Portrep only)
Ethernet (RJ-45)	1	1 (10/100/1000 Mbit/s, 2,5 Gbps)	1
Notes	Number of simultaneous used display frequencies depend on mobile systen Please consult always also the manua	n and display interface type.	1 RJ45 (10/100/1000)
Keyboard and pointing devices			
	Spill-resistant keyboard with number	block, Available with standard keyboard	l or backlit keyboard
	Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm		
	Multi gesture touchpad with two mou	use buttons	
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2+2 4G/	5G antennas optional	
Bluetooth	v5.2		
Integrated WLAN	Intel WiFi 6E AX211 - WLAN, BT, SRD cat. 2		
WLAN encryption	WPA/WPA2/WPA3 (Wi-Fi Protected Access)		
WLAN notes	WiFi 6E is supported by Windows 11 OS only - Windows 10 OS supports WiFi 6 only. Import and usage according to country-specific regulations.		
Integrated LTE or UMTS	(5G) LTE Fibocom FM350-GL (Sub-6/cat.19) - eSIM integrated - UMTS,LTE,5G (4G) LTE Quectel EM120R-GL (Cat.12) - eSIM integrated - UMTS,LTE		
LTE/UMTS/GPS notes	Optional		
NFC	No		
GPS	Embedded in 4G/5G module if config	ured with WWAN	
Power supply			
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 F	Hz - 60 Hz, 3-pin (grounded) Type-C AC-A	Adapter slim&light
AC Adapter	20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter slim&light 20 V / 65 W (3.25 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) Type-C AC-Adapter standard		
1st battery	Lithium polymer battery 4-cell, 65 Wh, 4,280 mAh		
Battery features	Quick Charge: 80% in 1h		
Runtime 1st battery	tbc		
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	357 x 230 x 19.1 mm		
mensions (W X D X H)	14.06 x 9.06 x 0.75 inch		
Weight	starting from 1.38 kg		
Weight (lbs)	starting from 1.38 kg starting from 3.04 lbs		
Weight notes	Weight may vary depending on actual configuration		
Operating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		
Compliance			
Product	LIFEBOOK U7512		
Model	7U15A3		
Germany	GS (planned)		
Europe	CE		
Larope	CB		

Compliance	
USA/Canada	FCC (depending on configuration) (planned)
Global	TCO Certified 9.0 EPEAT® Gold (dedicated regions) in progress
Russia	EAC in progress
China	CCC (planned)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (notes)	Use of accopanying and/or additional Software is subject to proactive acceptance of the respective License Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the relevant Software whether preinstalled or optional. The software may only be available bundled with a software support subscription which – depending on the Software - may be subject to separate remuneration.
Manageability	
Manageability technology	Intel® vPro™ technology/iAMT (depending on processor) PXE Boot code Wake-on-LAN
Manageability software	DeskView Client DeskView Instant BIOS Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	User and supervisor BIOS password EraseDisk
User Security	Access protection via internal SmartCard reader (optional) Embedded fingerprint sensor (optional) Embedded PalmSecure® sensor (optional) Hard disk password
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security. However, these properties are not sufficient on their own to protect the product from all existing threats, such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings, please use the configuration options as available for the respective product. During operation, the IT security of this product is within the responsibility of the respective administrator/end-user of the product. Please note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding IT security best practices and/or general product operation.
Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes  Product Support Services - the perfec	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Recommended Service	9x5, Onsite Response Time: Next Business Day
	. ,

Warranty	
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

### **Recommended Accessories**

Thunderbolt™ 4 Port Replicator	First Thunderbolt™ Port Replicator on the market providing enhanced security and full support of Intel® AMT (vPro®).  The universal port can easily connect almost everything with a single cable and high speed-data transfer. This smart workspace solution keeps your desk clean and tidy.	Order Code: FPCPR401BP
Port Replicator for LIFEBOOK U7x12, E5x12, U7411 and U7511	Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: FPCPR402BP
JSB Type-C Port Replicator 2	Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C interface supports you to get your peripheral devices connected easily. Multiply your USB ports to connect your peripherals as well as your external display via HDMI, DisplayPort or VGA.  You also can charge your external USB devices without the need of any additional charger.	Order Code: \$26391-F3327-L100
Battery 4 cell 65 Wh	The 4 cell 65 Wh battery has a the recharge time of the cell is 60 minutes for a 80% charge.	Order Code: FPCBP592BP

### More information

### Fujitsu products, solutions & services

In addition to Fujitsu Notebook LIFEBOOK U7512, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

**Computing Products** www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

### More information

Learn more about Fujitsu Notebook LIFEBOOK U7512, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through

Please find further information at http://www. fujitsu.com/global/about/environment/



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/ navigation/terms-of-use.html Copyright 2022 Fujitsu Technology Solutions GmbH

#### Disclaimer

Please note that the data sheet reflects the technical specification with the maximum selection of components for the named system and not the detailed scope of delivery. The scope of delivery is defined by the selection of components at the time of ordering.

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

The overall product has been designed and manufactured for general office use, regular personal use and ordinary industrial use.

### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2022-06-01 EM-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/ navigation/terms-of-use.html Copyright 2022 Fujitsu Technology Solutions GmbH