ASUS VA24DQLB computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand: ASUS **Product code**: 90LM054N-B01370

Product name: VA24DQLB

- 23.8-inch Full HD (1920x1080) LED backlight display with IPS 178° wide viewing angle panel
- Up to 75Hz refresh rate with Adaptive-Sync technology to eliminate tracing and ensure crisp and clear video playback
- Extensive connectivity including HDMI, DisplayPort, D-sub and USB hub
- VESA wall-mountable to save on desktop space plus ergonomically-designed stands with full tilt, swivel, pivot, and height adjustment
- ASUS Eye Care monitors feature TÜV Rheinland-certified Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience
- 23.8" (1920 x 1080), IPS, LED, 75Hz, Adaptive-Sync, 1 x HDMI, 2 x USB 2.0 Type-A, 1 x DisplayPort (1.2), 5.5 Kg







Dienlay		Ports & interfaces	
Display			
Display diagonal *	60.5 cm (23.8")	Headphone outputs	1
Display resolution *	1920 x 1080 pixels	Headphone connectivity	3.5 mm
HD type *	Full HD	PC Audio in	✓
Native aspect ratio *	16:9	HDCP	✓
Display technology *	LED	AC (power) in	1
Panel type *	IPS	Ergonomics	
Backlight type	LED	VESA mounting *	1
Touchscreen *	×	Panel mounting interface	100 x 100 mm
Display brightness (typical)	250 cd/m ²	Cable lock slot *	✓
Response time	5 ms	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Flat	Height adjustment	13 cm
Supported graphics resolutions	1920 x 1080 (HD 1080)	Pivot	√
Supported video modes	1080p	Pivot angle	-90 - 90°
Contrast ratio (typical) *	1000:1	Swivelling	-90 - 90 ✓
Contrast ratio (dynamic)	100000000:1	Swiveling Swivel angle range	-90 - 90°
Dynamic contrast ratio marketing name	ASUS Smart Contrast Ratio (ASCR)	Tilt angle range	-5 - 35°
Maximum refresh rate *	75 Hz	Tilt adjustment	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	С
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000	
Pixel pitch	0.2745 x 0.2745 mm	hours *	12 kWh
Viewable size, horizontal	52.7 cm	Power consumption (typical) *	16.7 W
Viewable size, vertical	29.6 cm	Power consumption (off)	0.3 W
Digital horizontal frequency	30 - 85 kHz	Power consumption (PowerSave)	0.3 W
Digital vertical frequency	48 - 75 Hz	AC input voltage	100 - 240 V
RGB colour space	sRGB	AC input frequency	50 - 60 Hz
Colour gamut	100%	Energy efficiency scale	A to G

Performance		Operational conditions	
Brand specific technologies VESA Adaptive Sync support	SPLENDID ✓	Operating temperature (T-T)	0 - 40 °C
		Packaging content	
Flicker-free technology	√	Stand included	✓
Low Blue Light technology Multimedia	V	Cables included	Audio (3.5mm), DisplayPort, HDMI, USB Type-A, VGA
Built-in speaker(s) * Built-in camera *	×	Quick start guide	✓
		Weight & dimensions	
Number of speakers	2	Width (with stand)	540 mm
RMS rated power	4 W	Depth (with stand)	211 mm
Design		Height (with stand)	480 mm
Market positioning *	Business	Weight (with stand)	5.5 kg
Product colour *	Black	Width (without stand)	540 mm
Ports & interfaces		Depth (without stand)	55 mm
Built-in USB hub *	,	Height (without stand)	325 mm
USB hub version	√ 2.0	Weight (without stand)	3.3 kg
USB Type-A downstream ports		Packaging data	
quantity	2	Package width	652 mm
VGA (D-Sub) ports quantity	1	Package depth	202 mm
HDMI *	✓	Package height	450 mm
HDMI ports quantity	1	Package weight	7.8 kg
HDMI version	1.4	Package type	Box
DisplayPorts quantity 1 DisplayPort version 1.2	1	Sustainability	
	1.2	European Product Registry for	
Headphone out *	✓	Energy Labelling (EPREL) code	388060
		Logistics data	
		Harmonized System (HS) code	85285210

