



AOC V5 CU34V5C 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LED Black

Brand : AOC

Product family: V5

Product code: CU34V5C/BK

Product name : CU34V5C

Screen size (inch) 34, Panel resolution 3440x1440, Refresh rate 100 Hz, Response time MPRT 1 ms, Panel type VA, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) Freesync

AOC V5 CU34V5C 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LED Black:


34" VA WQHD panel for maximum productivity, with MultiView, USB-C and PD65W

The AOC CU34V5C is equipped with a 34" VA curved panel with Ultrawide QHD 21:9 resolution for an immersive viewing experience in a three-side frameless chassis that you can tilt and height adjust as needed. Ready to boost your productivity with USB-C with Power Delivery up to 65W, 4 USB ports & HDMI, it also offers Picture by Picture MultiView for the most complex multitasking.



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	HDMI ports quantity	1
Display resolution *	3440 x 1440 pixels	HDMI version	2.0
HD type *	Wide Quad HD	DisplayPorts quantity	1
Native aspect ratio *	21:9	DisplayPort version	1.2
Display technology *	LED	Headphone out *	✓
Panel type *	VA	Headphone outputs	1
Backlight type	W-LED	Headphone connectivity	3.5 mm
Touchscreen *	✗	HDCP	✓
Display brightness (typical)	300 cd/m ²	HDCP version	2.2
Response time	1 ms	AC (power) in	✓
Anti-glare screen	✓	Mobile High-Definition Link (MHL)	✗
Screen shape *	Curved	Ergonomics	
Screen curvature rating	1500R	VESA mounting *	✓
Contrast ratio (typical) *	3000:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	20000000:1	Wall mountable	✓
Maximum refresh rate *	100 Hz	Cable lock slot *	✓
Viewing angle, horizontal	178°	Cable lock slot type	Kensington
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	16.7 million colours	Height adjustment	13 cm
Pixel pitch	0.23175 x 0.23175 mm	Pivot	✓
Pixel density	109.7 ppi	Swivelling	✓
Display diagonal (metric)	86.4 cm	Tilt angle range	3 - 21°
Surface hardness	6H	Picture-in-Picture	✓
sRGB coverage (typical)	116%	On Screen Display (OSD)	✓
NTSC coverage (typical)	101%	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Adobe RGB coverage	100%	Number of OSD languages	19
Performance		LED indicators	✓
NVIDIA G-SYNC *	✗	Tilt adjustment	✓
AMD FreeSync *	✓		
AMD FreeSync type	FreeSync		
Fast charging	✓		
Flicker-free technology	✓		

Performance		Power	
Low Blue Light technology	✓	Power consumption (typical) *	60 W
Brand-specific features	False	Power consumption (standby) *	0.5 W
Multimedia		Power consumption (off)	0.3 W
Built-in speaker(s) *	✓	AC input voltage	100 - 240 V
Built-in camera *	✗	AC input frequency	50/60 Hz
Number of speakers	2	Power supply type	Internal
RMS rated power	10 W	Packaging content	
Built-in microphone	✗	Stand included	✓
Design		Cables included	AC
Market positioning *	Home	HDMI cable length	1.5 m
Product colour *	Black	Weight & dimensions	
Frameless design	✓	Width (with stand)	808.1 mm
Front bezel colour	Black	Depth (with stand)	250 mm
Detachable stand	✓	Height (with stand)	527.3 mm
Feet colour	Black	Weight (with stand)	9.34 kg
Ports & interfaces		Width (without stand)	80.8 cm
Built-in USB hub *	✓	Depth (without stand)	9.99 cm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (without stand)	36.5 cm
USB upstream port type	USB Type-C	Packaging data	
Number of upstream ports	1	Package width	189 mm
Number of USB Type-C upstream ports quantity	1	Package depth	1071 mm
USB Type-A downstream ports quantity	4	Package height	500 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	11.8 kg
USB Power Delivery	✓	Package type	Box
USB Power Delivery up to	65 W	USB cable length	1.8 m
DVI port	✗	Other features	
HDMI *	✓	DCI-P3 coverage	93%
		Picture-by-Picture (PbP)	✓
		Exterior finish type	Matt
		Mean time between failures (MTBF)	50000 h
		Light effects	✗



4038986110198

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-FEB-2023. Prints or copies of Information are only valid on the printed Publication date