



LG 55UH5J-H Signage Display Digital signage flat panel 139.7 cm (55") IPS Wi-Fi 500 cd/m² UHD+ Black 24/7



Brand : LG

Product code: 55UH5J-H

Product name : 55UH5J-H

55", IPS, 16 : 9, 1100:1, 3840 x 2160, 500 cd/m², 60Hz, 178 X 178 °, 8ms, 95%, 1234.4 x 720.9 x 39.9 mm, 19000 g, black

LG 55UH5J-H. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: UHD+. Wi-Fi. Operating hours (hours/days): 24/7. Product colour: Black

Display		Performance	
LED backlighting type	Edge-LED	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Japanese, Norwegian, Portuguese, Russian, Swedish, Turkish	
Display diagonal *	139.7 cm (55")	On Screen Display (OSD) languages	
Display technology *	IPS	Operating hours (hours/days)	24/7
Display resolution *	3840 x 2160 pixels	HDCP	✓
Display brightness *	500 cd/m ²	International Protection (IP) code	IP5X
HD type *	UHD+	HDCP version	1.4
Native aspect ratio	16:9	Power	
Response time	8 ms	Power consumption (typical) *	110 W
Contrast ratio (typical)	1100:1	Power consumption (off)	0.5 W
Contrast ratio (dynamic)	1000000:1	Power consumption (max)	150 W
Viewing angle, horizontal	178°	Energy efficiency class (SDR)	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours	99 kWh
Display number of colours	1.07 billion colours	AC input voltage	100 - 240 V
Colour saturation	95%	AC input frequency	50 - 60 Hz
Rated lifetime	50000 h	Heat dissipation	376 BTU/h
Native refresh rate	60 Hz	Energy efficiency scale	A to G
Haze rate	28%	Weight & dimensions	
Ports & interfaces		Width	1234.4 mm
HDMI ports quantity *	4	Depth	39.9 mm
HDMI version	2.2	Height	720.9 mm
HDMI input ports quantity	3	Weight	19 kg
HDMI output ports quantity	1	Width (with stand)	1234.4 mm
DVI port *	✓	Depth (with stand)	290 mm
DisplayPorts quantity *	1	Height (with stand)	770.7 mm
USB port *	✓	Weight (with stand)	19.6 kg
USB ports quantity	1	Packaging data	
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Package width	1360 mm
Ethernet LAN *	✓	Package depth	175 mm
Ethernet LAN (RJ-45) ports	1	Package height	835 mm
Wi-Fi *	✓	Package weight	24.2 kg
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232 interface	✓		
RS-232C	✓		

Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Design		Remote control type	ST-653T
Product design *	Digital signage flat panel	Operational conditions	
Placement supported *	Indoor	Operating temperature (T-T)	0 - 40 °C
Orientation	Horizontal/Vertical	Operating relative humidity (H-H)	10 - 80%
Product colour *	Black	Certificates	
VESA mounting *	✓	Certification	CB / NRTL, FCC Class "A" / CE / KC, ErP
Panel mounting interface	300 x 300 mm	Technical details	
Mounting type	Wall	Internal memory	16 MB
Performance		Other features	
Purpose *	Universal	Power consumption (PowerSave)	77 W
Number of OSD languages	19		



8806091657138



0195174033791



195174033791



8806091655035

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.