//OC

AOC P2 24P2QM LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

Product family: P2

Brand : AOC

Product code: 24P2QM

Product name : 24P2QM

Screen size (inch) 23.8, Panel resolution 1920x1080, Refresh rate 75 Hz, Panel type VA, HDMI HDMI 1.4 x 1, Display Port DisplayPort 1.2 x 1, D-SUB (VGA), DVI, Sync technology (VRR) Adaptive Sync

AOC P2 24P2QM LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black:

23.8" VA FHD monitor with an eye for comfort, with height adjustable stand and ergonomic features

The AOC 242P2QM is a 23.8" VA panel with FHD resolution and crisp and deep details, held in a threeside frameless chassis that you can adjust, pivot and tilt as needed for a comfortable user experience throughout long working hours. Easy on the eye with Anti-Glare, Low Blue Mode and Adaptive Sync to avoid blurriness. Essential but complete connectivity.






Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time	tion * 1920 x 1080 pixels Full HD atio * 16:9 LED VA W-LED × ness (typical) 300 cd/m ²	HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs Headphone connectivity HDCP HDCP version AC (power) in	1 1.4 1 1.2 ✓ 1 3.5 mm ✓ 1.4 ✓
Anti-glare screen Screen shape *	✓ Flat	Mobile High-Definition Link (MHL)	×
Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Display diagonal (metric) Surface hardness sRGB coverage (typical) NTSC coverage (typical) Adobe RGB coverage	3000:1 50000000:1 75 Hz 178° 16.7 million colours 0.2745 x 0.2745 mm 93 ppi 60.4 cm 6H 129% 113% 111%	Ergonomics VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Height adjustment * Height adjustment Pivot Swivelling Swivel angle range Tilt angle range On Screen Display (OSD)	 100 x 100 mm Kensington Kensington 15 cm 0 - 180° -5 - 35° Simplified Chinese, Traditional
Performance NVIDIA G-SYNC * Fast charging VESA Adaptive Sync support Flicker-free technology Low Blue Light technology Dial point	× ✓ ✓ ✓ ✓ ✓ ✓	On Screen Display (OSD) languages Number of OSD languages Tilt adjustment	Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Ukrainian 19

Performance		Power	
Compatibility Brand-specific features	VESA-P2 False	Power consumption (typical) * Power consumption (standby) *	14.58 W 0.5 W
Multimedia		Power consumption (off)	0.5 W
Built-in speaker(s) * Built-in camera * Number of speakers	✓ × 2	AC input voltage AC input frequency Power supply type	100 - 240 V 50/60 Hz Internal
RMS rated power	- 4 W	Packaging content	
Built-in microphone	×	Stand included	1
Design		Cables included HDMI cable length	AC 1.8 m
Market positioning * Product colour *	Home Black	Power cable length	1.8 m
Frameless design		Weight & dimensions	
Front bezel colour	Black	Width (with stand)	384.4 mm
Detachable stand		Depth (with stand)	200.1 mm
Feet colour	Black	Height (with stand) Weight (with stand)	540.2 mm 4.75 kg
Ports & interfaces		Width (without stand)	4.75 kg 54 cm
Built-in USB hub * USB hub version USB upstream port type	✔ 3.2 Gen 1 (3.1 Gen 1) USB Type-B	Depth (without stand) Height (without stand)	5.07 cm 32.6 cm
Number of upstream ports	1	Packaging data	
Number of USB Type-B upstream ports quantity	1	Package width Package depth	634 mm 160 mm
USB Type-A downstream ports quantity	4	Package height	513 mm
VGA (D-Sub) ports quantity	1	Package weight Package type	7.24 kg Box
DVI port	1	5 ,.	box
DVI-D ports quantity	1	Other features	
HDMI *	1	DCI-P3 coverage	103%
		Exterior finish type Mean time between failures (MTBF)	Matt
		mean time between failures (MIBF)	20000 II

Light effects

×



4038986140713

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.