



## LG 75UH5J-H Signage Display Digital signage flat panel 190.5 cm (75") LED Wi-Fi 500 cd/m<sup>2</sup> 4K Ultra HD Black Web OS 24/7

**Brand :** LG

**Product code:** 75UH5J-H

**Product name :** 75UH5J-H



New High Haze UHD Standard Signage 75"

LG 75UH5J-H Signage Display Digital signage flat panel 190.5 cm (75") LED Wi-Fi 500 cd/m<sup>2</sup> 4K Ultra HD Black Web OS 24/7:

### Proper Display Brightness

With a recommend brightness of 500 cd/m<sup>2</sup> for an indoor display, the UH5J-H series clearly deliver content and attract public attention, making it the most suitable display for marketing in meeting rooms, airports, retail, shopping malls etc.



### High-Performance with webOS

LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.

### Conformal Coating

In various places the UH5J-H series is unable to avoid exposure to environments containing dust, humidity, etc. which may hamper performance over time. The conformal coating on power board reduces these risks by protecting UH5J-H series from salt, dust, iron powder, humidity, etc.

### Mobile Content Management

You can create a store profile and get template recommendations using the Promota\* app. Users can customize templates for all industries and easily create and manage content not only on PCs but also on mobile devices.

Display		Design	
LED backlighting type	Edge-LED	Bezel width (side)	1.49 cm
Display diagonal *	190.5 cm (75")	Bezel width (top)	1.49 cm
Display technology *	LED	<b>Performance</b>	
Display resolution *	3840 x 2160 pixels	Purpose *	Commercial
Display brightness *	500 cd/m <sup>2</sup>	On Screen Display (OSD)	✓
HD type *	4K Ultra HD	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish
Touchscreen *	✗		Ambient light sensor
Native aspect ratio	16:9	Operating hours (hours/days)	24/7
Response time	6 ms	HDCP	✓
Contrast ratio (typical)	1100:1	International Protection (IP) code	IP5X
Contrast ratio (dynamic)	1000000:1	HDCP version	1.4/2.2
Viewing angle, horizontal	178°	<b>Power</b>	
Viewing angle, vertical	178°	Power consumption (typical) *	180 W
Panel life	50000 h	Power consumption (off)	0.5 W
Native refresh rate	120 Hz	AC input voltage	100 - 240 V
Haze rate	28%	AC input frequency	50/60 Hz
<b>Ports &amp; interfaces</b>		Heat dissipation	614.25 BTU/h
HDMI ports quantity *	3	<b>Computer system</b>	
DVI port *	✓	Internal memory	16 GB
DVI-D ports quantity	1	Operating system installed	Web OS
DisplayPorts quantity *	1	<b>Weight &amp; dimensions</b>	
USB port *	✓	Display width	1682.4 mm
USB ports quantity	1	Display depth	57.9 mm
USB version	2.0	Display height	960.3 mm
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		
Wi-Fi *	✓		
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232C	✓		

<b>Ports &amp; interfaces</b>		<b>Weight &amp; dimensions</b>	
Infrared data port	✓	Display weight	41.5 kg
Remote (IR) input	1	<b>Packaging data</b>	
<b>Audio</b>		Package width	1816 mm
Built-in speaker(s) *	✓	Package depth	228 mm
<b>Design</b>		Package height	1123 mm
Product design *	Digital signage flat panel	Package weight	51.2 kg
Placement supported *	Indoor/outdoor	<b>Packaging content</b>	
Orientation	Horizontal/Vertical	Remote control included	✓
Product colour *	Black	Batteries included	✓
VESA mounting *	✓	Cables included	AC
Panel mounting interface	600 x 400 mm	Tilt adjustment	✓
Bezel width (bottom)	1.49 cm	<b>Operational conditions</b>	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	10 - 80%
		<b>Features</b>	
		Heat dissipation (max)	887.25 BTU/h



8806091776037



8806091875464

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.