

Fujitsu PRIMERGY RX2540 M6 server Rack (2U) Intel Xeon Silver 4309Y 2.8 GHz 16 GB DDR4-SDRAM 900 W

Brand : Fujitsu

Product family: PRIMERGY

Product code: VFY:R2546SC231IN

Product name : RX2540 M6

- No OS

- Intel Xeon Silver 4309Y (12MB Cache, 2.8GHz)

- 16GB (3200MHz) DDR4-SDRAM (1 x 16)

Intel Xeon Silver 4309Y (12MB Cache, 2.8GHz), 16GB DDR4-SDRAM (3200MHz), 900W, No OS Fujitsu PRIMERGY RX2540 M6. Processor family: Intel Xeon Silver, Processor frequency: 2.8 GHz, Processor model: 4309Y. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. Power supply: 900 W. Chassis type: Rack (2U)







Processor		Ports & interfaces	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports *	1
Processor family *	Intel Xeon Silver	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	6
Processor generation	3rd Generation Intel® Xeon® Scalable	ports quantity VGA (D-Sub) ports quantity	1
Processor model * Processor frequency *	4309Y 2.8 GHz	Design	
		Chassis type *	Rack (2U)
Processor boost frequency	3.6 GHz	Rack mounting	√ (20)
Efficient-core base frequency	0.0028 GHz	Performance	
Performance-core base frequency	2.8 GHz 8		4
Processor cores Processor cache	8 12 MB	Trusted Platform Module (TPM) Trusted Platform Module (TPM)	-
	12 MD	version	2.0
Memory	14.00	Software	
Internal memory * Internal memory type *	16 GB DDR4-SDRAM	Operating system installed *	×
Memory slots	32x DIMM	Compatible operating systems *	Windows Server 2019 Datacenter Windows Server 2019 Standard Windows Server 2019 Essentials Hyper-V Server 2016 Windows Server 2016 Datacenter Windows Server 2016 Standard Windows Server 2016 Essentials Windows
ECC	 ✓ 		
Memory clock speed	3200 MHz		
Memory layout (slots x size)	1 x 16 GB		
Maximum internal memory *	12 TB		
Storage			Storage Server 2016 Standard Red Hat® Enterprise Linux 8 Red Hat®
Number of HDDs supported	16		Enterprise Linux 7 Oracle® Linux 7
Supported HDD sizes	2.5"	Power	
RAID support *	4	Power supply *	900 W
Hot-Plug support	~	Weight & dimensions	
Optical drive type *	×	Width	482.5 mm
		Depth	482.5 mm
		Height	86.9 mm
		Weight	32 kg



4065221858959

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.