

ZYXEL

Zyxel EX3300-T0 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) White

Brand : Zyxel

Product code: EX3300-T0-EU01V1F

Product name : EX3300-T0

- WiFi 6 AX1800 for superior performance and coverage, compatible with AC and N wireless
 - Supports Mesh via Zyxel MPro Mesh (compliant with EasyMesh standards)
 - NAT, firewall with SPI and DoS for better security
 - Intuitive user interface for an easy-to-manage home network
- AX1800 Dual-Band Wireless Router | 1.1200 MBit/s 5GHz | 600 MBit/s 2,4GHz, EasyMesh | Easy Setup



Zyxel EX3300-T0 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) White:

EX3300 WIFI6 Router with Mesh support. The Zyxel EX3300 delivers high-speed internet connectivity for a seamless multi-streaming user experience. Supporting Ethernet internet connectivity and WiFi6 (AX1800) Wireless connectivity for your devices, the EX3300 doesn't compromise on flexibility or speed. The EX3300 features our Easy Mesh fully compliant Zyxel MPro Mesh Solution, allowing you to seamlessly enhance and expand your connectivity to support a whole-home WiFi-connected experience without dead zones.



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✓	DHCP server	✓
WAN connection type	RJ-45	Universal Plug and Play (UPnP)	✓
Wireless LAN features		Design	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Product colour	White
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	LED indicators	LAN, WAN, WLAN, WPS, Power
WLAN data transfer rate (max) *	11200 Mbit/s	On/off switch	✓
WLAN data transfer rate (first band)	600 Mbit/s	Product type *	Tabletop router
WLAN data transfer rate (second band)	11200 Mbit/s	Packaging content	
Network		Cables included	AC, Phone, LAN (RJ-45)
Ethernet LAN *	✓	Quick installation guide	✓
Ethernet LAN interface type *	Gigabit Ethernet	Antenna	
Port forwarding	✓	Antenna design *	Internal
Automatic channel selection	✓	Features	
Dynamic DNS (DDNS)	✓	Firmware upgradeable	✓
Policy-based routing	✓	Power	
SSID-based VLAN assignment	✓	Power source type *	DC
Ports & interfaces		Output voltage	12 V
Ethernet LAN (RJ-45) ports *	4	Output current	2 A
USB port *	✓	Operational conditions	
USB 2.0 ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Management features		Storage temperature (T-T)	-30 - 70 °C
Reset button	✓	Operating relative humidity (H-H)	10 - 90%
WPS push button	✓	Storage relative humidity (H-H)	10 - 95%
Security		Weight & dimensions	
Security algorithms	IPSec, SSID, WMM, WPS, SNMP	Width	220 mm
Stateful Packet Inspection (SPI)	✓	Depth	35 mm
MAC address filtering	✓	Height	153 mm
		Weight	373 g



4718937618422

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2024. Prints or copies of Information are only valid on the printed Publication date