TP-Link VIGI 2.8MM 4MP FULL-COLOUR TURRET NETWORK CAMERA, EQUIPED POE/12V DC, 2YR IP security camera Indoor 2560 x 1440 pixels Ceiling

Brand : TP-Link

Product code: C440-2.8

Product name : VIGI 2.8MM 4MP FULL-COLOUR TURRET NETWORK CAMERA, EQUIPED POE/12V DC, 2YR

4MP, 1/3" Progressive Scan CMOS, 2.8 mm, F1.6, 30m, IR, 3D DNR, DWDR, 1 RJ45, Micro SD, PoE TP-Link VIGI 2.8MM 4MP FULL-COLOUR TURRET NETWORK CAMERA, EQUIPED POE/12V DC, 2YR. Type: IP security camera, Placement supported: Indoor, Connectivity technology: Wired. Mounting type: Ceiling, Product colour: White, Form factor: Turret. Angle of rotation: 360°, Lens viewing angle, horizontal: 79°, Lens viewing angle, vertical: 43°. Sensor type: CMOS, Optical sensor size: 25.4 / 3 mm (1 / 3"). Focal length range: 2.8 mm




Performance		Audio	
Туре *	IP security camera	Built-in speaker(s)	4
Placement supported *	Indoor	Audio system	2-way
Connectivity technology *	Wired	Built-in microphone	✓
Day/night mode	4	Network	
Infrared (IR) cut-off filter	<	Ethernet LAN *	4
Design		Ethernet interface type	Fast Ethernet
Form factor *	Turret	Networking standards	IEEE 802.3af, IEEE 802.3at
Mounting type *	Ceiling	Currented network protocols	ONVIF, TCP/IP, UDP, ICMP, HTTP,
Product colour *	White	Supported network protocols	HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Housing material	Plastic	Number of users	21 user(s)
Camera		Streaming method	Multicast
Camera pan control	<	Storage	
Camera tilt control	1	Built-in HDD *	×
Angle of rotation	360°	Card reader integrated	¥
Lens viewing angle, horizontal	79°	Compatible memory cards	MicroSD (TransFlash)
Lens viewing angle, vertical	43° 93°	Ports & interfaces	
Lens viewing angle, diagonal Tilt angle range	93° 0 - 85°	Ethernet LAN (RJ-45) ports	1
Pan range	0 - 360°	DC-in jack	1
	0-500	•	•
Image sensor		Security	
Optical sensor size	25.4 / 3 mm (1 / 3")	Password protection	4
Progressive scan	✓	Video motion detection	4
Sensor type *	CMOS	Active tampering alarm	
Lens system		IP address filtering	
Number of lenses *	1	HTTPS encryption Intelligent Video Surveillance (IVS)	 Crossing line, Human detection,
Maximum aperture number	1.6	system features	Intrusion
Focal length range	2.8 mm	Mirror	1
Night vision		Password reset via email	4
Night vision *	1	Digest authentication	4
Night vision distance	30 m	Management features	
LED type	IR	Reset button	1
Infra-red wavelength	850 nm	Power	
Video		Power source type *	DC
Maximum resolution *	2560 x 1440 pixels	Power consumption (max)	5.5 W
Total megapixels *	4 MP	DC output voltage	12
Video compression formats	H.264, H.264+, H.265, H.265+	Operational conditions	


Operating temperature (T-T) -30 - 60 °C

Video

320 x 240, 352 x 288, 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported graphics resolutions 2048 x 1280, 2304 x 1296, 2560 x 1440 Frame rate 30 fps Noise reduction ∢ Noise reduction technology 3D noise reduction Brightness, Contrast, Mirror, Saturation, Sharpness Image quality adjustment Privacy masking 1 64 Kbps - 4 Mbps Bit rate Back Light Compensation (BLC) 1 Digital Wide Dynamic Range 1 (DWDR)

Weight & dimensions			
Height	84 mm		
Diameter	12.3 cm		
Packaging content			
Number of cameras *	1		
Screws included	1		
Manual	1		
Anchors included	1		
Mounting template	✓		
Technical details			
Sustainability compliance Sustainability certificates	✓ CE, RoHS		





4897098688649

4897098688687

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.