## Samsung QB85R-B Digital signage flat panel 2.16 m (85") VA Wi-Fi 350 cd/m² 4K Ultra HD Black Tizen 4.0 16/7

Brand : Samsung

Product code: LH85QBRBDGCXEN

Product name : QB85R-B

Samsung QB85R-B. Product design: Digital signage flat panel. Display diagonal: 2.16 m (85"), Display technology: VA, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen 4.0. Product colour: Black





Display		Design	
Display technology *VADisplay resolution *3840Display brightness *350 c	8840 x 2160 pixels 350 cd/m² IK Ultra HD	VESA mounting * Panel mounting interface Bezel width (bottom) Bezel width (side) Bezel width (top)	<ul> <li>600 x 400 mm</li> <li>1.09 cm</li> <li>1.09 cm</li> <li>1.09 cm</li> </ul>
Response time	6 ms	Performance	
Contrast ratio (typical) Dynamic contrast ratio marketing name Viewing angle, horizontal	4000:1 Mega Contrast 178°	Purpose * Operating hours (hours/days) HDCP HDCP version	Universal 16/7 ✓ 2.2
Viewing angle, vertical	178°	Power	
Pixel pitch Horizontal scan range Vertical scan range Colour gamut	0.4875 x 0.4875 mm 30 - 81 kHz 48 - 75 Hz 89%	Power consumption (typical) * Power consumption (sleep) AC input voltage AC input frequency	264 W 0.5 W 100 - 240 V 50/60 Hz
Ports & interfaces		Computer system	
HDMI ports quantity * HDMI version DVI port *	2 2.0 •	Computer system * Computer system type Operating system installed	✔ System on Chip (SoC) Tizen 4.0
USB port * USB ports quantity	2	Weight & dimensions	
Ethernet LAN *     ✓       Ethernet LAN (RJ-45) ports     1       Wi-Fi *     ✓       Audio (L/R) out     1	✓ 1 ✓	Display width Display depth Display height Display weight	1897.8 mm 56.7 mm 1080.8 mm 48.4 kg
RS-232 interface	<	Packaging data	
Remote (IR) input	1	Package width	2090 mm
Audio		Package depth	260 mm
Built-in speaker(s) *	×	Package height Package weight	1247 mm 63.7 kg
Design			05.7 kg
Product design * Placement supported * Orientation Product colour *	Digital signage flat panel Indoor Horizontal/Vertical Black	<b>Operational conditions</b> Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%

## Other features

Flash memory

8000 MB



8806094749328

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.